

Index to Volume 74

Author Index

- Abu-Tarboush, H. M., S. A. B. Ahmed, and H. A. Al Kahtani. Note: Some nutritional and functional properties of karkade (*Hibiscus sabdariffa*) seed products, 352
- Adalsteins, A. E. *See* W. H. Vensel, 108
- Aguerre, R. J. *See* M. P. Tolaba, 842
- Ahmed, S. A. B. *See* H. M. Abu-Tarboush, 352
- Aime, D. B. *See* H. Liu, 159
- Al Kahtani, H. A. *See* H. M. Abu-Tarboush, 352
- Anderson, B. J. *See* C. M. McDonough, 542
- Andrews, L. C. *See* C. S. Gaines, 700
- Apintanapong, M. *See* A. Noomhorm, 12
- Arendt, E. K. *See* K. Wehrle, 739
- Arntfield, S. D. *See* H. Liu, 159
- Autio, K. *See* J. Räsänen, 56, 806
- Au-Yeung, L. *See* H. Corke, 356
- Baik, B.-K. *See* T. Otto, 141, 445
- Bailey, T. B. *See* S. K. Singh, 40
- Barreiro, N. L. *See* V. Singh, 672
- Barrett, J. E., C. F. Klopfenstein, and H. W. Leipold. Detoxification of rapeseed meal by extrusion with an added basic salt, 168
- Barton, F. E. II *See* E. T. Champagne, 566
- . *See* W. R. Windham, 626
- Batey, I. L., B. M. Curtin, and S. A. Moore. Optimization of rapid-visco analyser test conditions for predicting Asian noodle quality, 497
- . *See* M. Zeng, 63
- Bean, S. R., and G. L. Lookhart. Separation of wheat proteins by two-dimensional reversed-phase high-performance liquid chromatography plus free zone capillary electrophoresis, 758
- Bechtel, D. B., and J. D. Wilson. Ultrastructure of developing hard and soft red winter wheats after air- and freeze-drying and its relationship to endosperm texture, 235
- Beer, M. U., P. J. Wood, and J. Weisz. Molecular weight distribution and (1→3)(1→4)- β -D-glucan content of consecutive extracts of various oat and barley cultivars, 476
- , ———, ———, and N. Fillion. Effect of cooking and storage on the amount and molecular weight of (1→3)(1→4)- β -D-glucan extracted from oat products by an in vitro digestion system, 705
- Belúa, A. P. *See* M. A. Larrea, 98
- BeMiller, J. N. *See* K. C. Huber, 537
- . *See* M. R. Jacobson, 511
- . *See* M. Obanni, 431
- Bergman, E.-L. *See* A. Rutgersson, 727
- Bett, K. L. *See* E. T. Champagne, 566
- Bhattacharya, M., J. Jafari-Shabestari, C. O. Qualset, and H. Corke. Diversity of starch pasting properties in Iranian hexaploid wheat landraces, 417
- Bhatty, R. S. Milling of regular and waxy starch hull-less barleys for the production of bran and flour, 693
- , and B. G. Rossnagel. Communication to the editor: Zero amylose lines of hull-less barley, 190
- . *See* T. Vasanthan, 25
- Bietz, J. A. *See* F. R. Huebner, 123
- Blakeney, A. B. *See* B. G. Osborne, 467
- Blanshard, J. M. V. *See* J. Räsänen, 806
- Borras, F. S. *See* J. L. Robutti, 75
- Borri, V. *See* G. Giovanelli, 710
- Botham, R. L., P. Cairns, R. M. Faulks, G. Livesey, V. J. Morris, T. R. Noel, and S. G. Ring. Physicochemical characterization of barley carbohydrates resistant to digestion in a human ileostomate, 29
- Brumm, T. J. *See* M. R. Campbell, 300
- Bryant, C. M., and B. R. Hamaker. Effect of lime on gelatinization of corn flour and starch, 171
- Buffo, R. A., C. L. Weller, and A. Gennadios. Note: Films from laboratory-extracted sorghum kafirin, 473
- Bullerman, L. B. *See* S. K. Katta, 858
- Buriak, P. *See* J. F. Lopes-Filho, 633
- . *See* V. Singh, 672
- Bushuk, W., R. L. Hay, N. G. Larsen, R. G. Sara, L. D. Simmons, and K. H. Sutton. Effect of mechanical dough development on the extractability of wheat storage proteins from bread dough, 389
- Cagampang, A. E. *See* S. K. Katta, 858
- Cairns, P. *See* R. L. Botham, 29
- Campbell, M. R., T. J. Brumm, and D. V. Glover. Whole grain amylose analysis in maize using near-infrared transmittance spectroscopy, 300
- Campos, D. T., J. F. Steffe, and P. K. W. Ng. Rheological behavior of undeveloped and developed wheat dough, 489
- Cañigueral, S. *See* M. Estiarte, 495
- Casals, I. *See* M. Estiarte, 495
- Çelik, S. *See* D. Dadayli, 375
- Cerletti, P. *See* N. Guerrieri, 846
- Champagne, E. T., K. L. Bett, B. T. Vinyard, B. D. Webb, A. M. McClung, F. E. Barton, II, B. G. Lyon, K. Moldenhauer, S. Linscombe, and D. Kohlwey. Effects of drying conditions, final moisture content, and degree of milling on rice flavor, 566
- . *See* H. S. Guraya, 561
- . *See* W. R. Windham, 626
- Chandrashekar, A. *See* R. Kavitha, 22
- Chang, P. *See* T. Vasanthan, 25
- Charvat, B. *See* U. Pechanek, 800
- Chen, H., B. P. Marks, and T. J. Siebenmorgen. Quantifying surface lipid content of milled rice via visible/near-infrared spectroscopy, 826
- , and T. J. Siebenmorgen. Effect of rice kernel thickness on degree of milling and associated optical measurements, 821
- Chen, L.-N. *See* S. Lu, 34
- Chen, X. *See* H. Corke, 356
- Cherian, G., and P. Chinachoti. Action of oxidants on water sorption, ^2H nuclear magnetic resonance mobility, and glass transition behavior of gluten, 312
- Chibbar, R. N. *See* T. Demeke, 442
- Chinachoti, P. *See* G. Cherian, 312
- Chiu, M.-C. M. *See* W. H. Yokoyama, 293
- Chiu, M. M. *See* B. E. Knuckles, 599
- Chung, O. K. *See* J. L. Hazelton, 400
- . *See* F. R. Huebner, 123
- . *See* H. Park, 202, 207
- Clarke, J. M. *See* J. E. Dexter, 519
- Clear, R. M. *See* J. E. Dexter, 519
- Cohen, C. *See* J. Fu, 304
- Collado, L. S., and H. Corke. Properties of starch noodles as affected by sweetpotato genotype, 182
- , L. B. Mabesa, and ———. Genetic variation in color of sweetpotato flour related to its use in wheat-based composite flour products, 681
- Corke, H., L. Au-Yeung, and X. Chen. Note: An automated system for the continuous measurement of time-dependent changes in noodle color, 356
- . *See* M. Bhattacharya, 417
- . *See* L. S. Collado, 182, 681
- . *See* W. Li, 79
- Cortez-Rocha, M. O. *See* R. I. Sánchez-Mariñez, 481
- Craig, J. C., Jr. *See* L. C. Dickey, 676
- . *See* N. Parris, 766
- Crosbie, G. B. *See* A. S. Ross, 814
- Cuppett, S. L. *See* L. A. Kunte, 115
- Curtin, B. M. *See* I. L. Batey, 497
- Czuchajowska, Z. *See* P.-Y. Lin, 639
- . *See* T. Otto, 141, 445
- Dadayli, D., M. M. Sünnetçioğlu, H. Köksel, and S. Çelik. Detection of irradiated wheat using the electron paramagnetic resonance spin probe technique, 375
- Dahl, W. J. *See* A. M. Stephen, 379
- Daigle, K. *See* F. F. Shih, 437
- Dallmer, M. F. *See* L. C. Dickey, 676
- Dejmek, P. *See* K. M. Lindborg, 49
- Demeke, T., P. Hucl, R. B. Nair, T. Nakamura, and R. N. Chibbar. Note: Evaluation of Canadian and other wheats for waxy proteins, 442
- Dexter, J. E., B. A. Marchylo, R. M. Clear, and J. M. Clarke. Effect of Fusarium head blight on semolina milling and pasta-making quality of durum wheat, 519
- Dhaliwal, Y. S. *See* D. W. Hatcher, 502
- Dickey, L. C., M. F. Dallmer, E. R. Radewonuk, N. Parris, M. Kurantz, and J. C. Craig, Jr. Hydrocyclone separation of dry-milled corn, 676
- . *See* N. Parris, 766
- Dintzis, F. R. *See* J. A. Klavons, 832
- . *See* M. M. Millard, 687
- Doehlert, D. C., and W. R. Moore. Composition of oat bran and flour prepared by three different mechanisms of dry milling, 403

- . See D. Zhang, 722
- Dombrink-Kurtzman, M. A., and C. A. Knutson. A study of maize endosperm hardness in relation to amylose content and susceptibility to damage, 776
- Doner, L. W., and K. B. Hicks. Isolation of hemicellulose from corn fiber by alkaline hydrogen peroxide extraction, 176
- Dowd, M. K. Recovery of starch and protein from wet-milled corn fiber, 589
- Dowell, F. E. Effect of NaOH on visible wavelength spectra of single wheat kernels and color classification efficiency, 617
- Du, L. See S. K. Singh, 254
- Duvick, S. A. See K. M. Krieger, 553
- . See K.-Y. Ng, 288, 837
- Eastman, J. J. See J. L. Hazelton, 400
- Eckhoff, S. R. See J. F. Lopes-Filho, 633
- . See K. D. Rausch, 274
- . See S. K. Mehra, 484
- . See S. K. Singh, 254
- . See V. Singh, 249, 462, 672
- Eggum, B. O., and B. O. Juliano. Properties and protein quality in growing rats of a low-glutelin content rice mutant, 200
- Eliasson, A.-C. See K. M. Lindborg, 49
- Ellis, R. P. See J. S. Swanston, 456
- Endo, S. See K. Hayakawa, 576
- Englyst, H. N. See A. M. Stephen, 379
- Estiarte, M., J. Peñuelas, S. Cañigueral, and I. Casals. Note: A reverse-phase HPLC method for tricin separation from wheat leaves, 495
- Eyherabide, G. H. See J. L. Robutti, 75
- Eynard, L. See N. Guerrieri, 846
- Fahloul, D. See M. G. Scanlon, 612
- Faulks, R. M. See R. L. Botham, 29
- Fearn, T. See B. G. Osborne, 467
- Fillion, N. See M. U. Beer, 705
- Finney, P. L. See C. S. Gaines, 700
- Fisher, D. K., and D. B. Thompson. Retrogradation of maize starch after thermal treatment within and above the gelatinization temperature range, 344
- Fox, S. R. See S. K. Singh, 40
- . See S. Wu, 264
- Fu, J., S. J. Mulvaney, and C. Cohen. Effect of added fat on the rheological properties of wheat flour doughs, 304
- Gaines, C. S., P. L. Finney, and L. C. Andrews. Influence of kernel size and shriveling on soft wheat milling and baking quality, 700
- Garber, B. W., F. Hsieh, and H. E. Huff. Influence of particle size on the twin-screw extrusion of corn meal, 656
- Gelroth, J. A. See G. S. Ranhotra, 297, 361
- Gennadios, A. See R. A. Buffo, 473
- . See M. Kojima, 526
- . See L. A. Kunte, 115
- Giovanelli, G., C. Peri, and V. Borri. Effects of baking temperature on crumb-staling kinetics, 710
- Glover, D. V. See M. R. Campbell, 300
- Grau, H. See K. Wehrle, 739
- Gröger, S. See U. Pechanek, 800
- Grosch, W., and P. Schieberle. Flavor of cereal products—A review, 91
- Grossmann, M. V. E. See M. A. Larrea, 98
- Guerrieri, N., L. Eynard, V. Lavelli, and P. Cerletti. Interactions of protein and starch studied through amyloglucosidase action, 846
- Guraya, H. S., R. S. Kadan, and E. T. Champagne. Effect of rice starch-lipid complexes on in vitro digestibility, complexing index, and viscosity, 561
- Haginoya, R., K. Sakai, T. Komatsu, S. Nagao, K. Yokoyama, O. Takeuchi, R. Matsukawa, and I. Karube. Determination of damaged starch and diastatic activity in wheat flour using a flow injection analysis biosensor method, 745
- Haken, A. E. See V. Singh, 249
- Hamada, J. S. Characterization of protein fractions of rice bran to devise effective methods of protein solubilization, 662
- Hamaker, B. R. See C. M. Bryant, 171
- Hammond, E. G. See M. Zhang, 594
- Hanna, M. A. See M. Kojima, 526
- . See A. N. R. Kollengode, 396
- . See L. A. Kunte, 115
- Hatcher, D. W., and J. E. Kruger. Simple phenolic acids in flours prepared from Canadian wheat: Relationship to ash content, color, and polyphenol oxidase activity, 337
- , ———, and Y. S. Dhaliwal. Effect of roller mill extraction rate on the chapatti-making quality of Canadian flours, 502
- Hay, R. L. See W. Bushuk, 389
- Hayakawa, K., K. Tanaka, T. Nakamura, S. Endo, and T. Hoshino. Quality characteristics of waxy hexaploid wheat (*Triticum aestivum* L.): Properties of starch gelatinization and retrogradation, 576
- Hayashi, M. See M. Seguchi, 129, 384
- Hazelton, J. L., O. K. Chung, J. J. Eastman, C. E. Lang, P. J. McCluskey, R. A. Miller, M. A. Shipman, and C. E. Walker. Note: Regression equation for predicting absorption for 2-g direct drive mixograph, 400
- Hicks, K. B. See L. W. Doner, 176
- Hix, D. K., C. F. Klopfenstein, and C. E. Walker. Physical and chemical attributes and consumer acceptance of sugar-snap cookies containing naturally occurring antioxidants, 281
- Hizukuri, S. See C. P. Villareal, 163
- Holley, R. A. See H. Liu, 159
- Horsley, R. D. See C. J. Lee, 571
- Hoseney, R. C. See R. A. Miller, 330, 614, 669
- Hoshino, T. See K. Hayakawa, 576
- Hsieh, F. See B. W. Garber, 656
- Huang, D. Y., and K. Khan. Characterization and quantification of native glutenin aggregates by multistacking sodium dodecyl sulfate polyacrylamide gel electrophoresis (SDS-PAGE) procedures, 229
- and ———. Quantitative determination of high molecular weight glutenin subunits of hard red spring wheat by SDS-PAGE. I. Quantitative effects of total amounts on breadmaking quality characteristics, 781
- and ———. Quantitative determination of high molecular weight glutenin subunits of hard red spring wheat by SDS-PAGE. II. Quantitative effects of individual subunits on breadmaking quality characteristics, 786
- Huber, K. C., and J. N. BeMiller. Visualization of channels and cavities of corn and sorghum starch granules, 537
- Hucl, P. See T. Demeke, 442
- Hudson, C. A. See W. H. Yokoyama, 293
- Huebner, F. R., T. C. Nelsen, O. K. Chung, and J. A. Bietz. Protein distributions among hard red winter wheat varieties as related to environment and baking quality, 123
- Huff, H. E. See B. W. Garber, 656
- Hussain, A., and O. M. Lukow. Influence of gliadin-rich subfractions of Glenlea wheat on the mixing characteristics of wheat flour, 791
- , ———, B. M. Watts, and R. I. H. McKenzie. Rheological properties of full-formula doughs derived from near-isogenic 1BL/1RS translocation lines, 242
- Ingledeu, W. M. See S. Wang, 621
- Irving, D. W., and I. A. Jideani. Microstructure and composition of *Digitaria exilis* Stapf (acha): A potential crop, 224
- Jackson, L. S. See S. K. Katta, 858
- Jacobson, M. R., M. Obanni, and J. N. BeMiller. Retrogradation of starches from different botanical sources, 511
- Jafari-Shabestari, J. See M. Bhattacharya, 417
- Jideani, I. A. See D. W. Irving, 224
- Jo, J. S. See S. S. Kim, 212
- Johns, D. M. See A. M. Stephen, 379
- Johnson, L. A. See S. K. Singh, 40
- . See S. Wu, 258, 264, 268
- Jones, B. L. See N. Zhang, 119
- Juliano, B. O. See B. O. Eggum, 200
- . See C. P. Villareal, 163
- Kachman, S. D. See W. J. Park, 7
- Kadan, R. S. See H. S. Guraya, 561
- Kaid, N., L. Rakotozafy, J. Potus, and J. Nicolas. Studies on the glutathione-dehydroascorbate oxidoreductase (EC 1.8.5.1) from wheat flour, 605
- Kanenaga, K. See M. Seguchi, 542
- Karger, A. See U. Pechanek, 800
- Karube, I. See R. Haginoya, 745
- Kasarda, D. D. See P. Köhler, 154
- . See W. H. Vensel, 108
- Katta, S. K., A. E. Cagampang, L. S. Jackson, and L. B. Bullerman. Distribution of *Fusarium* molds and fumonisins in dry-milled corn fractions, 858
- Kaukovirta-Norja, A., P. Reinikainen, J. Olkku, and S. Laakso. Starch lipids of barley and malt, 733
- Kavitha, R., and A. Chandrashekar. Content and composition of nonstarchy polysaccharides in endosperms of sorghum varying in hardness during four developmental stages, 22
- Keck-Gassenmeier, B. See P. Köhler, 154
- Khan, K. See D. Y. Huang, 229, 781, 786
- Kidwell, K. K. See C. F. Morris, 16

- Kim, S. S., J. S. Jo, Y. J. Kim, and N. K. Sung. Authentication of rice by three-sided image analysis of kernels using two mirrors, 212
- Kim, Y. J. *See* S. S. Kim, 212
- King, G. E. *See* C. F. Morris, 16, 147
- Kiribuchi-Otobe, C., T. Nagamine, T. Yanagisawa, M. Ohnishi, and I. Yamaguchi. Production of hexaploid wheats with waxy endosperm character, 72
- Kitahara, K., T. Tanaka, T. Sukanuma, and T. Nagahama. Release of bound lipids in cereal starches upon hydrolysis by glucoamylase, 1
- Klavons, J. A., F. R. Dintzis, and M. M. Millard. Hydrodynamic chromatography of waxy maize starch, 832
- . *See* M. M. Millard, 687
- Klopfenstein, C. F. *See* J. E. Barrett, 168
- . *See* D. K. Hix, 281
- Knuckles, B. E., W. H. Yokoyama, and M. M. Chiu. Molecular characterization of barley β -glucans by size-exclusion chromatography with multiple-angle laser light scattering and other detectors, 599
- . *See* W. H. Yokoyama, 293
- Knutson, C. A. Note: Use of phenol-sulfuric acid assay to determine composition of starch-oil composites, 471
- . *See* M. A. Dombink-Kurtzman, 776
- Köhler, P., B. Keck-Gassenmeier, H. Wieser, and D. D. Karsarda. Molecular modeling of the N-terminal regions of high molecular weight glutenin subunits 7 and 5 in relation to intramolecular disulfide bond formation, 154
- Kohlwey, D. *See* E. T. Champagne, 566
- Kojima, M., M. A. Hanna, and A. Gennadios. Note: Water solubility and macromolecular properties of corn meal extrudates as affected by epichlorohydrin, 526
- Köksel, H. *See* D. Dadayli, 375
- Kollengode, A. N. R., and M. A. Hanna. Flavor retention in pregelatinized and internally flavored starch extrudates, 396
- Komatsu, T. *See* R. Haginoya, 745
- Kongseree, N. *See* A. Noomhorn, 12
- Kotwal, Z. *See* B. G. Osborne, 467
- Krieger, K. M., S. A. Duvick, L. M. Pollak, and P. J. White. Note: Thermal properties of corn starch extracted with different blending methods: Microblender and homogenizer, 553
- Kruger, J. E. *See* D. W. Hatcher, 337, 502
- Kune, L. A., A. Gennadios, S. L. Cuppett, M. A. Hanna, and C. L. Weller. Cast films from soy protein isolates and fractions, 115
- Kurantz, M. *See* L. C. Dickey, 676
- Kurata, T. *See* M. Nakamura, 647, 651
- Laakso, S. *See* A. Kaukovirta-Norja, 733
- Lai, H.-M., and G. W. Padua. Properties and microstructure of plasticized zein films, 771
- , ———, and L. S. Wei. Properties and microstructure of zein sheets plasticized with palmitic and stearic acids, 83
- Landry, J. Note: Comparison of extraction methods for evaluating zein content of maize grain, 188
- Lang, C. E. *See* J. L. Hazelton, 400
- Larrea, M. A., M. V. E. Grossmann, A. P. Beléia, and D. Q. Tavares. Changes in water absorption and swollen volume in extruded alkaline peroxide pretreated rice hulls, 98
- Larsen, N. G. *See* W. Bushuk, 389
- Laurikainen, T. *See* J. Räsänen, 56
- Lavelli, V. *See* N. Guerrieri, 846
- Lawton, J. W., Jr. *See* W. J. Wolf, 530
- Lee, C. J., R. D. Horsley, F. A. Manthey, and P. B. Schwarz. Comparisons of β -glucan content of barley and oat, 571
- Leinen, S. D. *See* G. S. Ranhotra, 297, 361
- Leipold, H. W. *See* J. E. Barrett, 168
- Lelley, T. *See* U. Pechanek, 800
- Le Meste, M. *See* A. Rolee, 581
- Li, C.-F. *See* M.-L. Tsai, 750
- Li, W., R. Lin, and H. Corke. Physicochemical properties of common and tartary buckwheat starch, 79
- Li, W.-S., and J.-T. Shaw. Determining the fat acidity of rough rice by near-infrared reflectance spectroscopy, 556
- Lii, C.-Y. *See* S. Lu, 34
- . *See* M.-L. Tsai, 750
- Lin, P.-Y., and Z. Czuchajowska. Starch properties and stability of club and soft white winter wheats from the Pacific Northwest of the United States, 639
- Lin, R. *See* W. Li, 79
- Lindborg, K. M., C. Trägårdh, A.-C. Eliasson, and P. Dejmek. Time-resolved shear viscosity of wheat flour doughs—Effect of mixing, shear rate, and resting on the viscosity of doughs of different flours, 49
- Lingnert, H. *See* A. Rutgersson, 727
- Linscombe, S. *See* E. T. Champagne, 566
- . *See* W. R. Windham, 626
- Liu, H., S. D. Arntfield, R. A. Holley, and D. B. Aime. Amylose-lipid complex formation in acetylated pea starch-lipid systems, 159
- Livesey, G. *See* R. L. Botham, 29
- Lookhart, G. L. *See* S. R. Bean, 758
- Lopes-Filho, J. F., P. Buriak, M. E. Tumbleson, and S. R. Eckhoff. Intermittent milling and dynamic steeping process for corn starch recovery, 633
- Lorenz, K. *See* A. Winata, 284
- Lu, S., L.-N. Chen, and C.-Y. Lii. Correlations between the fine structure, physicochemical properties, and retrogradation of amylopectins from Taiwan rice varieties, 34
- Lujan-Acosta, J., and R. G. Moreira. Effects of different drying processes on oil absorption and microstructure of tortilla chips, 216
- Lukow, O. M. *See* A. Hussain, 242, 791
- Lyon, B. G. *See* E. T. Champagne, 566
- . *See* W. R. Windham, 626
- Mabesa, L. B. *See* L. S. Collado, 681
- Magnus, E. M. *See* T. Wicklund, 326
- Manthey, F. A. *See* C. J. Lee, 571
- Marchylo, B. A. *See* J. E. Dexter, 519
- Marks, B. P. *See* A. A. Perdon, 864
- . *See* H. Chen, 826
- Martin, T. J. *See* W. J. Park, 7
- Masi, P. *See* L. Piazzini, 135
- Matsukawa, R. *See* R. Haginoya, 745
- Matsumoto, H. *See* M. Seguchi, 129, 384
- Matsunaga, N., and P. A. Seib. Extraction of wheat starch with aqueous sodium hydroxide, 851
- McClung, A. M. *See* E. T. Champagne, 566
- . *See* W. R. Windham, 626
- McCluskey, P. J. *See* J. L. Hazelton, 400
- McDonough, C. M., B. J. Anderson, and L. W. Rooney. Structural characteristics of steam-flaked sorghum, 542
- McKenzie, K. S. *See* W. R. Windham, 626
- McKenzie, R. I. H. *See* A. Hussain, 242
- McKinstry, J. *See* V. Singh, 672
- McPherson, A. E., and P. A. Seib. Preparation and properties of wheat and corn starch maltodextrins with a low dextrose equivalent, 424
- Mehra, S. K., and S. R. Eckhoff. Single-stage short-duration tempering of corn for dry-milling, 484
- Meuser, F., N. Pahne, and M. Möller. Yield of starch and by-products in the processing of different varieties of wrinkled peas on a pilot scale, 364
- Miles, M. J. *See* P. R. Shewry, 193
- Millard, M. M., F. R. Dintzis, J. L. Willett, and J. A. Klavons. Light-scattering molecular weights and intrinsic viscosities of processed waxy maize starches in 90% dimethyl sulfoxide and H₂O, 687
- . *See* J. A. Klavons, 832
- Miller, R. A., and R. C. Hoseney. Factors in hard wheat flour responsible for reduced cookie spread, 330
- , and ———. Note: Use of elongational viscosity to estimate cookie diameter, 614
- , ———, and C. F. Morris. Effect of formula water content on the spread of sugar-snap cookies, 669
- . *See* J. L. Hazelton, 400
- Moldenhauer, K. *See* E. T. Champagne, 566
- . *See* W. R. Windham, 626
- Molina-Cano, J.-L. *See* J. S. Swanston, 456
- Möller, M. *See* F. Meuser, 364
- Moore, S. A. *See* I. L. Batey, 497
- Moore, W. R. *See* D. C. Doehlert, 403
- . *See* D. Zhang, 722
- Morales-Valdes, M. *See* R. I. Sánchez-Mariñez, 481
- Moreira, R. G. *See* J. Lujan-Acosta, 216
- Morgenstern, M. P. *See* A. J. Wilson, 715
- Morris, C. F., G. E. King, and G. L. Rubenthaler. Contribution of wheat flour fractions to peak hot paste viscosity, 147
- , B. J. Shackley, G. E. King, and K. K. Kidwell. Genotypic and environmental variation for flour swelling volume in wheat, 16
- . *See* R. A. Miller, 669
- . *See* M. Zeng, 63
- Morris, V. J. *See* R. L. Botham, 29
- Mulvaney, S. J. *See* J. Fu, 304
- Myers, D. J. *See* S. Wu, 258, 264, 268
- . *See* M. Zhang, 594
- Nagahama, T. *See* K. Kitahara, 1

- Nagamine, T. *See* C. Kiribuchi-Otobe, 72
- Nagao, S. *See* R. Haginoya, 745
- Nair, R. B. *See* T. Demeke, 442
- Nakamura, M., and T. Kurata. Effect of L-ascorbic acid on the rheological properties of wheat flour-water dough, 647
- , and —. Effect of L-ascorbic acid and superoxide anion radical on the rheological properties of wheat flour-water dough, 651
- Nakamura, T. *See* T. Demeke, 442
- *See* K. Hayakawa, 576
- Nelsen, T. C. *See* F. R. Huebner, 123
- Ng, K.-Y., S. A. Duvick, and P. J. White. Thermal properties of starch from selected maize (*Zea mays* L.) mutants during development, 288
- , L. M. Pollak, S. A. Duvick, and P. J. White. Thermal properties of starch from sixty-two exotic maize (*Zea mays* L.) lines grown in two locations, 837
- Ng, P. K. W. *See* D. T. Campos, 489
- *See* R. Redaelli, 102
- Nicolas, J. *See* N. Kaid, 605
- Niu, Y. X. *See* V. Singh, 249
- Noel, T. R. *See* R. L. Botham, 29
- Noomhorm, A., N. Kongseree, N., and M. Apintanapong. Effect of aging on the quality of glutinous rice crackers, 12
- Obanni, M., and J. N. BeMiller. Properties of some starch blends, 431
- *See* M. R. Jacobson, 511
- O'Brien, L. *See* B. G. Osborne, 467
- Ohnishi, M. *See* C. Kiribuchi-Otobe, 72
- Olkku, J. *See* A. Kaukovirta-Norja, 733
- Ortega-Dorame, F. *See* R. I. Sánchez-Mariñez, 481
- Osborne, B. G., Z. Kotwal, A. B. Blakeney, L. O'Brien, S. Shah, and T. Fearn. Application of the single-kernel characterization system to wheat receiving testing and quality prediction, 467
- Otto, T., B.-K. Baik, and Z. Czuchajowska. Microstructure of seeds, flours, and starches of legumes, 445
- , —, and —. Wet fractionation of garbanzo bean and pea flours, 141
- Padua, G. W. *See* H.-M. Lai, 83, 771
- Pahne, N. *See* F. Meuser, 364
- Park, H., P. A. Seib, and O. K. Chung. Fortifying bread with a mixture of wheat fiber and psyllium husk fiber plus three antioxidants, 207
- , —, —, and L. M. Seitz. Fortifying bread with each of three antioxidants, 202
- Park, W. J., D. R. Shelton, C. J. Peterson, T. J. Martin, S. D. Kachman, and R. L. Wehling. Variation in polyphenol oxidase activity and quality characteristics among hard white wheat and hard red winter wheat samples, 7
- Parris, N., L. Dickey, and J. Craig. Quantitative analysis of corn zeins by capillary electrophoresis, 766
- *See* L. C. Dickey, 676
- Paulsen, M. R. *See* K. D. Rausch, 274
- Pechanek, U., A. Karger, S. Gröger, B. Charvat, G. Schöggel, and T. Lelley. Effect of N-fertilization on quantity of flour protein components, dough properties, and breadmaking quality of wheat, 800
- Peñuelas, J. *See* M. Estiarte, 495
- Perdon, A. A., B. P. Marks, T. J. Siebenmorgen, and N. B. Reid. Effects of rough rice storage conditions on the amylograph and cooking properties of medium grain (cultivar Bengal) rice, 864
- Perez-Vendrell, A. *See* J. S. Swanson, 456
- Peri, C. *See* G. Giovanelli, 710
- Peterson, C. J. *See* W. J. Park, 7
- Piazza, L., and P. Masi. Development of crispness in cookies during baking in an industrial oven, 135
- Pogna, N. E. *See* R. Redaelli, 102
- Pollak, L. M., and P. J. White. Thermal starch properties in Corn Belt and exotic corn inbred lines and their crosses, 412
- *See* K. M. Krieger, 553
- *See* K.-Y. Ng, 837
- *See* S. K. Singh, 40
- Potus, J. *See* N. Kaid, 605
- Quail, K. J. *See* A. S. Ross, 814
- Qualset, C. O. *See* M. Bhattacharya, 417
- Radewonuk, E. R. *See* L. C. Dickey, 676
- Rakotozafy, L. *See* N. Kaid, 605
- Ranhotra, G. S., J. A. Gelroth, and S. D. Leinen. Effect of tristearin and other functional fats on blood lipids in hamsters, 297
- , —, —, and F. E. Schneller. Bioavailability of calcium in breads fortified with different calcium sources, 361
- Räsänen, J., J. M. V. Blanshard, M. Siitari-Kauppi, and K. Autio. Water distribution in frozen lean wheat doughs, 806
- , T. Laurikainen, and K. Autio. Fermentation stability and pore size distribution of frozen prefermented lean wheat doughs, 56
- Rausch, K. D., S. R. Eckhoff, and M. R. Paulsen. Evaluation of the displacement value as a method to detect reduced corn wet-milling quality, 274
- Redaelli, R., N. E. Pogna, and P. K. W. Ng. Effects of prolamins encoded by chromosomes 1B and 1D on the rheological properties of dough in near-isogenic lines of bread wheat, 102
- Reid, N. B. *See* A. A. Perdon, 864
- Reinikainen, P. *See* A. Kaukovirta-Norja, 733
- Reitmeier, C. A. *See* M. Zhang, 594
- Ring, S. G. *See* R. L. Botham, 29
- Robutti, J. L., F. S. Borrás, and G. H. Eyherabide. Zein compositions of mechanically separated coarse and fine portions of maize kernels, 75
- Rolee, A., and M. Le Meste. Thermomechanical behavior of concentrated starch-water preparations, 581
- Rooney, L. W. *See* C. M. McDonough, 542
- Ross, A. S., K. J. Quail, and G. B. Crosbie. Physicochemical properties of Australian flours influencing the texture of yellow alkaline noodles, 814
- Rosnagel, B. G. *See* R. S. Bhaty, 190
- Rubenthaler, G. L. *See* C. F. Morris, 147
- Rutgersson, A., E.-L. Bergman, H. Lingnert, and A.-S. Sandberg. Optimization of temperature, time, and lactic acid concentration to inactivate lipoxygenase and lipase and preserve phytase activity in barley (cv. Blenheim) during soaking, 727
- Sakai, K. *See* R. Haginoya, 745
- Sánchez-Mariñez, R. I., M. O. Cortez-Rocha, F. Ortega-Dorame, M. Morales-Valdes, and M. I. Silveira. End-use quality of flour from *Rhizopertha dominica* infested wheat, 481
- Sandberg, A.-S. *See* A. Rutgersson, 727
- Sapirstein, H. D. *See* M. G. Scanlon, 612
- Sara, R. G. *See* W. Bushuk, 389
- Sayre, R. N. *See* W. H. Yokoyama, 293
- Scanlon, M. G., D. Fahloul, and H. D. Sapirstein. Communication to the editor: A measure of fracture toughness of bread crumb, 612
- Schieberle, P. *See* W. Grosch, 91
- Schneeman, B. O. *See* W. H. Yokoyama, 293
- Schneller, F. E. *See* G. S. Ranhotra, 361
- Schöggel, G. *See* U. Pechanek, 800
- Schwarz, P. B. *See* C. J. Lee, 571
- Seguchi, M., M. Hayashi, and H. Matsumoto. Effect of gaseous acetic acid on dough rheological and breadmaking properties, 129
- , —, and —. Effect of a wheat protein on pH-dependent water-binding capacity and viscosity of wheat tailings fractions, 384
- , and K. Kanenaga. Study of three-dimensional structure of wheat starch granules stained with Remazolbrilliant blue dye and extracted with aqueous sodium dodecyl sulfate and mercaptoethanol solution, 548
- Seib, P. A. *See* N. Matsunaga, 851
- *See* A. E. McPherson, 424
- *See* H. Park, 202, 207
- *See* K. R. Vadlamani, 318
- Seitz, L. M. *See* H. Park, 202
- Shackley, B. J. *See* C. F. Morris, 16
- Shah, S. *See* B. G. Osborne, 467
- Shaw, J.-T. *See* W.-S. Li, 556
- Shelton, D. R. *See* W. J. Park, 7
- Shewry, P. R., M. J. Miles, N. H. Thomson, and A. S. Tatham. Review: Scanning probe microscopes—Applications in cereal science, 193
- Shih, F. F., and K. Daigle. Use of enzymes for the separation of protein from rice flour, 437
- Shipman, M. A. *See* J. L. Hazelton, 400
- Siebenmorgen, T. J. *See* H. Chen, 821, 826
- *See* A. A. Perdon, 864
- Siitari-Kauppi, M. *See* J. Räsänen, 806
- Silveira, M. I. *See* R. I. Sánchez-Mariñez, 481
- Simmons, L. D. *See* W. Bushuk, 389
- Singh, N. *See* S. K. Singh, 254
- Singh, S. K., L. A. Johnson, L. M. Pollak, S. R. Fox, and T. B. Bailey. Comparison of laboratory and pilot-plant corn wet-milling procedures, 40
- , N. Singh, L. Du, and S. R. Eckhoff. Effect of sodium hydroxide, calcium hydroxide, and potassium hydroxide on debranning of corn, 254
- *See* S. Wu, 264
- Singh, V., N. L. Barreiro, J. McKinstry, P. Buriak, and S. R. Eckhoff. Effect of kernel size, location, and type of damage on popping characteristics of popcorn, 672

- , and S. R. Eckhoff. Economics of germ prepreparation for dry-grind ethanol facilities, 462
- , A. E. Haken, Y. X. Niu, S. H. Zou, and S. R. Eckhoff. Hybrid-dependent effect of lactic acid on corn starch yields, 249
- Sosulski, F. W. *See* S. Wang, 621
- Sosulski, K. *See* S. Wang, 621
- Steffe, J. F. *See* D. T. Campos, 489
- Stephen, A. M., W. J. Dahl, D. M. Johns, and H. N. Englyst. Effect of oat hull fiber on human colonic function and serum lipids, 379
- Suárez, C. *See* M. P. Tolaba, 842
- Suganuma, T. *See* K. Kitahara, 1
- Sung, N. K. *See* S. S. Kim, 212
- Sünnetçioğlu, M. M. *See* D. Dadayli, 375
- Sutton, K. H. *See* W. Bushuk, 389
- Svendsen, L. *See* F. F. Yamin, 407
- Swanston, J. S. Waxy starch barley genotypes with reduced β -glucan contents, 452
- , R. P. Ellis, A. Perez-Vendrell, J. Voltas, and J.-L. Molina-Cano. Patterns of barley grain development in Spain and Scotland and their implications for malting quality, 456
- Takeuchi, O. *See* R. Haginoya, 745
- Tanaka, K. *See* K. Hayakawa, 576
- Tanaka, T. *See* K. Kitahara, 1
- Tao, H. P. *See* N. Zhang, 119
- Tatham, A. S. *See* P. R. Shewry, 193
- Tavares, D. Q. *See* M. A. Larrea, 98
- Thomas, K. C. *See* S. Wang, 621
- Thompson, D. B. *See* D. K. Fisher, 344
- Thomson, N. H. *See* P. R. Shewry, 193
- Tilley, K. A. Detection of *O*-glycosidically linked mannose within the structure of a highly purified glutenin subunit isolated from Chinese spring wheat, 371
- Tolaba, M. P., R. J. Aguerre, and C. Suárez. Modeling cereal grain drying with variable diffusivity, 842
- Trägårdh, C. *See* K. M. Lindborg, 49
- Tsai, M.-L., C.-F. Li, and C.-Y. Lii. Effects of granular structures on the pasting behaviors of starches, 750
- Tumbleson, M. E. *See* J. F. Lopes-Filho, 633
- Turnlund, J. R. *See* W. H. Yokoyama, 293
- Tyler, R. T. *See* T. Vasanthan, 25
- Vadlamani, K. R., and P. A. Seib. Two metal ions improve brightness in wheat-dough products and affect aqueous dispersion of gluten, 318
- Vasanthan, T., R. S. Bhatta, R. T. Tyler, and P. Chang. Isolation and cationization of barley starches at laboratory and pilot scale, 25
- Vensel, W. H., A. E. Adalsteins, and D. D. Kasarda. Purification and characteristics of the glutenin subunits of *Triticum tauschii*, progenitor of the D genome in hexaploid bread wheat, 108
- Villareal, C. P., S. Hizukuri, and B. O. Juliano. Amylopectin staling of cooked milled rices and properties of amylopectin and amylose, 163
- Vinyard, B. T. *See* E. T. Champagne, 566
- Voltas, J. *See* J. S. Swanston, 456
- Walker, C. E. *See* J. L. Hazelton, 400
- *See* D. K. Hix, 281
- Wang, S., K. C. Thomas, W. M. Ingledew, K. Sosulski, and F. W. Sosulski. Rye and triticale as feedstock for fuel ethanol production, 621
- Watts, B. M. *See* A. Hussain, 242
- Webb, B. D. *See* E. T. Champagne, 566
- *See* W. R. Windham, 626
- Wehling, R. L. *See* W. J. Park, 7
- Wehrle, K., H. Grau, and E. K. Arendt. Effects of lactic acid, acetic acid, and table salt on fundamental rheological properties (mixing time and rest time) of wheat dough, 739
- Wei, L. S. *See* H.-M. Lai, 83
- Weisz, J. *See* M. U. Beer, 476, 705
- Weller, C. L. *See* R. A. Buffo, 473
- *See* L. A. Kunte, 115
- White, P. J. *See* K. M. Krieger, 553
- *See* K.-Y. Ng, 288, 837
- *See* L. M. Pollak, 412
- *See* F. F. Yamin, 407
- Wicklund, T., and E. M. Magnus. Effect of extrusion cooking on extractable lipids and fatty acid composition in sifted oat flour, 326
- Wieser, H. *See* P. Köhler, 154
- Willett, J. L. *See* M. M. Millard, 687
- Wilson, A. J., A. R. Wooding, and M. P. Morgenstern. Comparison of work input requirement on laboratory-scale and industrial-scale mechanical dough development mixers, 715
- Wilson, J. D. *See* D. B. Bechtel, 235
- Winata, A., and K. Lorenz. Effects of fermentation and baking of whole wheat and whole rye sourdough breads on cereal alkylresorcinols, 284
- Windham, W. R., B. G. Lyon, E. T. Champagne, F. E. Barton, II, B. D. Webb, A. M. McClung, K. A. Moldenhauer, S. Linscombe, and K. S. McKenzie. Prediction of cooked rice texture quality using near-infrared reflectance analysis of whole-grain milled samples, 626
- Wolf, W. J., and J. W. Lawton, Jr. Isolation and characterization of zein from corn distillers' grains and related fractions, 530
- Wood, P. J. *See* M. U. Beer, 476, 705
- Wooding, A. R. *See* A. J. Wilson, 715
- Wrigley, C. W. *See* M. Zeng, 63
- Wu, S., D. J. Myers, and L. A. Johnson. Effects of maize hybrid and meal drying conditions on yield and quality of extracted zein, 268
- , —, and —. Factors affecting yield and composition of zein extracted from commercial corn gluten meal, 258
- , —, —, S. R. Fox, and S. K. Singh. Note: Pilot-plant wet-milling process for producing corn gluten meal, 264
- Yamaguchi, I. *See* C. Kiribuchi-Otobe, 72
- Yamin, F. F., L. Svendsen, and P. J. White. Thermal properties of corn starch extraction intermediates by differential scanning calorimetry, 407
- Yanagisawa, T. *See* C. Kiribuchi-Otobe, 72
- Yokoyama, K. *See* R. Haginoya, 745
- Yokoyama, W. H., C. A. Hudson, B. E. Knuckles, M.-C. M. Chiu, R. N. Sayre, J. R. Turnlund, and B. O. Schneeman. Effect of barley β -glucan in durum wheat pasta on human glycemic response, 293
- *See* B. E. Knuckles, 599
- Zeng, M., C. F. Morris, I. L. Batey, and C. W. Wrigley. Sources of variation for starch gelatinization, pasting, and gelation properties in wheat, 63
- Zhang, D., D. C. Doehlert, and W. R. Moore. Factors affecting viscosity of slurries of oat groat flours, 722
- Zhang, M., C. A. Reitmeier, E. G. Hammond, and D. J. Myers. Production of textile fibers from zein and a soy protein-zein blend, 594
- Zhang, N., B. L. Jones, and H. P. Tao. Purification and characterization of a new class of insect α -amylase inhibitors from barley, 119
- Zou, S. H. *See* V. Singh, 249