

Index to Volume 75

Author Index

Page numbers of errata are in *italic*.

- Abe, J.-I. *See* M. Kristensen, 473
Abecassis, J. *See* Y. Haddad, 673
Abramson, D., R. M. Clear, E. Usleber, R. Gessler, T. W. Nowicki, and E. Märtlbauer. *Fusarium* species and 8-keto-trichothecene mycotoxins in Manitoba barley, 137
Acosta-Zuleta, H. *See* C. M. McDonough, 58, 634
Adalsteins, A. E. *See* D. D. Kasarda, 70
Almeida, N. G. *See* H. D. Almeida-Domínguez, 124
Almeida-Domínguez, H. D., G. G. Ordoñez-Durán, and N. G. Almeida. Influence of kernel damage on corn nutrient composition, dry matter losses, and processability during alkaline cooking, 124
———. *See* R. Lobeira, 417
———. *See* E. L. Suhendro, 320, 854
Anderson, B. J. *See* C. M. McDonough, 58, 634
Andrews, L. C. *See* C. S. Gaines, 207
Añón, M. C. *See* A. E. Leon, 617
Antes, S. *See* H. Wieser, 644
Appels, R. *See* C. Blumenthal, 43
Archer, T. R. *See* T. J. Siebenmorgen, 149
Arendt, E. K. *See* K. Wehrle, 882
Autio, K., M. Fabritius, and A. Kinnunen. Effect of germination and water content on the microstructure and rheological properties of two rye doughs, 10
Axtell, J. D. *See* C. A. Weaver, 665
- Bae, S. O., and S.-T. Lim. Physical properties of extruded strands of hydroxypropylated normal and high-amylose corn starch, 449
Baik, B.-K. *See* Z. Czuchajowska, 466, 747
———. *See* C. Kadharmestan, 762, 785
———. *See* A. Klamczynski, 677
Baker, L. A., and P. Rayas-Duarte. Freeze-thaw stability of amaranth starch and the effects of salt and sugars, 301
———, and ———. Retrogradation of amaranth starch at different storage temperatures and the effects of salt and sugars, 308
Baldwin, P. M. *See* A. Fardet, 699
Bannwart, A. C. *See* F. Martínez-Bustos, 796
Baret, J.-L. *See* P. Castello, 595
Barlow, E. W. R. *See* C. Blumenthal, 43
Barrett, A. H., and G. Kaletunc. Quantitative description of fracturability changes in puffed corn extrudates affected by sorption of low levels of moisture, 695
Barry, J.-L. *See* A. Fardet, 699
Barton, F. E., II, W. R. Windham, E. T. Champagne, and B. G. Lyon. Optimal geometries for the development of rice quality spectroscopic chemometric models, 315
———. *See* E. T. Champagne, 181
Batterman-Azcona, S. J., and B. R. Hamaker. Changes occurring in protein body structure and α -zein during cornflake processing, 217
Bean, S. R., and Lookhart, G. L. Influence of salts and aggregation of gluten proteins on reduction and extraction of high molecular weight glutenin subunits of wheat, 75
———, R. K. Lyne, K. A. Tilley, O. K. Chung, and G. L. Lookhart. A rapid method for quantitation of insoluble polymeric proteins in flour, 374
Bejosano, F. P., and H. Corke. Effect of *Amaranthus* and buckwheat proteins on wheat dough properties and noodle quality, 171
Bekes, F. *See* C. Blumenthal, 43
———. *See* M. J. Sissons, 30
Bello-Pérez, L. A., P. Colonna, P. Roger, and O. Paredes-López. Macromolecular features of amaranth starch, 395
BeMiller, J. N. *See* M. R. Jacobson, 22
Benet, J. C. *See* Y. Haddad, 673
Bergman, C. J., D. G. Gualberto, K. G. Campbell, M. E. Sorrells, and P. L. Finney. Genotype and environment effects on wheat quality traits in a population derived from a soft by hard cross, 729
Bernussi, A. L. M., Y. K. Chang, and F. Martínez-Bustos. Effects of production by microwave heating after conventional baking on moisture gradient and product quality of biscuits (cookies), 606
Bertrand, D. *See* A. Fardet, 699
Bett, K. L. *See* E. T. Champagne, 181
- Bhatty, R. S., and B. G. Rossnagel. Comparison of pearled and unpearled Canadian and Japanese barley, 15
———. *See* G.-H. Zheng, 247, 520
Biby, G. *See* Q. Fang, 251
Blumenthal, C., P. J. Stone, P. W. Gras, F. Bekes, B. Clarke, E. W. R. Barlow, R. Appels, and C. W. Wrigley. Heat-shock protein 70 and dough-quality changes resulting from heat stress during grain filling in wheat, 43
Bockus, W. W. *See* V. Puppala, 94
Bohonko, M. *See* H. H. Mu, 480
Bouchet, B. *See* A. Fardet, 699
Boussard, A. *See* J.-F. Delcros, 85
Branlard, G. *See* L. Dubreil, 222
Brown, P. B. *See* Y. V. Wu, 771
Brumm, T. J. *See* K. M. Krieger, 656
Buera, M. P., K. Jouppila, Y. H. Roos, and J. Chirife. Differential scanning calorimetry glass transition temperatures of white bread and mold growth in the putative glassy state, 64
Buffo, R. A., C. L. Weller, and A. M. Parkhurst. Relationships among grain sorghum quality factors, 100
Burkus, Z., and F. Temelli. Effect of extraction conditions on yield, composition, and viscosity stability of barley β -glucan gum, 805
- Cairns, P. *See* N. Singh, 325
Campbell, K. G. *See* C. J. Bergman, 729
Cao, T. *See* G. H. Robertson, 508
Carriere, C. J. Evaluation of the entanglement molecular weights of maize starches from solution rheological measurements, 360
———, and G. E. Inglett. Solution viscoelastic properties of OATRIM-10 and cooked oat bran, 354
Castello, P., S. Jollet, J. Potus, J.-L. Baret, and J. Nicolas. Effect of exogenous lipase on dough lipids during mixing of wheat flours, 595
Castell-Perez, M. E. *See* L. D. Griffith, 105, 780
Cavella, S. *See* P. Masi, 428
Çelik, S. *See* M. Maral Sünnetçioğlu, 875
Champagne, E. T., B. G. Lyon, B. K. Min, B. T. Vinyard, K. L. Bett, F. E. Barton II, B. D. Webb, A. M. McClung, K. A. Moldenhauer, S. Linscombe, K. S. McKenzie, and D. E. Kohlwey. Effects of postharvest processing on texture profile analysis of cooked rice, 181
———. *See* F. E. Barton II, 315
Chang, Y. K. *See* A. L. M. Bernussi, 606
———. *See* F. Martínez-Bustos, 796
Chau, H. K. *See* L. W. Doner, 408
Chen, H., T. J. Siebenmorgen, and K. Griffin. Quality characteristics of long-grain rice milled in two commercial systems, 560
———. *See* W. Liu, 380
Chen, P. *See* R. Ruan, 455
Chen, X. *See* T. J. Siebenmorgen, 129
Chirife, J. *See* M. P. Buera, 64
Chiron, H. *See* L. Dubreil, 222
Chow, F. I. *See* T. S. Kahlon, 897
Chung, D. S. *See* J. Yuan, 145
Chung, O. K. *See* S. R. Bean, 374
———. *See* W. J. Jun, 820, 826
———. *See* J. B. Ohm, 156
———. *See* L. M. Seitz, 847
Clark, D. C. *See* D. K. Sarker, 493
Clarke, B. *See* C. Blumenthal, 43
Clear, R. M. *See* D. Abramson, 137
Cleemput, G. *See* J. A. Delcours, 403
Codesal, P. *See* L. F. García del Moral, 755
Colonna, P. *See* L. A. Bello-Pérez, 395
Compoint, J.-P. *See* L. Dubreil, 222
Corke, H. *See* F. P. Bejosano, 171
Cortez-Rocha, M. O. *See* D. M. Trigo-Stockli, 841
Craig, J. C. *See* L. C. Dickey, 443
Cuq, B., N. Gontard, and S. Guilbert. Review: Proteins as agricultural polymers for packaging production, 1
———. *See* L. di Gioia, 514
Czuchajowska, Z., A. Klamczynski, B. Paszczynska, and B.-K. Baik. Structure and functionality of barley starches, 747
———, T. Otto, B. Paszczynska, and B.-K. Baik. Composition, thermal be-

- havior, and gel texture of prime and tailings starches from garbanzo beans and peas, 466
 —. See C. Kadharmestan, 762, 785
 —. See A. Klamczynski, 677
 —. See P.-Y. Lin, 705
- Dadayly, D. See M. Maral Sünnetçioğlu, 875
- Dallmer, M. F. See L. C. Dickey, 443
- Daniel, J. R. See R. L. Whistler, 72
- Daniels, M. See J.-F. C. Meullenet, 714
- Davidou, S. See J.-F. Delcros, 85
- Delcour, J. A., I. P. Van Haesendonck, G. Cleemput, D. E. Rogers, and R. C. Hoseney. Partial purification of a water-extractable rye (*Secale cereale*) protein capable of improving the quality of wheat bread, 403
 —. See A. García-Alonso, 802
 —. See A. Loosveld, 815
- Delcros, J.-F., L. Rakotozafy, A. Boussard, S. Davidou, C. Porte, J. Potus, and J. Nicolas. Effect of mixing conditions on the behavior of lipoxigenase, peroxidase, and catalase in wheat flour doughs, 85
- Delwiche, S. R., R. A. Graybosch, and C. J. Peterson. Predicting protein composition, biochemical properties, and dough-handling properties of hard red winter wheat flour by near-infrared reflectance, 412
- Deyoe, C. W. See J. B. Ohm, 156
- Dhang, D., D. C. Doehlert, and W. R. Moore. Rheological properties of (1→3), (1→4)-β-D-glucans from raw, roasted, and steamed oat groats, 433
- Dickey, L. C., M. F. Dallmer, E. R. Radewonuk, N. Parris, M. Kurantz, and J. C. Craig. Zein batch extraction from dry-milled corn: Cereal disintegration by dissolving fluid shear, 443
- di Gioia, L., B. Cuq, and S. Guilbert. Effect of hydrophilic plasticizers on thermomechanical properties of corn gluten meal, 514
- Doehlert, D. C. See D. Zhang, 433, 602
- Doetkott, C. See P. Rayas-Duarte, 338
- Donelson, J. R., and C. S. Gaines. Starch-water relationships in the sugar-snap cookie dough system, 660
- Donelson, T. See M. Ö. Raeker, 721
- Doner, L. W., H. K. Chau, M. L. Fishman, and K. B. Hicks. An improved process for isolation of corn fiber gum, 408
- Dowell, F. E. Automated color classification of single wheat kernels using visible and near-infrared reflectance, 142
- Dubreil, L., S. Méliande, H. Chiron, J.-P. Compoint, L. Quillien, G. Branlard, and D. Marion. Effect of puroindolines on the breadmaking properties of wheat flour, 222
- Eckhoff, S. R. See V. Singh, 235
- Edwards, R. H. See T. S. Kahlon, 897
- Eliasson, A.-C. See K. Wikström, 331
- Fabritius, M. See K. Autio, 10
- Faller, J. F. See E. Unlu, 346
 —. See J. Y. Faller, 904
- Faller, J. Y., B. P. Klein, and J. F. Faller. Characterization of corn-soy breakfast cereals by generalized procrustes analyses, 904
- Fan, J., T. J. Siebenmorgen, T. R. Gartman, and D. R. Gardisser. Bulk density of long- and medium-grain rice varieties as affected by harvest and conditioned moisture contents, 254
- Fan, J., and B. P. Marks. Note: Retrogradation kinetics of rice flours as influenced by cultivar, 153
- Fang, Q., G. Biby, E. Haque, M. A. Hanna, and C. K. Spillman. Neural network modeling of physical properties of ground wheat, 251
- Fardet, A., P. M. Baldwin, D. Bertrand, B. Bouchet, D. J. Gallant, and J.-L. Barry. Textural images analysis of pasta protein networks to determine influence of technological processes, 699
- Faubion, J. M. See D. Hayman, 577, 581, 585
 —. See W. Zhang, 863
- Feillet, P., and T. M. Roulland. Caroubin: A gluten-like protein isolated from carob bean germ, 488
- Figuerola-Espinoza, M. C., and X. Rouau. Oxidative cross-linking of pentosans by a fungal laccase and horseradish peroxidase: Mechanism of linkage between feruloylated arabinoxylans, 259
- Finney, P. L. See C. J. Bergman, 729
 —. See C. S. Gaines, 207
 —. See M. Ö. Raeker, 721
- Fishman, M. L. See L. W. Doner, 408
- Fleege, L. M. See C. S. Gaines, 207
- Flores, R. A. See F. F. Jamin, 166, 775
- Forssell, P. See S. Shamekh, 624
- Fu, B. X., M. I. P. Kovacs, and C. Wang. Note: A simple wheat flour swelling test, 566, 767
 —. See H. D. Sapirstein, 500
- Fulcher, R. G. See E. McEntyre, 792
- Fustier, P., and P. Gélinas. Note: Combining flour heating and chlorination to improve cake texture, 568
- Gaines, C. S., P. L. Finney, L. M. Fleege, and L. C. Andrews. Use of aspiration and the single kernel characterization system to evaluate the puffed and shriveled condition of soft wheat grain, 207
 —, and W. R. Windham. Effect of wheat moisture content on meal apparent particle size and hardness scores determined by near-infrared reflectance spectroscopy, 386
 —. See J. R. Donelson, 660
 —. See M. Ö. Raeker, 721
- Gaiotti, E. R. See F. Martínez-Bustos, 796
- Gallant, D. J. See A. Fardet, 699
- García-Alonso, A., F. Saura-Calixto, and J. A. Delcour. Influence of botanical source and processing on formation of resistant starch type III, 802
- García del Moral, L. F., A. Sopena, J. L. Montoya, P. Polo, J. Voltas, P. Codesal, J. M. Ramos, and J. L. Molina-Cano. Image analysis of grain and chemical composition of the barley plant as predictors of malting quality in Mediterranean environments, 755
- Gardisser, D. R. See J. Fan, 254
- Gartman, T. R. See J. Fan, 254
- Gélinas, P., E. Poitras, C. M. McKinnon, and A. Morin. Oxido-reductases and lipases as dough-bleaching agents, 810
 —. See P. Fustier, 568
- Gelroth, J. A. See G. S. Ranhotra, 557
- Gessler, R. See D. Abramson, 137
- Gibson, L. R., P. J. McCluskey, K. A. Tilley, and G. M. Paulsen. Quality of hard red winter wheat grown under high temperature conditions during maturation and ripening, 421
- Glennie-Holmes, M. See M. Zhou, 273
- Gontard, N. See B. Cuq, 1
- Grant, L. A. Effects of starch isolation, drying, and grinding techniques on its gelatinization and retrogradation properties, 590
 —. See J. Qian, 365
- Gras, P. W. See C. Blumenthal, 43
- Graybosch, R. A., C. J. Peterson, L. E. Hansen, S. Rahman, A. Hill, and J. H. Skerritt. Identification and characterization of U.S. wheats carrying null alleles at the *wx* loci, 162
 —. See S. R. Delwiche, 412
- Griffin, K. See H. Chen, 560
- Griffith, L. D., and M. E. Castell-Perez. Effects of roasting and malting on physicochemical properties of select cereals and legumes, 780
 —, —, and M. E. Griffith. Effects of blend and processing method on the nutritional quality of weaning foods made from select cereals and legumes, 105
- Griffith, M. E. See L. D. Griffith, 105
- Grobet, P. J. See A. Loosveld, 815
- Gross, J. See J.-F. C. Meullenet, 714
- Gualberto, D. G. See C. J. Bergman, 729
- Guedes, P. A. See F. Martínez-Bustos, 796
- Guilbert, S. See B. Cuq, 1
 —. See L. di Gioia, 514
- Haddad, Y., J. C. Benet, and J. Abecassis. A rapid general method for appraising the rheological properties of the starch endosperm of cereal grains, 673
- Hafskjold, R. See A. K. Uhlen, 460
- Haken, A. E. See V. Singh, 235
- Hamaker, B. R. See S. J. Batterman-Azcona, 217
 —. See C. A. Weaver, 665
 —. See G. Zhang, 710
- Han, H. L. See G. H. Zheng, 520
- Hanna, M. A. See Q. Fang, 251
- Hansen, L. E. See R. A. Graybosch, 162
- Haque, E. See Q. Fang, 251
- Hareland, G. A. Effects of break-roll speed differential on product yield and semolina granulation in a durum pilot mill system, 836
 —, and D. P. Pühr. Baking performance of durum and soft wheat flour in a sponge-dough breadmaking procedure, 830
- Hayashi, M., and M. Seguchi. Iron-enriched bread with karkade (*Hibiscus sabdariffa*) and wheat flour, 686, 909
 —. See M. Seguchi, 37
- Hayman, D., R. C. Hoseney, and J. M. Faubion. Bread crumb grain development during baking, 577
 —, —, and —. Effect of pressure (crumb formation) on bread crumb grain development, 581
 —, K. Sipes, R. C. Hoseney, and J. M. Faubion. Factors controlling gas cell failure in bread dough, 585
- Helliwell, S. See M. Zhou, 273

- Herrman, T. J. *See* C. Martin, 177
 —. *See* V. Puppala, 94
 Hicks, K. B. *See* L. W. Doner, 408
 Hill, A. *See* R. A. Graybosch, 162
 Hosney, R. C. *See* J. A. Delcour, 403
 —. *See* D. Hayman, 577, 581, 585
 —. *See* Y. Liao, 612
 —. *See* V. Vemulapalli, 439, 859
 —. *See* L. Wang, 629
 —. *See* W. Zhang, 639, 863
 Høstrup, P. Bak. *See* C. Poulsen, 51
- Inglett, G. E. *See* C. J. Carriere, 354
 Ishihara, C. *See* M. Seguchi, 37
- Jacobson, M. R., and J. N. BeMiller. Method for determining the rate and extent of accelerated starch retrogradation, 22
 Jamin, F. F., and R. A. Flores. Effect of additional separation and grinding on the chemical and physical properties of selected corn dry-milled streams, 166
 —, and —. Effect of separation and grinding of corn dry-milled streams on physical properties of single-screw low-speed extruded products, 775
 Jane, J. *See* Z. Pan, 541
 —. *See* M. Radosavljevic, 212
 Johnson, L. A. *See* M. Radosavljevic, 212
 Jollet, S. *See* P. Castello, 595
 Jones, R. *See* R. Ruan, 455
 Jouppila, K. *See* M. P. Buera, 64
 —. *See* S. Lahtinen, 547
 Jovanovich, G. *See* A. E. Leon, 617
 Jun, W. J., O. K. Chung, and P. A. Seib. Lipids in Japanese noodle flours, 826
 —, P. A. Seib, and O. K. Chung. Characteristics of noodle flours from Japan, 820
- Kadharmestan, C., B.-K. Baik, and Z. Czuchajowska. Thermal behavior of wheat protein concentrate treated by heat and high hydrostatic pressure and its functionality in wheat dough, 785
 —, —, and —. Wheat protein concentrate treated with heat or high hydrostatic pressure in wheat-based products, 762
 Kahlon, T. S., R. H. Edwards, and F. I. Chow. Effect of extrusion on hypocholesterolemic properties of rice, oat, corn, and wheat bran diets in hamsters, 897
 Kaletunc, G. *See* A. H. Barrett, 695
 Kalhovd, A.-H. *See* A. K. Uhlen, 460
 Kamath, S. R., and A. Proctor. Silica gel from rice hull ash: Preparation and characterization, 484
 Kanenaga, K. *See* M. Seguchi, 37, 294
 Kasarda, D. D., K. M. Woodard, and A. E. Adalsteins. Note: Resolution of high molecular weight glutenin subunits by a new SDS-PAGE system incorporating a neutral pH buffer, 70
 Kaukovirta-Norja, A., P. Reinikainen, J. Olkku, and S. Laakso. Influence of barley and malt storage on lipoxygenase reaction, 742
 Kim, K. O. *See* Y. Kim, 282
 Kim, Y., Y. C. Lee, and K. O. Kim. Optimum roasting and extraction conditions and flavor characteristics of roasted malt extract, 282
 Kinnunen, A. *See* K. Autio, 10
 Kiribuchi-Otobe, C., T. Yanagisawa, I. Yamaguchi, and H. Yoshida. Note: Wheat mutant with waxy starch showing stable hot paste viscosity, 671
 Klamczynski, A., B.-K. Baik, and Z. Czuchajowska. Composition microstructure, water imbibition, and thermal properties of abraded barley, 677
 —. *See* Z. Czuchajowska, 747
 Klein, B. P. *See* J. Y. Faller, 904
 Klucinec, J. D., and D. B. Thompson. Fractionation of high-amylose maize starches by differential alcohol precipitation and chromatography of the fractions, 887
 Knutson, C. A. Rapid Communication: Isolation of water-miscible high-oil fractions from starch-oil composites, 351
 Kohlwey, D. E. *See* E. T. Champagne, 181
 Koivu, T., V. Piironen, and P. Mattila. Phylloquinone (Vitamin K₁) in cereal products, 113
 Köksel, H. *See* M. Maral Sünnetçioğlu, 875
 Kovacs, M. I. P. *See* B. X. Fu, 566
 Krieger, K. M., L. M. Pollak, T. J. Brumm, and P. J. White. Effects of pollination method and growing location on starch thermal properties of corn hybrids, 656
 Kristensen, M., V. Planchot, J.-I. Abe, and B. Svensson. Large-scale purification and characterization of barley limit dextrinase, a member of the α -amylase structural family, 473
 Kurantz, M. *See* L. C. Dickey, 443
 Laakso, S. *See* A. Kaukovirta-Norja, 742
 Lahtinen, S., M. Levola, K. Jouppila, and H. Salovaara. Factors affecting cake firmness and cake moisture content as evaluated by response surface methodology, 547
 Lai, H.-M., and G. W. Padua. Water vapor barrier properties of zein films plasticized with oleic acid, 194
 Lee, S.-A., and S.-T. Lim. Preparation and solubility of phosphorylated β -cyclodextrins, 690
 Lee, Y. C. *See* Y. Kim, 282
 Leinen, S. D. *See* G. S. Ranhotra, 557
 Leon, A. E., G. Jovanovich, and M. C. Añón. Gelatinization profiles of triticale starch in cookies as influenced by moisture and solutes, 617
 Levola, M. *See* S. Lahtinen, 547
 Liao, Y., R. A. Miller, and R. C. Hosney. Role of hydrogen peroxide produced by baker's yeast on dough rheology, 612
 Lim, S.-T. *See* S. O. Bae, 449
 —. *See* S.-A. Lee, 690
 Lin, P.-Y., and Z. Czuchajowska. Role of phosphorus in viscosity, gelatinization, and retrogradation of starch, 705
 Linscombe, S. *See* E. T. Champagne, 181
 Liu, Q., and D. B. Thompson. Retrogradation of *du wx* and *su2 wx* maize starches after different gelatinization heat treatments, 868
 Liu, W., Y. Tao, T. J. Siebenmorgen, and H. Chen. Digital image analysis method for rapid measurement of rice degree of milling, 380
 Lobeira, R., H. D. Almeida-Dominguez, and L. W. Rooney. Methods to evaluate hydration and mixing properties of nixtamalized corn flours, 417
 Longva, Å. *See* A. K. Uhlen, 460
 Lookhart, G. L. *See* S. R. Bean, 75, 374
 Loosveld, A., C. Maes, W. H. M. van Casteren, H. A. Schols, P. J. Grobet, and J. A. Delcour. Structural variation and levels of water-extractable arabinoxylan-peptide in European wheat flours, 815
 Loughin, T. M. *See* C. Martin, 177
 —. *See* V. Puppala, 94
 Lu, X., and P. A. Seib. Assay of dehydroascorbic acid in bread and dough added as a crystalline dimer, 200
 Lyne, R. K. *See* S. R. Bean, 374
 Lyon, B. G. *See* F. E. Barton II, 315
 —. *See* E. T. Champagne, 181
- Madson, M. A. *See* R. L. Whistler, 72
 Maes, C. *See* A. Loosveld, 815
 Magnus, E. M. *See* A. K. Uhlen, 460
 Majewska, K. *See* P. Rayas-Duarte, 338
 Marion, D. *See* L. Dubreil, 222
 Marks, B. P., and R. L. Strohline. Relating electrolyte leakage to shelled corn storability, 651
 —. *See* J. Fan, 153
 —. *See* J.-F. C. Meullenet, 714
 Martin, C., T. J. Herrman, T. Loughin, and S. Oentong. Micropycnometer measurement of single-kernel density of healthy, sprouted, and scab-damaged wheats, 177
 Martínez-Bustos, F., Y. K. Chang, A. C. Bannwart, M. E. Rodríguez, P. A. Guedes, and E. R. Gaiotti. Effects of calcium hydroxide and processing conditions on corn meal extrudates, 796
 —. *See* A. L. M. Bernussi, 606
 Märtlbauer, E. *See* D. Abramson, 137
 Masi, P., S. Cavella, and M. Sepe. Characterization of dynamic viscoelastic behavior of wheat flour doughs at different moisture contents, 428
 Matser, A. M., and P. A. M. Steeneken. Filtration characteristics of maize and wheat starch hydrolysates, 241
 —, and —. Origins of the poor filtration characteristics of wheat starch hydrolysates, 289
 Matsuki, J. *See* T. Sasaki, 525
 Mattila, P. *See* T. Koivu, 113
 Mauromoustakos, A. *See* J. D. Reid, 738
 —. *See* T. J. Siebenmorgen, 129
 McClung, A. M. *See* E. T. Champagne, 181
 McCluskey, P. J. *See* L. R. Gibson, 421
 McDonough, C. M., B. J. Anderson, H. Acosta-Zuleta, and L. W. Rooney. Effect of conditioning agents on the structure of tempered and steam-flaked sorghum, 58
 —, —, —, and —. Steam flaking characteristics of sorghum hybrids and lines with differing endosperm characteristics, 634
 —. *See* E. L. Suhendro, 187
 McEntyre, E., R. Ruan, and R. G. Fulcher. Comparison of water absorption patterns in two barley cultivars, using magnetic resonance imaging, 792
 McKenzie, K. S. *See* E. T. Champagne, 181
 McKinnon, C. M. *See* P. Gélinas, 810
 Méliand, S. *See* L. Dubreil, 222
 Meullenet, J.-F. C., J. Gross, B. P. Marks, and M. Daniels. Sensory descriptive texture analyses of cooked rice and its correlation to instrumental parameters using an extrusion cell, 714
 Miller, K. A. *See* V. Vemulapalli, 439

- Miller, R. A. *See* Y. Liao, 612
 ——. *See* L. Wang, 629
- Min, B. K. *See* E. T. Champagne, 181
- Moldenhauer, K. A. *See* E. T. Champagne, 181
- Molina-Cano, J. L. *See* L. F. García del Moral, 755
- Montoya, J. L. *See* L. F. García del Moral, 755
- Moore, W. R. *See* D. Zhang, 433, 602
- Moreira, R. G. *See* E. L. Suhendro, 854
- Morgan, K. R., and D. J. Ofman. Rapid Communication: Glucagel, a commercial gelling β -glucan from barley, 879
- Morin, A. *See* P. Gélinas, 810
- Morris, V. J. *See* N. Singh, 325
- Mu, H. H., C. Mu-Forster, M. Bohonko, and B. P. Wasserman. Heat-induced fragmentation of the maize waxy protein during protein extraction from starch granules, 480
- Mu-Forster, C. *See* H. H. Mu, 480
- Mustranta, A. *See* S. Shamekh, 624
- Nehus, Z. T. *See* T. J. Siebenmorgen, 149
- Nelles, E. M., P. G. Randall, and J. R. N. Taylor. Improvement of brown bread quality by prehydration treatment and cultivar selection of bran, 536
- Nicolas, J. *See* P. Castello, 595
- . *See* J.-F. Delcros, 85
- Ning, A. *See* R. Ruan, 455
- Ning, S. *See* R. Ruan, 455
- Niu, Y. X. *See* V. Singh, 235
- Noguchi, S. *See* M. Seguchi, 37
- Nowicki, T. W. *See* D. Abramson, 137
- Oentong, S. *See* C. Martin, 177
- Ofman, D. J. *See* K. R. Morgan, 879
- Ohm, J. B., O. K. Chung, and C. W. Deyoe. Single-kernel characteristics of hard winter wheats in relation to milling and baking quality, 156
- Olkku, J. *See* A. Kaukovirta-Norja, 742
- Ordoñez-Durán, G. G. *See* H. D. Almeida-Domínguez, 124
- Otto, T. *See* Z. Czuchajowska, 466
- Padua, G. W. *See* H.-M. Lai, 194
- Pan, Z., S. Zhang, and J. Jane. Effects of extrusion variables and chemicals on the properties of starch-based binders and processing conditions, 541
- Paredes-López, O. *See* L. A. Bello-Pérez, 395
- Parkhurst, A. M. *See* R. A. Buffo, 100
- Parris, N. *See* L. C. Dickey, 443
- Paszczynska, B. *See* Z. Czuchajowska, 466, 747
- Paulsen, G. M. *See* L. R. Gibson, 421
- Pedersen, J. R. *See* D. M. Trigo-Stockli, 841
- Perdon, A. A. *See* T. J. Siebenmorgen, 129
- Peterson, C. J. *See* S. R. Delwiche, 412
- . *See* R. A. Graybosch, 162
- Peterson, D. M. Maltng oats: Effects on chemical composition of hull-less and hulled genotypes, 230
- Petit-Benvegnen, M.-D., L. Saulnier, and X. Rouau. Solubilization of arabinoxylans from isolated water-unextractable pentosans and wheat flour doughs by cell-wall-degrading enzymes, 551
- Phan-Thien, N. *See* M. Safari-Ardi, 80
- Piironen, V. *See* T. Koivu, 113
- Planchot, V. *See* M. Kristensen, 473
- Poitras, E. *See* P. Gélinas, 810
- Pollak, L. M. *See* K. M. Krieger, 656
- Pollio, M. L., M. P. Tolaba, and C. Suárez. Measuring and modeling grain sorption equilibria of amaranth grains, 297
- Polo, P. *See* L. F. García del Moral, 755
- Porte, C. *See* J.-F. Delcros, 85
- Potus, J. *See* P. Castello, 595
- . *See* J.-F. Delcros, 85
- Poulsen, C., and P. Bak Høstrup. Purification and characterization of a hexose oxidase with excellent strengthening effects in bread, 51
- Poutanen, K. *See* S. Shamekh, 624
- Proctor, A. *See* S. R. Kamath, 484
- Puhr, D. P. *See* G. A. Hareland, 830
- Puppala, V., T. J. Herrman, W. W. Bockus, and T. M. Loughin. Quality response of twelve hard red winter wheat cultivars to foliar disease across four locations in central Kansas, 94
- Qian, J., P. Rayas-Duarte, and L. Grant. Partial characterization of buckwheat (*Fagopyrum esculentum*) starch, 365
- Quillien, L. *See* L. Dubreil, 222
- Radewonuk, E. R. *See* L. C. Dickey, 443
- Radosavljevic, M., J. Jane, and L. A. Johnson. Isolation of amaranth starch by diluted alkaline-protease treatment, 212
- Raeker, M. Ö., C. S. Gaines, P. L. Finney, and T. Donelson. Granule size distribution and chemical composition of starches from 12 soft wheat cultivars, 721
- Rahman, S. *See* R. A. Graybosch, 162
- Rakotozafy, L. *See* J.-F. Delcros, 85
- Ramos, J. M. *See* L. F. García del Moral, 755
- Randall, P. G. *See* E. M. Nelles, 536
- Ranhotra, G. S., J. A. Gelroth, S. D. Leinen, and T. W. Ricklefs. Effect of shortenings containing stearic acid on blood lipids and fat digestibilities in hamsters, 557
- Rayas-Duarte, P., K. Majewska, and C. Doetkott. Effect of extrusion process parameters on the quality of buckwheat flour mixes, 338
- . *See* L. A. Baker, 301, 308
- . *See* J. Qian, 365
- Reid, J. D., T. J. Siebenmorgen, and A. Mauromoustakos. Factors affecting the slope of head rice yield vs. degree of milling, 738
- Reinikainen, P. *See* A. Kaukovirta-Norja, 742
- Rengarajan, R. *See* L. M. Seitz, 847
- Renner-Nantz, J. J. *See* W. Yokoyama, 530
- Ricklefs, T. W. *See* G. S. Ranhotra, 557
- Robards, K. *See* M. Zhou, 273
- Robertson, G. H., and T. Cao. Substitution of concentrated ethanol for water in the laboratory washing fractionation of protein and starch from hydrated wheat flour, 508
- Rodríguez, M. E. *See* F. Martínez-Bustos, 796
- Roger, P. *See* L. A. Bello-Pérez, 395
- Rogers, D. E. *See* J. A. Delcour, 403
- Rooney, L. W. *See* R. Lobeira, 417
- . *See* C. M. McDonough, 58, 634
- . *See* E. L. Suhendro, 187, 320, 854
- Roos, Y. H. *See* M. P. Buera, 64
- Rosati, R. R. *See* Y. V. Wu, 771
- Rosnagel, B. G. *See* R. S. Bhaty, 15
- Rouau, X. *See* M. C. Figueroa-Espinoza, 259
- . *See* M.-D. Petit-Benvegnen, 551
- Roulland, T. M. *See* P. Feillet, 488
- Ruan, R., S. Ning, A. Song, A. Ning, R. Jones, and P. Chen. Estimation of *Fusarium* scab in wheat using machine vision and a neural network, 455
- . *See* E. McEntyre, 792
- Safari-Ardi, M., and N. Phan-Thien. Stress relaxation and oscillatory tests to distinguish between doughs prepared from wheat flours of different varietal origin, 80
- Sahlström, S. *See* A. K. Uhlen, 460
- Salovaara, H. *See* S. Lahtinen, 547
- Sanchez-Mariñez, R. I. *See* D. M. Trigo-Stockli, 841
- Sapirstein, H. D., and B. X. Fu. Intercultivar variation in the quantity of monomeric proteins, soluble and insoluble glutenin, and residue protein in wheat flour and relationships to breadmaking quality, 500, 767
- Sarker, D. K., P. J. Wilde, and D. C. Clark. Enhancement of protein foam stability by formation of wheat arabinoxylan-protein crosslinks, 493
- Sasaki, T., and J. Matsuki. Effect of wheat starch structure on swelling power, 525
- Saulnier, L. *See* M.-D. Petit-Benvegnen, 551
- Saura-Calixto, F. *See* A. García-Alonso, 802
- Schols, H. A. *See* A. Loosveld, 815
- Seguchi, M., M. Hayashi, K. Kanenaga, C. Ishihara, and S. Noguchi. Springiness of pancake and its relation to binding of prime starch to tailings in stored wheat flour, 37
- , and K. Kanenaga. Structure of lysophosphatidylglyceryl-remazolbriliant blue (LPG-RBB) from the surface of dyed wheat starch granules, 294
- . *See* M. Hayashi, 686, 909
- Seib, P. A. *See* W. J. Jun, 820, 826
- . *See* X. Lu, 200
- . *See* J. Yuan, 145
- Seilmeier, W. *See* H. Wieser, 644
- Seitz, L. M., O. K. Chung, and R. Rengarajan. Volatiles in selected commercial breads, 847
- Sepe, M. *See* P. Masi, 428
- Shamekh, S., A. Mustranta, K. Poutanen, and P. Forssell. Enzymatic hydrolysis of barley starch lipids, 624
- Shoemaker, C. F. *See* W. Yokoyama, 530
- Siebenmorgen, T. J., Z. T. Nehus, and T. R. Archer. Milled rice breakage due to environmental conditions, 149
- , A. A. Perdon, X. Chen, and A. Mauromoustakos. Relating rice milling quality changes during adsorption to individual kernel moisture content distribution, 129
- . *See* H. Chen, 560
- . *See* J. Fan, 254

- . See W. Liu, 380
- . See J. D. Reid, 738
- Singh, N., P. Cairns, V. J. Morris, and A. C. Smith. Physical properties of extruded wheat starch-additive mixtures, 325
- Singh, V., A. E. Haaken, Y. X. Niu, S. H. Zou, and S. R. Eckhoff. Wet-milling characteristics of selected yellow dent corn hybrids as influenced by storage conditions, 235
- Sipes, K. See D. Hayman, 585
- Sissons, M. J., F. Bekes, and J. H. Skerritt. Isolation and functionality testing of low molecular weight glutenin subunits, 30
- Skerritt, J. H. See R. A. Graybosch, 162
- . See M. J. Sissons, 30
- Smith, A. C. See N. Singh, 325
- Song, A. See R. Ruan, 455
- Sopena, A. See L. F. García del Moral, 755
- Sorrells, M. E. See C. J. Bergman, 729
- Spillman, C. K. See Q. Fang, 251
- Steeneken, P. A. M. See A. M. Matser, 241, 289
- Stroshine, R. L. See B. P. Marks, 651
- Suárez, C. See M. L. Pollio, 297
- Suhendro, E. L., H. D. Almeida-Dominguez, L. W. Rooney, and R. D. Waniska. Objective rollability method for corn tortilla texture measurement, 320
- , — , — , — , and R. G. Moreira. Tortilla bending technique: An objective method for corn tortilla texture measurement, 854
- , C. M. McDonough, L. W. Rooney, R. D. Waniska, and S. Yetneberk. Effects of processing conditions and sorghum cultivar on alkaline-processed snacks, 187
- Sünnetçioğlu, M. M., D. Dadaylı, S. Çelik, and H. Köksel. Application of the electron paramagnetic resonance spin probe technique for detection of irradiated wheat, 875
- Svensson, B. See M. Kristensen, 473
- Tao, Y. See W. Liu, 380
- Taylor, J. R. N. See E. M. Nelles, 536
- Temelli, F. See Z. Burkus, 805
- Thompson, D. B. See J. D. Klucinec, 887
- . See Q. Liu, 868
- . See R. C. Yuan, 117, 571
- Tilley, K. A. See S. R. Bean, 374
- . See L. R. Gibson, 421
- Tolaba, M. P. See M. L. Pollio, 297
- Trigo-Stockli, D. M., R. I. Sanchez-Mariñez, M. O. Cortez-Rocha, and J. R. Pedersen. Comparison of the distribution and occurrence of *Fusarium graminearum* and deoxynivalenol in hard red winter wheat for 1993 to 1996, 841
- Uhlen, A. K., R. Hafskjold, A.-H. Kalhovd, S. Sahlström, Å. Longva, and E. M. Magnus. Effects of cultivar and temperature during grain filling on wheat protein content, composition, and dough mixing properties, 460
- Unlu, E., and J. F. Faller. Formation of resistant starch by a twin-screw extruder, 346
- Usleber, E. See D. Abramson, 137
- van Casteren, W. H. M. See A. Loosveld, 815
- Van Haesendonck, I. P. See J. A. Delcour, 403
- Vemulapalli, V., and R. C. Hoseney. Glucose oxidase effects on gluten and water solubles, 859
- , K. A. Miller, and R. C. Hoseney. Glucose oxidase in breadmaking systems, 439
- Vinyard, B. T. See E. T. Champagne, 181
- Voltas, J. See L. F. García del Moral, 755
- Wang, C. See B. X. Fu, 566
- Wang, L., R. A. Miller, and R. C. Hoseney. Effects of (1→3),(1→4)-β-D-glucans of wheat flour on breadmaking, 629
- Wang, Y. See J. Yuan, 145
- Waniska, R. D. See E. L. Suhendro, 187, 320, 854
- Wasserman, B. P. See H. H. Mu, 480
- Weaver, C. A., B. R. Hamaker, and J. D. Axtell. Discovery of grain sorghum germ plasm with high uncooked and cooked in vitro protein digestibilities, 665
- Webb, B. D. See E. T. Champagne, 181
- Wehrle, K., and E. K. Arendt. Rheological changes in wheat sourdough during controlled and spontaneous fermentation, 882
- Weller, C. L. See R. A. Buffo, 100
- Whistler, R. L., M. A. Madson, J. Zhao, and J. R. Daniel. Surface derivatization of corn starch granules, 72
- White, P. J. See K. M. Krieger, 656
- Wieser, H., S. Antes, and W. Seilmeier. Quantitative determination of gluten protein types in wheat flour by reversed-phase high-performance liquid chromatography, 644
- Wikström, K., and A.-C. Eliasson. Effects of enzymes and oxidizing agents on shear stress relaxation of wheat flour dough: Additions of protease, glucose oxidase, ascorbic acid, and potassium bromate, 331
- Wilde, P. J. See D. K. Sarker, 493
- Windham, W. R. See F. E. Barton II, 315
- . See C. S. Gaines, 386
- Woodward, K. M. See D. D. Kasarda, 70
- Wrigley, C. W. See C. Blumenthal, 43
- Wu, Y. V., R. R. Rosati, and P. B. Brown. Effects of lysine on growth of ti-lapia fed diets rich in corn gluten meal, 771
- Yamaguchi, I. See C. Kiribuchi-Otobe, 671
- Yanagisawa, T. See C. Kiribuchi-Otobe, 671
- Yetneberk, S. See E. L. Suhendro, 187
- Yokoyama, W., J. J. Renner-Nantz, and C. F. Shoemaker. Starch molecular mass and size by size-exclusion chromatography in DMSO-LiBr coupled with multiple angle laser light scattering, 530
- Yoshida, H. See C. Kiribuchi-Otobe, 671
- Yuan, J., D. S. Chung, P. A. Seib, and Y. Wang. Effect of steeping conditions on wet-milling characteristics of hard red winter wheat, 145
- Yuan, R. C., and D. B. Thompson. Rheological and thermal properties of aged starch pastes from three waxy maize genotypes, 117
- , and — . Note: Freeze-thaw stability of three waxy maize starch pastes measured by centrifugation and calorimetry, 571
- Zhang, D., W. R. Moore, and D. C. Doehlert. Effects of oat grain hydrothermal treatments on wheat-oat flour dough properties and breadbaking quality, 602
- Zhang, G., and B. R. Hamaker. Low α-amylase starch digestibility of cooked sorghum flours and the effect of protein, 710
- Zhang, S. See Z. Pan, 541
- Zhang, W., and R. C. Hoseney. Factors affecting expansion of corn meals with poor and good expansion properties, 639
- , — , and J. M. Faubion. Capillary rheometry of corn endosperm: Glass transition, flower properties, and melting of starch, 863
- Zhao, J. See R. L. Whistler, 72
- Zheng, G.-H., and R. S. Bhatti. Enzyme-assisted wet separation of starch from other seed components of hull-less barley, 247
- , H. L. Han, and R. S. Bhatti. Physicochemical properties of zero amylose hull-less barley starch, 520
- Zhou, M., K. Robards, M. Glennie-Holmes, and S. Helliwell. Review: Structure and pasting properties of oat starch, 273
- Zou, S. H. See V. Singh, 235