

Subject Index

Page numbers of errata are in italic>.

- Alkaline cooking, kernel damage influence on corn nutrient composition, dry matter losses, and processability during (Almeida-Domínguez et al), 124
- Amaranth
- grains; measuring and modeling grain sorption equilibria of (Pollio et al), 297
 - starch; retrogradation during storage, effect of salt and sugars, DSC (Baker and Rayas-Duarte), 308
 - starch; retrogradation measured by freeze-thaw stability and DSC (Baker and Rayas-Duarte), 301
 - starch; isolation of by diluted alkaline-protease treatment (Radosavljevic et al), 212
- α -Amylase, structural family; specificity motifs in sequence regions (Kristensen et al), 473
- Amylopectin, waxy maize genotypes, structure in relation to retrogradation and rheological properties (Yuan and Thompson), 117
- Amylose, relation to granule-bound starch synthase alleles of wheat (Graybosch et al), 162
- Arabinoxylan
- cross-linking through ferulic and catalyzed by laccase and horseradish peroxidase (Figuerola-Espinoza and Rouau), 259
 - solubilization by enzymes (Petit-Benvegnen et al), 551
- Baking
- bread crumb grain development during (Hayman et al), 577
 - bread, effect of glucose oxidase on gluten and water-soluble fractions (Vemulapalli and Hosene), 859
 - bread, effect of pentosans (Wang et al), 629
 - bread, factors controlling gas cell failure in bread dough (Hayman et al), 585
 - bread, rheological effect of yeast (Liao et al), 612
 - cookie, starch-water relationships in (Donelson and Gaines), 660
 - cookies with triticale flour, effect of moisture and solutes (Leon et al), 617
 - effect of pressure (crust formation) on crumb grain (Hayman et al), 581
 - effect of a rye extract on wheat flour baking performance (Delcour et al), 403
 - microwave heating effect on biscuit (cookie) quality (Bernussi et al), 606
 - performance of durum and soft wheat flour in sponge-dough (Hareland and Pühr), 830
 - single kernel characteristics of wheat in relation to (Ohm et al), 156
- Barley
- abraded, microstructure, water inhibition, and thermal properties of (Klamczynski et al), 677
 - Glucagel from (Morgan and Ofman), 879
 - β -glucan; effects of extraction treatment on composition and viscosity stability (Burkus and Temelli), 805
 - hull-less, Canadian and Japanese compared (Bhaty and Rosnagel), 15
 - hull-less, physicochemical properties of zero amylose starch (Zheng et al), 520
 - image analysis of grain and chemical composition of, as predictors of Mediterranean malting quality (García del Moral et al), 755
 - malting (Kaukovirta-Norja et al), 742
 - mycotoxins in (Abramson et al), 137
 - roasted, flavor characteristics (Kim et al), 282
 - starches; structure and functionality (Czuchajowska et al), 747
 - starches; wet-extraction and enzymes assistance (Zheng and Bhaty), 247
 - starch lipids; enzymatic hydrolysis of (Shamekh et al), 624
 - water absorption patterns compared, using MRI (McEntyre et al), 792
- Barley limit dextrinase, purification, substrate specificity, inhibition by cyclodextrins, primary structure (Kristensen et al), 473
- Biscuits (cookies), effects of baking on overall quality (Bernussi et al), 606
- Bran, cultivar selection for improvement of brown bread quality by prehydration treatment (Nelles et al), 536
- Bread
- baking; effect of β -glucan on crumb grain (Wang et al), 629
 - baking; effect of glucose oxidase on gluten and water-soluble fractions (Vemulapalli and Hosene), 859
 - baking; rheological effect of yeast (Liao et al), 612
 - brown, quality improvement by prehydration treatment and cultivar bran selection (Nelles et al), 536
 - crumb grain development; during baking (Hayman et al), 577
 - crumb grain; effect of pressure (crust formation) during baking (Hayman et al), 581
 - crumb grain; factors affecting in breadmaking (Hayman et al), 585
 - dehydroascorbic acid assay in (Lu and Seib), 200
 - increased volume, enzyme addition (Poulsen and Høstrup), 51
 - iron-enriched, by karkade and wheat flour (Hayashi and Seguchi), 686, 909
 - volatile compounds in selected commercial breads (Seitz et al), 847
 - white, glass transition and mold growth in (Buera et al), 64
- Breadmaking
- effects of oat grain hydrothermal treatments on (Zhang et al), 602
 - properties of wheat flour; effect of puroindolines on (Dubreil et al), 222
 - quality; relation to intercultivar variation in quantity of proteins and glutenin in wheat flour (Sapirstein and Fu), 500, 767
 - use of glucose oxidase as an oxidant (Vemulapalli et al), 439
 - utilization of durum or soft wheat flour in a sponge-dough baking method (Hareland and Pühr), 830
- Buckwheat
- and *Amaranthus*, protein quality (Bejosano and Corke), 171
 - flour; quality affected by extrusion process parameters (Rayas-Duarte et al), 338
 - starch; partial characterization (Quian et al), 365
- Cake
- firmness and moisture content factors (Lahtinen et al), 547
 - texture; improvement with combined flour heating and chlorination (Fustier and Gélinas), 568
- Carob, bean germ; isolation of caroubin from (Feillet and Roulland), 488
- Caroubin, a gluten-like protein (Feillet and Roulland), 488
- Catalase, in wheat flour doughs; mixing condition effect on (Delcros et al), 85
- Cereal
- corn-soy breakfast, characterization (Faller et al), 904
 - grains; method for appraising rheological properties of starchy endosperm of (Haddad et al), 673
 - milling and bakery products (Koivu et al), 113
- Chromatography, size-exclusion, for starch molecule mass and size (Yokoyama et al), 530
- Commercial whey protein concentrate, unmodified and modified and its functionality in wheat dough (Kadharmestan et al), 785
- Cookies, starch-water relationships in (Donelson and Gaines), 660
- Corn (see also Maize)
- additional separation and grinding effect on physical and chemical properties of (Jamin and Flores), 166
 - capillary rheometry of corn endosperm (Zhang et al), 863
 - damage influence on nutrient composition, dry matter losses, and processability during alkaline cooking (Almeida-Domínguez et al), 124
 - dry-milled, zein batch extraction from, cereal disintegration (Dickey et al), 443
 - factors affecting expansion of extruded curls (Zhang and Hosene), 639
 - fiber gum; improved process for isolation (Doner et al), 408
 - flours; methods to evaluate hydration and mixing properties of (Lobeira et al), 417
 - gluten meal; effect of hydrophilic plasticizers on thermomechanical properties of (di Gioia et al), 514
 - gluten meal; in tilapia feed (Wu et al), 771
 - milling; separation and grinding effect on physical properties of extruded products (Jamin and Flores), 775
 - storability; electrolyte leakage relation (Marks and Strohshine), 651
 - wet-milling characteristics of, storage effect (Singh et al), 235
- Corn bran, effect of extrusion on cholesterol-lowering properties (Kahlon et al), 897
- Corn meal, extrudates affected by calcium hydroxide (Martínez-Bustos et al), 796
- Corn starch
- high-amylose, fractionation of (Klucinec and Thompson), 887
 - hydroxypropylated high-amylose, extruded strands (Bae and Lim), 449
 - microscopic examinations of extruded corn starch-calcium complex (Martínez-Bustos et al), 796
- Cowpea, physicochemical properties related to roasting and malting (Griffith and Castell-Perez), 780
- Differential scanning calorimetry
- for determination of glass transition in bread (Buera et al), 64
 - retrogradation, *du wx* and *su2 wx* starches (Liu and Thompson), 868
 - of starch in corn hybrids grown in different environments and by different pollination methods (Krieger et al), 656
- Digestibility
- low α -amylase starch, of cooked sorghum flours and effect of protein (Zhang and Hamaker), 710
 - protein, discovery of grain sorghum germ plasm with (Weaver et al), 665

- Dough
- dehydroascorbic acid assay in (Lu and Seib), 200
 - extensigraph measurements, enzymatic oxidation (Poulsen and Høstrup), 51
 - lipids; exogenous lipase effect on, during mixing of wheat flours (Castello et al), 595
 - properties; prediction by NIR (Delwiche et al), 412
 - rheology; stress relaxation (Safari-Ardi and Phan-Thien), 80
 - wheat flour; characterization of viscoelastic behavior of (Masi et al), 428
 - wheat flour; enzyme effect on shear stress relaxation of (Wikström and Eliasson), 331
- Electron paramagnetic resonance spin probe technique, for detection of irradiated wheat (Sünnetçi oğlu et al), 875
- Electrophoresis, SDS-PAGE of high molecular weight glutenin subunits (Bean and Lookhart), 75
- Endosperm, characteristics; steam flaking of lines with (McDonough et al), 634
- Environment
- heat stress in grain filling (Blumenthal et al), 43
 - milled rice breakage due to (Siebenmorgen et al), 149
- Enzymatic hydrolysis, of barley starch lipids (Shamekh et al), 624
- Enzymes
- dough-bleaching agents, oxido-reductases, lipases (Gélinas et al), 810
 - effect on shear stress relaxation of wheat flour dough (Wikström and Eliasson), 331
 - solubilization of arabinoxylans (Petit-Benvegnen et al), 551
- Errata
- vol. 75, no. 4, p. 500, 767
 - vol. 75, no. 5, p. 686, 909
- Ethanol, substitution for water in protein and starch fractionation from wheat flour (Robertson and Cao), 508
- Extrusion
- of corn; capillary rheometry to predict properties (Zhang et al), 863
 - effect of calcium hydroxide and processing conditions on corn meal extrudates (Martínez-Bustos et al), 796
 - effect on hypocholesterolemic properties of rice, oat, corn, and wheat bran (Kahlon et al), 897
 - effect on quality of buckwheat flour mixes (Rayas-Duarte et al), 338
 - effects of variables and chemicals on properties of starch-based binders and processing conditions (Pan et al), 541
 - factors affecting expansion of corn curls (Zhang and Hosney), 639
 - formation of resistant starch (Unlu and Faller), 346
 - of wheat starch and additives (Singh et al), 325
- Fat, starch replacement of (Whistler et al), 72
- Fermentation
- controlled and spontaneous, rheological changes in wheat sourdough (Wehrle and Arendt), 882
 - effects on nutritional quality of weaning foods (Griffith et al), 105
- Filtration
- characteristics of maize and wheat starch hydrolysates (Matser and Steeneken), 241
 - wheat starch hydrolysate characteristics (Matser and Steeneken), 289
- Flavor, characteristics of roasted malt and barley extracts (Kim et al), 282
- Flour
- enzymes; bleaching agents (Gélinas et al), 810
 - European wheat, water-extractable arabinogalactan-peptide in, structural variation and levels of (Loosveldt et al), 815
 - heating and chlorination combined to improve cake texture (Fustier and Gélinas), 568
 - noodle, characteristics, from Japan (Jun et al), 820
 - noodle, lipids in Japanese (Jun et al), 826
 - quantitative determination of gluten protein types by RP-HPLC (Wiser et al), 644
 - swelling properties in wheat; measurement (Fu et al), 566
 - wheat, quality response to high growth temperature (Gibson et al), 421
- Fractionation
- of flour proteins (Wiser et al), 644
 - of high-amylase maize starch (Klucinec and Thompson), 887
- Gelatinization
- starch, effect of isolation, drying, and grinding on (Grant), 590
 - of triticale starch in baked cookies (Leon et al), 617
- Genetics, effect on wheat quality (Bergman et al), 729
- Glass transition, use of capillary rheometer to determine in corn endosperm (Zhang et al), 863
- Gliadin, aggregation with glutenins (Bean and Lookhart), 75
- β-Glucan
- barley, extraction treatment effect on composition and viscosity stability (Burkus and Temelli), 805
 - from barley; Glucagel (Morgan and Ofman), 879
 - effect on crumb grain (Wang et al), 629
 - oat, effects of malting (Peterson), 230
 - rheological properties of, from oat groats (Zhang et al), 433
- Glucose oxidase
- effect during breadmaking (Vemulapalli et al), 439
 - effects on gluten and water-soluble fractions (Vemulapalli and Hosney), 859
- Gluten
- caroubin, a gluten-like protein (Feillet and Roulland), 488
 - composition; effect of growth conditions (Blumenthal et al), 43
 - oxidation of sulfhydryl groups, strengthening (Poulsen and Høstrup), 51
- Glutenin
- size distribution of polymers (Blumenthal et al), 43
 - solubilization/aggregation in presence of salts (Bean and Lookhart), 75
 - subunits; isolation and functionality of (Sissons et al), 30
- Gum
- amaranth; measuring and modeling grain sorption equilibria of (Pollio et al), 297
 - color classification of wheat (Dowell), 142
 - quality; evaluation (Gaines et al), 207
 - wheat, estimation of scab using machine vision and neural network (Ruan et al), 455
- Gum, corn fiber, improved process for isolation (Doner et al), 408
- Hardness, scores determined by NIR spectroscopy, effect of wheat moisture content on (Gaines and Windham), 386
- HPLC, analysis of phylloquinone from cereals (Koivu et al), 113
- HPSEC, combined with light scattering for structural characterization of amaranth starch (Bello-Pérez et al), 395
- Hydrolysates
- filtration properties of maize and wheat starch (Matser and Steeneken), 241
 - origin of poor filtration characteristics of wheat starch (Matser and Steeneken), 289
- Image analysis
- estimation of scab in wheat using machine vision and neural network (Ruan et al), 455
 - of grain and chemical composition of barley as predictors of malting quality in Mediterranean (García del Moral et al), 755
 - for rapid measurement of rice degree of milling (Liu et al), 380
- Instructions to authors, iv
- Instruments and instrumentation, determining single kernel color using NIR (Dowell), 142
- Laccase, mechanism of arabinoxylan cross-linking through dimerization of feruloyl esters (Figuerola-Espinoza and Rouau), 259
- Lipase, exogenous, effect on dough lipids during mixing of wheat flours (Castello et al), 595
- Lipids, oat, effects of malting (Peterson), 230
- Lipoxygenase, in wheat flour doughs; mixing condition effect on (Delcros et al), 85
- Lysine, effect on growth of tilapia (Wu et al), 771
- Magnetic resonance imaging, of barley; use to compare water absorption patterns (McEntyre et al), 792
- Maize (see also Corn)
- starch hydrolysates; filtration characteristics of (Matser and Steeneken), 241
 - starch; retrogradation heat treatment (Liu and Thompson), 868
 - starches; evaluation of entanglement molecular weights of (Carriere), 360
 - waxy protein; heat-induced fragmentation of, during protein extraction from starch granules (Mu et al), 480
 - wet-milling vs. NIR (Dijkhuizen et al), 266
- Malt, optimum roasting and extraction conditions of extract and flavor characteristics (Kim et al), 282
- Malting
- effects on viscosity of weaning foods (Griffith et al), 105
 - oats, chemical composition of (Peterson), 230
 - quality; barley plant as predictor of, in Mediterranean (García del Moral et al), 755
- Methods
- to evaluate hydration and mixing properties of nixtamalized corn flours (Lobeira et al), 417
 - objective rollability for corn tortilla texture measurement (Suhendro et al), 320
- Microwave, high and medium power settings for biscuit (cookie) baking (Bernussi et al), 606
- Milling
- corn dry milled streams, separation and grinding effect on physical properties of extruded products (Jamin and Flores), 775
 - durum wheat, effects of roll speed differential on semolina (Hareland), 836
 - quality; changes during adsorption (Siebenmorgen et al), 129
 - quality characteristics of long-grain rice (Chen et al), 560

- single kernel characteristics of wheat in relation to (Ohm et al), 156
- wheat; response to high growth temperature (Gibson et al), 421
- Moisture
 - cake, factors affecting (Lahtinen et al), 547
 - conditioned content of rice (Fan et al), 254
 - sorption; puffed corn extrudates affected by (Barrett and Kaletunc), 695
- Mycotoxins
 - deoxynivalenol and vomitoxin in HRW wheat (Trigo-Stockli et al), 841
 - in Manitoba barley (Abramson et al), 137
- Neural network
 - for estimation of scab in wheat (Ruan et al), 455
 - modeling, of physical properties of ground wheat (Fang et al), 251
- NIR, reflectance to predict properties of wheat flour (Delwiche et al), 412
- NIR spectroscopy
 - classification of wheat based on single kernel analysis (Dowell), 142
 - to determine wheat moisture content effect on hardness scores (Gaines and Windham), 386
 - optimal geometrics for development of rice quality models (Barton et al), 315
 - for prediction of wet-milling results in corn (Dijkhuizen et al), 266
- Noodle
 - flour; characteristics, from Japan (Jun et al), 820
 - flour; lipids in Japanese (Jun et al), 826
 - quality affected by *Amaranthus* and buckwheat proteins (Bejosano and Corke), 171
- Oat
 - grain hydrothermal treatment effect on dough and bread-baking (Zhang et al), 602
 - groats; rheological properties of β -glucans from (Zhang et al), 433
 - malted, chemical composition of (Peterson), 230
 - starch; structure and pasting properties of (Zhou et al), 273
- Oat bran
 - effect of extrusion on cholesterol-lowering properties (Kahlon et al), 897
 - solution viscoelastic properties of OATRIM-10 and (Carriere and Inglett), 354
- Oil, composites with starch; isolation of water-miscible fractions (Knutson), 351
- Oxidation, of barley lipids by lipid oxidation (Kaukovirta-Norja et al), 742
- Packaging, proteins as agricultural polymers for (Cuq et al), 1
- Pancake, springiness (Seguchi et al), 37
- Pasta, protein networks; textural images analysis of (Fardet et al), 699
- Peanut, physicochemical properties related to roasting and malting (Griffith and Castell-Perez), 780
- Pearl millet, physicochemical properties related to roasting and malting (Griffith and Castell-Perez), 780
- Peroxidase
 - horseradish, mechanism of arabinoxylan cross-linking through dimerization of feruloyl esters (Figueroa-Espinoza and Rouau), 259
 - in wheat flour doughs; mixing condition effect on (Delcros et al), 85
- Phosphorylated β -cyclodextrins, preparation and solubility of (Lee and Lim), 690
- Phylloquinone, in cereal products (Koivu et al), 113
- Physicochemical properties
 - of roasted and malted cereals and legumes (Griffith and Castell-Perez), 780
 - of roasted malt extract (Kim et al), 282
- Protein
 - as agricultural polymers for packaging production (Cuq et al), 1
 - bodies; corn, disruption during processing (Batterman-Azcona and Hamaker), 217
 - composition; prediction by NIR (Delwiche et al), 412
 - content and composition; cultivar and temperature effect on (Uhlen et al), 460
 - digestibilities; discovery of grain sorghum germ plasm with (Weaver et al), 665
 - extract from rye that improves wheat flour baking performance (Delcours et al), 403
 - foam stability; enhancement by formation of wheat arabinoxylan-protein crosslinks (Sarker et al), 493
 - measurement in maize (Dijkhuizen et al), 266
 - wheat, extraction of soluble proteins and quantitation of insoluble polymeric proteins (Bean et al), 374
- Quality factors, sorghum, relation to physical and water absorption properties (Buffo et al), 100
- Response surface methodology, optimum roasting and extraction conditions of roasted malt extract (Kim et al), 282
- Retrogradation
 - amaranth starch with fructose, glucose, and sucrose, and salt, by centrifugation and DSC (Baker and Rayas-Duarte), 301
 - du wx* and *su2 wx* maize starch, gelatinization heat treatment (Liu and Thompson), 868
 - kinetics of rice flours (Fan and Marks), 153
 - of maize starches; in relation to syneresis (Yuan and Thompson), 571
 - rate analysis with exponential first-order equation by regression, effect of storage temperature and salt and sugars (Baker and Rayas-Duarte), 308
 - and starch gelatinization; effect of isolation, drying, and grinding on (Grant), 590
 - starch, method for determining rate and extent of (Jacobson and BeMiller), 22
 - of starch; role of phosphorus in (Lin and Czuchajowska), 705
- Reviewers, acknowledgment of, iii
- Rheological properties
 - during heating of waxy starch pastes stored at 4°C (Yuan and Thompson), 117
 - of β -glucans from oat groats (Zhang et al), 433
 - of rye doughs; germination and water content effect on (Autio), 10
- Rheology
 - of caroubin (Feillet and Roulland), 488
 - effect of yeast on rheology of bread dough (Liao et al), 612
 - for entanglement molecular weights of maize starches (Carriere), 360
 - of OATRIM-10 and cooked oat bran (Carriere and Inglett), 354
- Rice
 - breakage due to environmental conditions (Siebenmorgen et al), 149
 - bulk density of (Fan et al), 254
 - cultivar influence on retrogradation kinetics (Fan and Marks), 153
 - degree of milling; digital image analysis method for rapid measurement of (Liu et al), 380
 - head yield determination; quality, degree of milling (Reid et al), 738
 - hull ash; silica gel from, preparation and characterization (Kamath and Proctor), 484
 - long-grain, milling quality characteristics of (Chen et al), 560
 - milling quality relation to individual kernel moisture content distribution (Siebenmorgen et al), 129
 - quality; optimal geometrics for development of (Barton et al), 315
 - sensory descriptive texture analyses; correlation to instrumental parameters (Meullenet et al), 714
 - texture; effects of postharvest processing on (Champagne et al), 181
- Rice bran, effect of extrusion on cholesterol-lowering properties (Kahlon et al), 897
- RP-HPLC, for quantitative determination of gluten protein types in wheat flour (Wiser et al), 644
- Rye
 - dough; germination and water content effect on rheological properties of (Autio et al), 10
 - extract from that improves wheat flour baking performance (Delcours et al), 403
- Scanning electron microscopy, environmental, for conditioning agent effect on tempered and steam-flaked sorghum (McDonough et al), 58
- SDS-PAGE, for resolution of high molecular weight glutenin subunits (Kasarda et al), 70
- Semolina, effects of break-roll speed differential on granulation (Hareland), 836
- Shortening, containing stearic acid; effect of on blood lipids and fat digestibility (Ranhotra et al), 557
- Silica gel, from rice hull ash; preparation and characterization (Kamath and Proctor), 484
- Snacks, effects of processing conditions and sorghum variety on (Suhendro et al), 187
- Sorghum
 - flours; starch digestibility and protein effect (Zhang and Hamaker), 710
 - germ plasm discovery with protein digestibilities (Weaver et al), 665
 - interrelationship of quality factors (Buffo et al), 100
 - quality; effect on snacks (Suhendro et al), 187
 - steam flaking characteristics of (McDonough et al), 634
 - tempered and steam-flaked, conditioning agent effect on (McDonough et al), 58
- Starch
 - amaranth, macromolecular features of (Bello-Pérez et al), 395
 - barley, structure and functionality (Czuchajowska et al), 747
 - buckwheat, partial characterization of (Quian et al), 365
 - composites with oil; isolation of water-miscible fractions (Knutson), 351
 - digestibility of cooked sorghum flours; protein effect (Zhang and Hamaker), 710
 - effect of structure on swelling power (Sasaki and Matsuki), 525
 - as fat replacement (Whistler et al), 72
 - from garbanzo beans and peas; composition, thermal behavior, and gel texture from (Czuchajowska et al), 466

- gelatinization and retrogradation; effect of isolation, drying, and grinding on (Grant), 590
- granule extraction (Mu et al), 480
- granule size distribution and chemical composition of (Raeker et al), 721
- granule surface lipid (Seguchi and Kanenaga), 294
- hull-less, physicochemical properties of zero amylose (Zheng et al), 520
- measurement in maize (Dijkhuizen et al), 266
- molecular mass and size by SEC (Yokoyama et al), 530
- oat, structure and pasting properties of (Zhou et al), 273
- processing conditions and binders; effects of extrusion variables and chemicals on properties of (Pan et al), 541
- properties; Canadian and Japanese barleys compared (Bhatty and Rossnagel), 15
- properties; diluted alkaline-protease treatment for isolation of (Radosavljevic et al), 212
- relation with water in cookie dough system (Donelson and Gaines), 660
- resistant, botanical source and formation of (García-Alonso et al), 802
- resistant, formation by twin-screw extruder (Unlu and Faller), 346
- retrogradation; method for determining rate and extent of (Jacobson and BeMiller), 22
- thermal properties (by DSC) as affected by pollination method and growing location (Krieger et al), 656
- of triticale; effect of solutes and moisture in gelatinization (Leon et al), 617
- viscosity, gelatinization, and retrogradation; phosphorus role (Lin and Czuchajowska), 705
- waxy maize genotypes, freeze-thaw stability (Yuan and Thompson), 571
- waxy maize genotypes, retrogradation and network formation on storage at 4°C (Yuan and Thompson), 117
- wheat, effect of additives on extrusion cooking (Singh et al), 325
- Stearic acid, effect of shortenings on blood lipids and fat digestibility (Ranhotra et al), 557
- Storage
 - of corn; electrolyte leakage relation (Marks and Stroshine), 651
 - effect on wet-milling characteristics of corn (Singh et al), 235
 - of malt; influence on lipoxygenase reaction (Kaukovirta-Norja et al), 742
- Sugars
 - fructose, sucrose, and glucose, effect on rate of retrogradation (Baker and Rayas-Duarte), 308
 - sucrose, fructose, and glucose, effect on retrogradation of amaranth starch (Baker and Rayas-Duarte), 301
- Sulfhydryl, change as a result of hexose oxidase treatment (Poulsen and Høstrup), 51
- Temperature, effect on wheat protein content, composition, and dough-mixing properties (Uhlen et al), 460
- Texture
 - measurement of tortillas; bending technique for (Suhendro et al), 854
 - profile analysis of rice; postharvest processing effects on (Champagne et al), 181
 - sensory descriptive, analyses of cooked rice, correlation to instrumental parameters (Meullenet et al), 714
- Tortilla
 - texture measurement; by objective rollability method (Suhendro et al), 320
 - texture measurement; tortilla bending technique for (Suhendro et al), 854
- Triticale, starch; in cookies (Leon et al), 617
- Volatiles, in commercial breads (Seitz et al), 847
- Weaning foods, effect of blend and processing method on nutritional quality (Griffith et al), 105
- Wet milling
 - of corn; storage effect (Singh et al), 235
 - steeping condition effect on (Yuan et al), 145
- Wheat
 - arabinoxylan-protein crosslinks; protein foam stability enhancement of (Sarker et al), 493
 - automated single kernel color classification (Dowell), 142
 - cultivar quality response to foliar disease (Puppala et al), 94
 - dough; functionality of whey protein concentrate in (Kadharmestan et al), 785
 - dough properties (Bejosano and Corke), 171
 - flour doughs; characterization of viscoelastic behavior of (Masi et al), 428
 - flour doughs; mixing condition effect on lipoxygenase, peroxidase, and catalase in (Delcros et al), 85
 - flour; effect of puroindolines on breadmaking properties of (Dubreil et al), 222
 - flour; ethanol substitution for water in protein and starch fractionation from (Robertson and Cao), 508
 - flour; exogenous lipase effect on dough lipids during mixing (Castello et al), 595
 - flour; intercultivar variation in quantity of proteins and glutenin in, relation to breadmaking quality (Sapirstein and Fu), 500, 767
 - flour; pancake springiness relation to binding of prime starch to tailings in (Seguchi et al), 37
 - flour swelling, relationships to noodle texture (Fu et al), 566
 - flour; water-extractable arabinogalactan-peptide in, structural variation and levels of (Loosveld et al), 815
 - hard red winter, comparison of mycotoxins and *Fusarium graminearum* (Trigo-Stockli et al), 841
 - irradiated, detection by electron paramagnetic resonance spin probe technique (Sünnetçioğlu et al), 875
 - moisture content effect on hardness scores determined by NIR spectroscopy (Gaines and Windham), 386
 - proteins; extraction of soluble polymeric and monomeric proteins (Bean et al), 374
 - puffed and shriveled grain, evaluation (Gaines et al), 207
 - quality; modified by heat stress (Blumenthal et al), 43
 - quality response to high growth temperature (Gibson et al), 421
 - quality; single kernel characteristics in relation to milling and baking (Ohm et al), 156
 - quality traits; genotype and environmental effects on (Bergman et al), 729
 - soft, starch granule size distribution and chemical composition from (Raeker et al), 721
 - sourdough; rheological changes during controlled and spontaneous fermentation (Wehrle and Arendt), 882
 - sprouted and scab-damaged, measurement of single-kernel density of (Martin et al), 177
 - starch-additive mixture; physical properties of additives (Singh et al), 325
 - starch hydrolysates; filtration characteristics of (Matser and Steenekon), 241, 289
 - starch structure, effect on swelling power (Sasaki and Matsuki), 525
 - steeping condition effect on wet-milling characteristics of (Yuan et al), 145
 - waxy starch; hot paste viscosity (Kiribuchi-Otobe et al), 671
- Wheat bran, effect of extrusion on cholesterol-lowering properties (Kahlon et al), 897
- Wheat protein concentrate, heat treatment and high hydrostatic pressure in wheat-based products (Kadharmestan et al), 762
- Yeast, rheological effect in breadmaking (Liao et al), 612
- Zein
 - batch extraction from dry-milled corn; cereal disintegration (Dickey et al), 443
 - distribution in cornflakes (Batterman-Azcona and Hamaker), 217
 - plasticized films; water vapor barrier properties (Lin and Padua), 194