

# Subject Index

Page numbers of errata are in italic.

- Acetic acid, gaseous treatment of flour, effect on breadmaking properties (Hayashi and Seguchi), 898
- Alkali, compared with corn wet-milling (Eckhoff et al), 96
- Alkaline cooking, of tortillas (Suhendro et al), 536
- $\alpha$ -Amylase, effect on paste viscosity measurements in assessment of flour for noodle quality (Crosbie et al), 328
- Amylopectin, effects of long branch-chains on starch iodine affinity and on pasting properties (Jane et al), 629
- Amylose
- content in maize starch; raman spectroscopy for determination (Phillips et al), 821
  - effects of amylose contents on starch pasting and thermal properties (Jane et al), 629
  - ordering during cooling (Boltz and Thompson), 204
- Antioxidants, in oat groats and hulls (Emmons and Peterson), 902
- Arabinoxylans, from rye; isolation of water-extractable (Delcour et al), 1
- Baking
- from barley flour; properties of final product (Klamczynski and Czuchajowska), 530
  - cookies and cakes utilizing 1BL/1RS flour (Johnson et al), 467
  - effect of glutenin and gliadin substitution (Wesley et al), 743
  - effect of prolonged storage at freezing temperatures on (Lu and Grant), 656
  - infrared, effect on wheat flour tortilla characteristics (Martínez-Bustos et al), 491
  - quality; prediction of with SDS sedimentation test in wheat breeding programs (Carter et al), 907
  - role of flour fractions on quality of frozen dough (Lu and Grant), 663
  - small-scale vs. large-scale testing (Graybosch et al), 428
  - starch granules for dough expansion control (Kusunose et al), 920
  - two-step procedure for sponge cakes, microwave heating (Grau et al), 303
- Barley
- chemical composition of fractionated samples (Elfverson et al), 434
  - flours from waxy and nonwaxy, for baked products (Klamczynski and Czuchajowska), 530
  - $\beta$ -glucanase activity in barley cultivars (Knuckles and Chiu), 92
  - hull-less, milling,  $\beta$ -glucan, flour (Bhatty), 314
  - hull-less, potential of (Bhatty), 589
  - proteinases (Zhang and Jones), 134
  - starch granules,  $\alpha$ -amylolysis of (Lauro et al), 925
  - starch structures and properties (Jane et al), 629
  - waxy hull-less starch, functional properties of (Zheng et al), 182
- Bazlama, wheat flour, effects of wheat bran/barley flour addition on (Başman and Köksel), 506
- Bean, size, as related to Azuki paste (Baik and Czuchajowska), 122
- Bran, contamination in wheat flours; determination using ash content, color, and bran speck counts (Kim and Flores), 957
- Bread
- crumb density determination by image analysis (Zghal et al), 734
  - glass transition temperature, relaxations (Roudant et al), 78
  - glassy, molecular mobility in (Roudant et al), 70
  - hearth, production from frozen dough (Sahlström et al), 38
  - highly calcium-fortified (Ranhotra et al), 325
  - production; einkorn characterization for (Corbellini et al), 727
- Breadmaking
- comparison of unifactorial and mixture approaches for optimization of mixing time, flour, and water content in (De Rijck et al), 487
  - correlations of glutenin proteins of hard red spring wheats (Zhu and Khan), 261
  - effect of environment and genotype (Wooding et al), 800
  - effect of processing on density of bread crumbs (Zghal et al), 734
  - effects of zinc and aluminum ions (Vadlamani and Seib), 355
  - gaseous acetic acid treatment of flour effect on (Hayashi and Seguchi), 898
  - gluten, pasting, and mixography parameters of HWW flours in relation to (Ohm and Chung), 606
  - loaf volume prediction by SDS-protein gel test (Sapirstein and Suchy), 164
  - quality and SDS-PAGE of glutenin at various stages (Borneo and Khan), 718
  - quality and SE-HPLC of proteins at various stages (Borneo and Khan), 711
  - wheat flour quality, rheological properties, evaluation (Wesley et al), 743
- Buckwheat, expression of binding protein during initial maturation stages (Nair and Adachi), 321
- Cakes
- comparison of 1BL/1RS and non-1BL/1RS flour (Johnson et al), 467
  - sponge, two-step baking procedure for (Grau et al), 303
- Calcium, fortified breads vs. bone calcification (Ranhotra et al), 325
- Carbohydrates, low molecular weight, effects on farinograph characteristics and staling endotherms of wheat flour-water doughs (Duedahl-Olesen et al), 22
- Celiac disease, sequences active in, amino acid sequence of  $\alpha$ -gliadin gene from spelt wheat (Kasarda and D'Ovidio), 548
- Cereal
- fluorescence analysis of niacin in (Krishnan et al), 512
  - grain; reduced-oxidized glutathione status of, as potential index of oxidative stress (Zieliński et al), 944
- Cholesterol
- metabolism, effects of different cereal fibers in the Syrian golden hamster (Rieckhoff et al), 788
  - response and foam cell formation in hamsters fed rice and oat bran (Kahlon et al), 772
- Chromatography, SE-HPLC of proteins from various breadmaking stages (Borneo and Khan), 711
- Cookies
- comparison of 1BL/1RS and non-1BL/1RS flour (Johnson et al), 467
  - production; einkorn characterization for (Corbellini et al), 727
- Corn (see also Maize)
- bran and fiber; comparison of yield and composition of oil extracted from (Moreau et al), 449
  - effect of growth environment on corn curl and pet food extrudates (Mathew et al), 625
  - effect of sample, mill type, and particle size on extrusion properties (Mathew et al), 621
  - extrusion cooking of, effect of fatty acids addition on extrudate properties (Desrumaux et al), 699
  - fiber; characterization of starch recovered from (Dowd et al), 3
  - fiber; recovery in corn dry-grind ethanol process (Singh et al), 868
  - inbred line B73, thermal properties of starch from mutagenized families (Yamin et al), 175
  - moisture; effect on properties of pet food extrudates (Mathew et al), 953
  - nixtamalization; processing variable impact on degree of cook (Sahai et al), 850
  - oil; effect on thin stillage evaporators (Singh et al), 846
  - steepwater; lysine recovery from (O'Brien and Craig), 949
  - wet-milling; compared with alkali (Eckhoff et al), 96
  - wet-milling; comparison to alkali process (Du et al), 811
  - wet-milling; effects of adding lactic acid and CO<sub>2</sub> on starch yields and pasting properties (Singh et al), 600
  - wet-milling; water absorption and starch yield affected by chemical pretreatments and lactic acid (Haros and Suárez), 783
- Corn grits, extrusion-cooked (Katta et al), 16
- Corn starch
- extrudates; physical properties affected by processing (Lee et al), 63
  - near-infrared prediction of amylose (Campbell et al), 552
  - thermal properties of mutagenized inbred line B73 (Yamin et al), 175
- Dietary fiber
- cereal, oat, barley, rye, wheat, effects on cholesterol and bile acid metabolism in the Syrian golden hamster (Rieckhoff et al), 788
  - content in Turkish flat bread, bazlama (Başman and Köksel), 506

- effect on intestinal contents viscosity (Gallaher et al), 21
- in oat, content and composition (Manthey et al), 417
- Differential scanning calorimetry
  - cooling of high-amylose starch (Boltz and Thompson), 204
  - to determine crystalline properties of native starch granules (Sahai and Jackson), 444
  - for examination of starch-lipid interactions in maize starches (Villwock et al), 292
- DNA, detection in maize products (Gawienowski et al), 371
- Dough
  - changes in glutenin subunit composition during mixing (Skerritt et al), 395
  - compositional changes in glutenin macropolymer during mixing (Skerritt et al), 402
  - compound causing stickiness (Huang and Hosoney), 276
  - demixing of gluten and starch (Kieffer and Stein), 688
  - durum semolina, characterization of viscoelastic properties (Edwards et al), 638
  - effect of adding exogenous oxidative enzymes on endogenous oxidoreductases during mixing (Rakotozafy et al), 213
  - effect of gluten, starch, and water-soluble fractions on rheological properties (Miller and Hosoney), 105
  - effect of moisture content on water mobility (Ruan et al), 231
  - expansion during baking; starch granule role in controlling (Kusunose et al), 920
  - factor groups; segregating hard red winter wheat into (Baker et al), 884
  - factor; regression and discriminant analyses for quality classification system for HRW wheat (Baker et al), 890
  - flour-water measurement of thermal expansion (Wang and Sun), 87
  - frozen, effect of prolonged storage at freezing temperatures on starch and baking quality (Lu and Grant), 656
  - frozen, hearth bread from, effect of different dough treatments and storage (Sahlström et al), 38
  - frozen, role of flour fractions in breadmaking quality (Lu and Grant), 663
  - frozen bread, effects of additive on baking performance (Kenny et al), 421
  - measurement of viscoelastic properties of wheat flour doughs (Leonard et al), 243
  - oxidation effect on rheology (Miller and Hosoney), 100
  - properties; breeding programs (Graybosch et al), 428
  - properties; relation to molecular weight (Southan and MacRitchie), 827
  - protein; controlled stepwise reduction of disulfide bonds and heat-induced modification of (Xu et al), 931
  - rye, water content, falling number, and flour particle size effect on rheological properties (Autio et al), 912
  - wheat flour, effect of stability on texture of alkaline noodles (Crosbie et al), 328
  - wheat flour, measurement of mixing requirements and dough strength (Wooding et al), 800
  - wheat flour-water, effects of low molecular weight carbohydrates in (Duedahl-Olesen et al), 227
- Drying
  - effects on cooked rice (Lyon et al), 56
  - rough rice, effect on sensory profiles of cooked rice (Meullenet et al), 483
- Dwarf bunt fungus, fate during milling (Bechtel et al), 270
- Einkorn, diploid wheat (*Triticum monococcum* ssp *monococcum*) (Corbellini et al), 727
- Electron paramagnetic resonance, signals from wheat flour and extrudates (Schaich and Rebello), 748
- Electrophoresis
  - SDS-PAGE of glutenin and characterization of carbohydrates (Gujska and Khan), 198
  - SDS-PAGE of glutenin and proteins at various breadmaking stages (Borneo and Khan), 711, 718
- ELISA
  - for detection of  $\alpha$ -amylase in preharvest-sprouted wheat (Verity et al), 673
  - high molecular weight glutenin subunits (Giersch et al), 380
- Environment, milled rice kernel breakage caused by (Lloyd and Siebenmorgen), 426
- Enzymes
  - effect of adding on endogenous oxidoreductase activity during dough mixing (Rakotozafy et al), 213
  - endoproteolytic activity, evaluation by rheological method (Bleukx et al), 195
  - of germinated and ungerminated barley (Zhang and Jones), 134
- Erratum, vol. 75, no. 5, p. 634, 173
- Ethanol
  - dry-grind, corn fiber recovery in (Singh et al), 868
  - dry grind, thin stillage evaporators affected by corn oil (Singh et al), 846
  - production; rye mashes used for, viscosity concerns (Ingledeew et al), 459
- Extrudates, corn starch, physical properties affected by processing (Lee et al), 63
- Extrusion
  - corn proteins (Batterman-Azcona et al), 316
  - flow modeling of plasticized wheat gluten in corotating twin screw extruder (Redl et al), 361
  - of fumonisins in corn grits (Katta et al), 16
  - rice flour, operating condition effects on specific mechanical energy and extrudate properties (Yeh and Jaw), 236
  - of wheat flour; sulfhydryl-disulfide changes (Rebello and Schaich), 756
  - of wheat flour proteins; free radical production during (Schaich and Rebello), 748
- Extrusion cooking
  - of corn; effect of fatty acids addition on extrudate properties (Desrumaux et al), 699
  - effect of corn hybrid and growth environment on corn curl and pet food extrudates (Mathew et al), 625
  - effect of sample, mill type, and particle size (Mathew et al), 621
- Fermentation, temperature, optimization of and mash specific gravity (Wang et al), 82
- Fiber
  - corn, comparison of yield and composition of oil extracted from (Moreau et al), 449
  - corn, recovery in corn dry-grind ethanol process (Singh et al), 868
  - $\beta$ -glucan, neutral detergent fiber and acid detergent fiber (Başman and Köksel), 506
- Flat bread, quality characteristics of high fiber bazlama (Başman and Köksel), 506
- Flour
  - Alpha 16 quality affected by glutenin or gliadin protein substitution (Wesley et al), 743
  - baking qualities of 1BL/1RS and non-1BL/1RS (Johnson et al), 467
  - effect of glutenin, gliadin, and flour protein on dough properties (Uthayakumar et al), 389
  - effect of prolonged storage at freezing temperatures on (Lu and Grant), 668
  - hard winter wheat for breadmaking, gluten, pasting, and mixography parameters of (Ohm and Chung), 606
  - milling streams; wheat flour collected at different stages (Wang and Flores), 496
  - oat, viscosity in intestinal contents (Gallaher et al), 21
  - produced from dwarf bunt infected wheat (Bechtel et al), 270
  - protein; buffer action of (Hayashi and Seguchi), 898
  - rice and sorghum, functionality of in baked tortilla and corn chips (Quintero-Fuentes et al), 705
  - role of fractions on frozen dough breadmaking quality (Lu and Grant), 663
  - soft wheat quality as related to protein composition (Huebner et al), 650
  - spelt, milling and pasta-making quality (Marconi et al), 25
  - starch and protein quality; influence on alkaline noodle texture (Crosbie et al), 328
  - from waxy and nonwaxy barley for production of baked products (Klamczynski and Czuchajowska), 530
- Foam
  - cell formation; in hamsters fed rice and oat bran (Kahlon et al), 772
  - physical properties for those produced using starch (Lawton et al), 682
- Fractionation
  - of flour proteins (Huebner and Bietz), 299
  - of glutenin by multistacking SDS-PAGE (Gujska and Khan), 198
  - of glutenin by SDS-PAGE during grain development (Zhu and Khan), 261
  - of proteins from spring wheats by SE-HPLC from various breadmaking stages (Borneo and Khan), 711
  - of spring wheat proteins by SDS-PAGE at various breadmaking stages (Borneo and Khan), 718

- by weighing, pneumatic classification, sieving, and sorting on a specific gravity table of barley (Elfverson et al), 434
- Fumonisin, loss in extrusion (Katta et al), 16
- Functionality, of waxy hull-less barley starches (Zheng et al), 182
- Fusarium head blight, associated fungal protease effect on wheat storage proteins (Nightingale et al), 150
- Gelatinization
  - properties of rice (Yamamoto and Shirakawa), 646
  - rice starch, kinetics and thermodynamics (Lai and Lii), 519
- Gliadin
  - changes during extrusion (Rebello and Schaich), 748, 756
  - effect of glutenin, gliadin, and flour protein on dough properties (Uthayakumar et al), 389
  - fractions relating to soft wheat quality (Huebner et al), 650
- β-Glucan
  - in barley cultivars (Knuckles and Chiu), 92
  - content in Turkish flat bread, bazlama (Başman and Köksel), 506
  - different sources, effect on cholesterol and bile acid metabolism (Rieckhoff et al), 788
- β-Glucanase, reduction in activity in barley (Knuckles and Chiu), 92
- Glutathione, reduced-oxidized status of cereal grain, potential index of oxidative stress (Zieliński et al), 944
- Gluten
  - change in molecular size distribution upon extrusion of wheat gluten (Redl et al), 361
  - composition; effect on mixing requirements and dough strength (Wooding et al), 800
  - effect on rheological properties of dough (Miller and Hosenev), 105
  - effects of extraction (lipids and starch) on water sorption capacity as determined by NMR (Grant et al), 219
  - in HWW flours in relation to breadmaking (Ohm and Chung), 606
  - maize grain, protein distribution in diverse isolated products (Landry et al), 503
  - strength; prediction of with SDS sedimentation test in wheat breeding programs (Carter et al), 907
  - swelling and solubility; factors affecting separation from starch (Robertson et al), 843
  - wheat, dynamic viscoelastic behavior of high-pressure-treated (Apichartsrangkoon et al), 777
- Glutenin
  - changes during extrusion (Rebello and Schaich), 748, 756
  - characterization of carbohydrates (Gujska and Khan), 198
  - characterization during grain development (Zhu and Khan), 261
  - depolymerization during mixing (Skerritt et al), 402
  - depolymerization of specific subunits from glutenin macropolymer (Skerritt et al), 395
  - effect of glutenin, gliadin, and flour protein on dough properties (Uthayakumar et al), 389
  - fractions relating to soft wheat quality (Huebner et al), 650
  - measurement of wheat bug protease on reduced subunits of propanol insoluble glutenin (Sivri et al), 816
  - SDS-protein gel test and prediction of loaf volume (Sapirstein and Suchy), 164
  - subunits; differentiation of HMW-GS (Giersch et al), 380
- Glycolipids, free, estimation of in wheat flour by HPLC (Ohm and Chung), 873
- Grain
  - detection of scab, vomitoxin, and ergosterol (Dowell et al), 573
  - quality; kernel size related to test weight (Troccoli and di Fonzo), 45
  - spelt, chemical and technological characteristics of grains (Marconi et al), 25
- Hardness
  - of cooked rice grains; measurement with single apparatus (Okadome), 855
  - wheat grain, among chromosome SD homozygous recombinant substitution lines (Morris et al), 249
- HPLC
  - analyses of wheat flour proteins (Huebner and Bietz), 299
  - for estimation of free glycolipids in wheat flour (Ohm and Chung), 873
  - fluorescence measurement of niacin content of cereals (Krishnan et al), 512
  - fractionation of soft wheat gluten proteins (Huebner et al), 650
  - of monomeric wheat proteins during grain development (Zhu and Khan), 261
- HPSEC, for analysis of carbohydrate molecular weight distribution (Akashi et al), 50
- Image analysis
  - breadmaking quality evaluation (Zghal et al), 734
  - digital, sampling and grading effects on precision and accuracy of kernel measurements (Sapirstein and Kohler), 110
  - for measurement of time-dependent appearance of discolored spots in alkaline noodles (Hatcher et al), 189
- Instructions to authors, iv
- Instruments and instrumentation
  - detecting scab, DON, and ergosterol with NIRS (Dowell et al), 573
  - digital image analysis and effects of sampling and grade on kernel measurements (Sapirstein and Kohler), 110
- Job's Tears starch, properties of (Li and Corke), 413
- Lactic acid, effect on corn water absorption and starch yield (Haros and Suárez), 783
- Legumes, paste particle and bean size as related to Azuki paste (Baik and Czuchajowska), 122
- Lipase
  - activity in oat during malting (Peterson), 159
  - effects of mixing conditions and wheat flour dough composition on lipid hydrolysis and oxidation levels in presence of (Castello et al), 476
- Lipids
  - hydrolysis; effects of mixing conditions and wheat flour dough composition on (Castello et al), 476
  - oat, changes during malting (Peterson), 159
  - oxidizing, generation of free radicals in wheat flour from (Schaich and Rebello), 748
- Lipoxygenase, activity in wheat semolina dough (Borrelli et al), 335
- Lysine
  - maize endosperm proteins that contribute to content (Yau et al), 668
  - recovery from corn steepwater (O'Brien and Craig), 949
- Maize (see also Corn)
  - endosperm proteins; contribution to endosperm lysine content (Yau et al), 668
  - genotypes; starch (Villwock et al), 292
  - industrial gluten, protein distribution in diverse isolated products (Landry et al), 503
  - mutants; structures and properties of starches from (Jane et al), 629
  - products; detection of DNA (Gawienowski et al), 371
  - starch; physical properties and enzymatic digestibility of (Liu et al), 938
  - starch; raman spectroscopy for determination of amylose content in (Phillips et al), 821
- Malting, oat, changes in lipids and lipase activity (Peterson), 159
- Methods
  - analytical, raman spectroscopy of acetylated starches (Phillips et al), 439
  - bran contamination in wheat flour (Kim and Flores), 957
  - to evaluate wheat bug damage based on 50% propanol insoluble glutenin (Sivri et al), 816
  - extensibility to measure corn tortilla texture (Suhendro et al), 536
  - PCR detection of genetic material in maize products (Gawienowski et al), 371
  - rapid, for quantifying total anthocyanins in blue aleurone and purple pericarp wheats (Abdel-Aal and Hucl), 350
- Milling
  - dry, semi-dry, and wet stone milling (Chen et al), 796
  - durum wheat, effects on pigment content (Borrelli et al), 335
  - of dwarf bunt infected wheat (Bechtel et al), 270
  - effects on cooked rice (Lyon et al), 56
  - performance of spelt (Marconi et al), 25
  - quality; comparison of 1BL/1RS and non-1BL/1RS sister lines (Johnson et al), 467
  - quality characteristics of medium-grain rice (Chen et al), 473
- Mixograph, absorption determination (Ingelin and Lukow), 9
- Mixture systems, design and analysis of mixture experiments (De Rijck et al), 487
- Models, thin-layer, for intermittent drying of rough rice (Shei and Chen), 577
- Moisture
  - content; effects on cooked rice (Lyon et al), 56

- corn, effect on properties of pet food extrudates (Mathew et al), 953
- effect on thermomechanical behavior of wheat starch (Rolee and LeMeste), 452
- Multiangle laser light scattering, to analyze molecular characterization of wheat amylopectins (You et al), 116
- Mycotoxins, detection using NIRS (Dowell et al), 573
- Niacin, cereal content, determined by HPLC (Krishnan et al), 512
- NIR spectroscopy
  - and color; wheat kernel size effect on (Wang et al), 34
  - color, wheat, classification of (Wang et al), 30
  - detection scab, DON, and ergosterol (Dowell et al), 573
  - for identification of wheat lines with 1AL, 1RS, or 1BL.1RS wheat-rye translocation (Delwiche et al), 255
  - for predicting number of dominant R alleles in single wheat kernels (Wang et al), 6
- Nitrogen, fertilization of wheat; quantification by multistacking SDS-PAGE of (Zhu et al), 915
- NITS, prediction of amylose content (Campbell et al), 552
- NMR
  - gluten, effects of extraction (lipids and starch) on water sorption capacity as determined by NMR transverse relaxation measurements (Grant et al), 219
  - water in dough (Ruan et al), 231
- Noodles
  - alkaline, measurement of time-dependent appearance of discolored spots in, by image analysis (Hatcher et al), 189
  - Chinese yellow-alkaline, evaluation of starch properties of wheats used for (Akashi et al), 50
  - effects of oxido-reductants on rheological properties and characteristics of (Yeh and Shiau), 614
  - oriental, processing and quality of, influence of water absorption (Hatcher et al), 566
  - rice, quality relation to physicochemical properties (Bhattacharya et al), 861
  - yellow alkaline, texture influenced by quality of starch and protein (Crosbie et al), 328
- Oat
  - antioxidant activity and phenolic acid content (Emmons and Peterson), 902
  - dietary fiber content and composition (Manthey et al), 417
  - malting; changes in lipids and lipase activity (Peterson), 159
  - viscosity in intestinal contents (Gallaher et al), 21
- Oat bran, cholesterol response and foam cell formation in hamsters fed (Kahlon et al), 772
- Oxidoreduction, exogenous oxidative enzyme effect on, during mixing of wheat flour dough (Rakotozafy et al), 213
- Particle size, as related to Azuki paste (Baik and Czuchajowska), 122
- Pasta
  - color; durum wheat effects on pigment content (Borrelli et al), 335
  - dough development; effects of mixing conditions on (Icard-Vernière and Feillet), 558
  - durum starch, effect of drying processing, quality of spaghetti (Yue et al), 541
  - durum wheat, genotype-environment interaction effects on gluten strength and texture of (Ames et al), 582
- Pentosans, oxidative gelation effect on dough dryness (Miller and Hosney), 100
- Phenolic acids, in oat groats and hulls (Emmons and Peterson), 902
- Physicochemical properties, flour for soybean coucous (Aboubacar and Hamaker), 308
- Protein
  - changes during extrusion, relationship to free radical formation (Rebello and Schaich), 756
  - composition at various breadmaking stages by SDS-PAGE and densitometry (Borneo and Khan), 718
  - distribution in diverse products isolated from industrial maize gluten (Landry et al), 503
  - effect of glutenin, gliadin, and flour protein on dough properties (Uthayakumar et al), 389
  - glutenin and carbohydrate characterization (Gujska and Khan), 198
  - immunolocalization of  $\alpha$ -zein (Batterman-Azcona et al), 316
  - measurement of wheat bug protease on reduced subunits of propanol insoluble glutenin (Sivri et al), 816
  - quality; glutenins and gliadins, improvement by genetic substitution (Wesley et al), 743
  - RP and SE-HPLC of wheat proteins (Huebner and Bietz), 299
  - seed storage, accumulation during initial maturation stages (Nair and Adachi), 321
  - of spring wheat during grain development (Zhu and Khan), 261
  - wheat, effects of grain position (Stoddard), 139
  - wheat, molecular weight distribution (Southan and MacRitchie), 827
  - wheat, SDS-protein gel test and prediction of bread loaf volume (Sapirstein and Suchy), 164
  - wheat dough, controlled stepwise reduction of disulfide bonds and heat-induced modification of (Xu et al), 931
- Proteinases, of barley and malt (Zhang and Jones), 134
- Raman spectroscopy, determination of maize starch amylose content (Phillips et al), 821
- Rapid Visco Analyser, correlation with cooked rice texture (Champagne et al), 764
- Response surface methodology, process variable impact on degree of cook during corn nixtamalization (Sahai et al), 850
- Retrogradation
  - of amylose; influence of lipid and initial heating (Boltz and Thompson), 204
  - high-amylose maize starch and starch fractions, temperature range of thermal events (Klucinec and Thompson), 282
- Rheological properties
  - of complexed rice starch gels (Chien et al), 837
  - of extruded wheat gluten plasticized with glycerol (Redl et al), 361
  - high-amylose maize starch and starch fractions, viscoelastic properties of gels by oscillatory rheometry (Klucinec and Thompson), 282
  - measurement of viscoelastic properties of wheat flour doughs (Leonard et al), 243
  - nonstarch polysaccharides from wheat bran (Cui et al), 129
  - oxidation effect on wheat flour doughs (Miller and Hosney), 100
  - relationship between mixing requirements and dough strength (Wooding et al), 800
  - of spelt flours (Marconi et al), 25
  - of tortillas (Suhendro et al), 536
  - of wheat flour doughs, after punching and molding (Kieffer and Stein), 688
  - of wheat starch-water preparations; moisture effect (Rolee and LeMeste), 452
- Rheology
  - effect of water content and falling number (Autio et al), 912
  - for evaluating endoproteolytic enzyme activity (Bleukx et al), 195
  - measurement on frozen dough using extensigraph and controlled stress rheometer (Kenny et al), 421
  - mixograph absorption, response surface methodology (Ingelin and Lukow), 9
  - oscillatory and creep measurements of durum semolina dough (Edwards et al), 638
  - wheat flour, influence of oxido-reductants on rheological properties and characteristics of extruded noodles (Yeh and Shiau), 614
- Rice
  - breakage of milled medium-grain kernels (Lloyd and Siebenmorgen), 426
  - cooked, effects of milling, drying, and moisture on sensory texture of (Lyon et al), 56
  - cooked, effects of rough rice drying and storage on sensory profiles of (Meullenet et al), 483
  - cooked, measurement of physical properties (Okadome et al), 855
  - cooked aroma, comparison between Basmati and Italian line B5-3 (Tava and Bocchi), 526
  - flour; functionality of in baked tortilla and corn chips (Quintero-Fuentes et al), 705
  - long-term stored, annealing of (Yamamoto and Shirakawa), 646
  - milled, quality characteristics of (Chen et al), 473
  - milling; physicochemical characteristics and waxy rice (Chen et al), 796
  - mutants; structures and properties of starches from (Jane et al), 629
  - noodles; quality relation to physicochemical properties (Bhattacharya et al), 861
  - rough, thin-layer models for intermittent drying of (Shei and Chen), 577
  - starch; gelatinization kinetics and thermodynamics, modulated differential scanning calorimetry (Lai and Lii), 519
  - starch gels; complexation with ligands of various polarities (Chien et al), 837

- storage effects on gelatinization and retrogradation properties of rice flours (Fan and Marks), 894
- texture; correlation with rapid visco-analyser measurements (Champagne et al), 764
- Rice bran, cholesterol response and foam cell formation in hamsters fed (Kahlon et al), 772
- Rye
  - arabinoxylan isolation from (Delcour et al), 1
  - dough; water content, falling number, and flour particle size effect on rheological properties (Autio et al), 912
  - mashes used for ethanol production; viscosity concerns with (Ingledeew et al), 459
  - starch granule size (Stoddard), 145
  - translocation; NIR spectroscopy, for identification of wheat lines with 1AL, 1RS, or 1BL.1RS wheat-rye translocation (Delwiche et al), 255
- SDS-PAGE
  - of glutenin and carbohydrate characterization (Gujska and Khan), 198
  - of glutenin of spring wheats at various breadmaking stages (Borneo and Khan), 718
  - multistacking, of wheat grown under nitrogen fertilization, quantification (Zhu et al), 915
  - for resolution of storage proteins in buckwheat (Nair and Adachi), 321
  - of spring wheat proteins during grain development (Zhu and Khan), 261
- SE-HPLC, of proteins of spring wheats at various breadmaking stages (Borneo and Khan), 711
- Sorghum
  - flour; functionality of in baked tortilla and corn chips (Quintero-Fuentes et al), 705
  - flour; physicochemical properties related to coucous texture (Aboubacar and Hamaker), 308
- Starch
  - barley granules,  $\alpha$ -amylolysis of (Lauro et al), 925
  - B-granule content and grain position (Stoddard), 139
  - B-granule content in wheat species (Stoddard), 145
  - biochemical characterization of wheat waxy A protein and its effect on (Demeke et al), 694
  - dilatant behavior and dough hardening (Kieffer and Stein), 688
  - durum wheat, spaghetti processing, effect of drying temperature (Yue et al), 541
  - effect of prolonged storage at freezing temperatures on (Lu and Grant), 656
  - effect on rheological properties of dough (Miller and Hoseneý), 105
  - effects of structures on properties (Jane et al), 629
  - gelatinization; effects of rough rice storage conditions on (Fan and Marks), 894
  - granule surface proteins; dye binding for microdetermination of (Seguchi and Yoshino), 410
  - granules; enthalpic transitions in (Sahai and Jackson), 444
  - granules; role of controlling dough expansion during baking (Kusunose et al), 920
  - granules; separation of, in wheat endosperm (Peng et al), 375
  - high-amylose, lipid content and heat treatment (Boltz and Thompson), 204
  - high-amylose maize starch and starch fractions, interference of amylose reorganization by amylopectin (Klucinec and Thompson), 282
  - interaction with lipids (Villwock et al), 292
  - modified, paste properties of, from partial waxy wheats (Reddy and Seib), 341
  - phosphorylated maize, physical properties and enzymatic digestibility of (Liu et al), 938
  - physical properties; genetic diversity from *Amaranthus* (Wu and Corke), 877
  - physicochemical properties, *Coix lachryma-jobi* L. characterization of (Li and Corke), 413
  - properties of baked starch foams (Lawton et al), 682
  - raman spectroscopy determination of level of acetylation (Phillips et al), 439
  - rice, gelatinization kinetics and thermodynamics, modulated differential scanning calorimetry (Lai and Lii), 519
  - swelling and paste viscosity, relationships with texture of alkaline noodles (Crosbie et al), 328
  - waxy hull-less barley, functional properties of (Zheng et al), 182
  - wheat, effects of gelation on NMR transverse relaxation of hydrating water (Grant et al), 219
  - wheat, isolated from wheat flour (Wang and Flores), 807
- Steeping
  - of corn; effects of adding lactic acid and CO<sub>2</sub> on starch yields and pasting properties (Singh et al), 600
  - effect of countercurrent steep bank on maize DNA (Gawienowski et al), 371
- Storage
  - effect on sensory profiles of cooked rice (Meullenet et al), 483
  - rough rice, effect on gelatinization and retrogradation properties of rice flours (Fan and Marks), 894
- Temperature, drying cycle, effect on lipoxygenase inactivation (Borrelli et al), 335
- Texture, rice, correlation with rapid visco-analyser measurements (Champagne et al), 764
- Thermal properties
  - of complexed rice starch gels (Chien et al), 837
  - of mutagenized corn inbred line B73 (Yamin et al), 175
- Tortillas
  - corn, extensibility to measure texture (Suhendro et al), 536
  - flour, textural properties of (Wang and Flores), 496
  - made from wheat flour (Wang and Flores), 807
  - rice and sorghum flour functionality in (Quintero-Fuentes et al), 705
  - wheat flour, effect of infrared baking on (Martínez-Bustos et al), 491
- Triticale, starch granule size (Stoddard), 145
- Viscoelastic, behavior of high-pressure-treated wheat gluten (Apichartsrang-koon et al), 777
- Viscosity
  - concerns with rye mashes used for ethanol production (Ingledeew et al), 459
  - of oat products in intestinal contents (Gallaher et al), 21
- Water, NMR study of, in dough (Ruan et al), 231
- Wet-milling
  - compared with alkali (Eckhoff et al), 96
  - corn; effects of adding lactic acid and CO<sub>2</sub> on starch yields and pasting properties (Singh et al), 600
  - corn; using alkali method (Du et al), 811
  - corn; water absorption and starch yield affected by chemical pretreatments and lactic acid (Haros and Suárez), 783
  - maize grain; protein distribution in gluten products during and after (Landry et al), 503
  - for oil extraction from corn fiber and corn bran (Moreau et al), 449
- Wheat
  - amylopectin; molecular characterization of (You et al), 116
  - analyses of proteins by HPLC (Huebner and Bietz), 299
  - blue aleurone and purple pericarp, rapid method for quantifying total anthocyanins in (Abdel-Aal and Hucl), 350
  - characterization of proteins during grain development (Zhu and Khan), 261
  - class effect on textural properties of flour tortillas (Wang and Flores), 496
  - color; color classification by NIR spectroscopy (Wang et al), 30
  - detecting scab, DON, and ergosterol using NIRS (Dowell et al), 573
  - digital image analysis of kernels, sampling and grading effects on kernel features (Sapirstein and Kohler), 110
  - doughs and batters of 1BL/1RS and non-1BL/1RS flours (Johnson et al), 467
  - durum, genotype-environment interaction effects on gluten strength and pasta texture (Ames et al), 582
  - durum, pasta dough development (Icard-Vernière and Feillet), 558
  - durum, quality traits: genotype and environmental effects on (Borrelli et al), 335
  - endosperm, separation and characterization of starch granules in (Peng et al), 375
  - evaluation of starch properties of, for Chinese yellow-alkaline noodles (Akashi et al), 50
  - fermentation, production of fuel alcohol (Wang et al), 82
  - flour; bran contamination in, determination (Kim and Flores), 957
  - flour; estimation of free glycolipids in by HPLC (Ohm and Chung), 873
  - flour compound causing sticky dough (Huang and Hoseneý), 276
  - flour dough composition effect on lipid hydrolysis (Castello et al), 476

- gluten; dynamic viscoelastic behavior of high-pressure-treated (Apichartsrang-koon et al), 777
- gluten; factors affecting separation from starch (Robertson et al), 843
- glutenin of hard red spring wheat and carbohydrate characterization (Gujska and Khan), 198
- grain hardness among chromosome SD homozygous recombinant substitution lines (Morris et al), 249
- grain hardness relation to end-use quality (Graybosch et al), 428
- grain position effects on protein and starch (Stoddard), 139
- grown under nitrogen fertilization, quantification by multistacking SDS-PAGE (Zhu et al), 915
- hard red winter, classification system by regression and discriminant analyses (Baker et al), 890
- hard red winter, segregating into dough factor groups (Baker et al), 884
- infected with dwarf bunt fungus (TCK) (Bechtel et al), 270
- kernel size, color, effect of kernel size on NIR spectra (Wang et al), 34
- kernel size related to test weight (Troccoli and di Fonzo), 45
- measurement of bug damage (protease effects) on glutenin proteins (Sivri et al), 816
- measurement of viscoelastic properties of wheat flour doughs (Leonard et al), 243
- noodle texture; influence of starch and protein quality (Crosbie et al), 328
- for oriental noodles, influence of water absorption (Hatcher et al), 566
- partial waxy, paste properties of modified starches from (Reddy and Seib), 341
- preharvest-sprouted, ELISA for detection of  $\alpha$ -amylase in (Verity et al), 673
- proteins; molecular weight distribution (Southan and MacRitchie), 827
- proteins; SDS-protein gel test for prediction of bread loaf volume (Sapirstein and Suchy), 164
- single kernels, NIR spectroscopy for predicting number of dominant R alleles in (Wang et al), 6
- soft, flour, studies of (Huebner et al), 650
- soft white and club breeding programs, SDS sedimentation test for end-use quality selection (Carter et al), 907
- species; survey of starch granule size (Stoddard), 145
- spelt, amino acid sequence of  $\alpha$ -gliadin gene from, active sequences in celiac disease (Kasarda and D'Ovidio), 548
- starch; effects of gelation on NMR transverse relaxation of hydrating water (Grant et al), 219
- starch granules; microdetermination of surface proteins by dye binding (Seguchi and Yoshino), 410
- starch isolated from durum, pasta processing (Yue et al), 541
- starch isolated from wheat flour (Wang and Flores), 807
- starch, thermomechanical behavior of, moisture effect (Rolee and LeMeste), 452
- storage proteins; Fusarium head blight, effect of fungal proteases on storage proteins (Nightingale et al), 150
- waxy A protein; effect on starch properties (Demeke et al), 694
- Wheat bran, nonstarch polysaccharides from, carbohydrate analysis and rheological properties (Cui et al), 129
- Zein, distribution in extrudates (Batterman-Azcona et al), 316
- Zinc, effect in breadmaking (Vadlamani and Seib), 355