

# Index to Volume 79

## Author Index

Page numbers of errata are in italic>.

- Abdel-Aal, E.-S. M., P. Hucl, R. N. Chibbar, H. L. Han, and T. Demeko. Physicochemical and structural characteristics of flours and starches from waxy and nonwaxy wheats, 458  
—, J. C. Young, P. J. Wood, I. Rabalski, P. Hucl, D. Falk, and J. Frégeau-Reid. Note: Einkorn: A potential candidate for developing high lutein wheat, 455
- Abdubek, N. *See* M. R. Campbell, 317
- Abécassis, J. *See* C. Létang, 535  
—, *See* S. Peyron, 726  
—, *See* Y.-P. Lin, 354
- Acevedo-Hernández, G. *See* C. Zazueta, 500
- Agbo, E. B. *See* V. A. Jideani, 710
- Aja, S. *See* C. M. Rosell, 801
- Alary, R., A. Serin, M.-P. Duviou, P. Joudrier, and M.-F. Gautier. Quantification of common wheat adulteration of durum wheat pasta using real-time quantitative polymerase chain reaction (PCR), 553
- Altenbach, S. B., K. M. Kothari, and D. Lieu. Environmental conditions during wheat grain development alter temporal regulation of major gluten protein genes, 279
- Amadò, R. *See* P. J. Wood, 445
- Anderson, M. J. *See* D. W. Hatcher, 64
- Andrews, L. C. *See* J. R. Donelson, 227
- Arendt, E. K. *See* C. I. Clarke, 640
- Arrigoni, E. *See* P. J. Wood, 445
- Autran, J.-C. *See* S. Peyron, 726
- Awika, J. M., E. L. Suhendro, and L. W. Rooney. Milling value of sorghums compared by adjusting yields to a constant product color, 249
- Baik, B.-K. *See* R. Jackowski, 125  
—, *See* C. S. Park, 867
- Baik, M.-Y., and P. Chinachoti. P. Effects of glycerol and moisture redistribution on mechanical properties of white bread, 376
- Bakx, H. *See* J. A. Ingelbrecht, 322
- Bamforth, C. W. *See* R. E. Ward, 681
- Baños, L. *See* J. L. Fernández-Muñoz, 162
- Barrett, A., A. Cardello, P. Maguire, M. Richardson, G. Kaletunc, and L. Leshner. Effects of sucrose ester, dough conditioner, and storage temperature on long-term textural stability of shelf-stable bread, 806
- Barrios, L. *See* B. S. Dien, 582
- Barton, F. E., II, D. S. Himmelsbach, A. M. McClung, and E. L. Champagne. Two-dimensional vibration spectroscopy of rice quality and cooking, 143  
—, *See* F. Meadows, 563
- Batey, I. L. *See* M. J. Sissons, 675
- Bean, S. *See* C. M. Rosell, 801
- Beasley, H. L., S. Uthayakumaran, F. L. Stoddard, S. J. Partridge, L. Daqiq, P. Chong, and F. Békés. Synergistic and additive effects of three high molecular weight glutenin subunit loci. II. Effects on wheat dough functionality and end-use quality, 301  
—, *See* S. Uthayakumaran, 294
- Békés, F. *See* H. L. Beasley, 301  
—, *See* B. J. Butow, 826  
—, *See* S. Uthayakumaran, 294
- Bellman Horner, T. *See* J.-F. Meullenet, 52
- Bello-Pérez, L. A. *See* R. Rendon-Villalobos, 340
- BeMiller, J. N. *See* S.-T. Lim, 601
- Bett, K. L. *See* Y. V. Wu, 496
- Bettge, A. D., C. F. Morris, V. L. DeMacon, and K. K. Kidwell. Adaptation of AACC method 56-11, solvent retention capacity, for use as an early generation selection tool for cultivar development, 670
- Bhattacharya, M., S. V. Erazo-Castrejón, D. C. Doehlert, and M. S. McMullen. Staling of bread as affected by waxy wheat flour blends, 178
- Bothast, R. J. *See* B. S. Dien, 582
- Brescia, M. A., G. Di Martino, C. Fares, N. Di Fonzo, C. Platani, S. Ghelli, F. Reniero, and A. Sacco. Characterization of Italian durum wheat semolina by means of chemical analytical and spectroscopic determinations, 238
- Brewer, M. S. *See* K. J. Ryan, 434
- Brijs, K., I. Trogh, B. L. Jones, and J. A. Delcour. Proteolytic enzymes in germinating rye grains, 423  
—, *See* J. A. Ingelbrecht, 798
- Broggi, L. E., H. H. L. González, S. L. Resnik, and A. M. Pacin. Mycoflora distribution of dry-milled fractions of corn in Argentina, 741
- Brown, D. *See* N. Radovanovic, 843
- Bullerman, L. B. *See* G. Pineda-Valdes, 779
- Bushuk, W. *See* D. Sivri, 41
- Butow, B. J., P. W. Gras, R. Haraszi, and F. Bekes. Effects of different salts on mixing and extension parameters on a diverse group of wheat cultivars using 2-g mixograph and extensigraph methods, 826
- Campanella, O. H. *See* X.-Z. Han, 897
- Campbell, G. M. *See* C. Fang, 511, 518
- Campbell, M. R., H. Yeager, N. Abdubek, L. M. Pollak, and D. V. Glover. Comparison of methods for amylose screening among amylose-extender (*ae*) maize starches from exotic backgrounds, 317
- Cao, T. K. *See* G. H. Robertson, 737
- Carcea, M. *See* E. Marconi, 634
- Cardello, A. *See* A. Barrett, 806
- Champagne, E. L. *See* F. E. Barton, II, 143
- Chang, P. S. *See* D. S. Suh, 576
- Chaurand, M. *See* C. Létang, 535
- Cheewapramong, P., M. N. Riaz, L. W. Rooney, and E. W. Lusas. Use of partially defatted peanut flour in breakfast cereal flakes, 586
- Chibbar, R. N. *See* E.-S. M. Abdel-Aal, 458
- Chinachoti, P. *See* M.-Y. Baik, 376
- Chiotelli, E., and M. Le Meste. Effect of small and large wheat starch granules on thermomechanical behavior of starch, 286
- Chiu, P. C. *See* G. B. Crosbie, 596
- Cho, J.-K. *See* C.-H. Lee, 593
- Cho, S. B. *See* H. D. Chun, 98
- Chong, P. *See* H. L. Beasley, 301
- Chuang, G. C.-C., and A.-I. Yeh. Effects of product temperature and moisture content on viscoelastic properties of glutinous rice extrudates, 36
- Chun, H. S., S. B. Cho, and H. Y. L. Kim. Effects of various steeping periods on physical and sensory characteristics of Yukwa (Korean rice snack), 98
- Chun, J. K. *See* K. M. Chung, 631
- Chung, D. S. *See* D. Wang, 115
- Chung, K. M., T. W. Moon, H. Kim, and J. K. Chun. Physicochemical properties of sonicated mung bean, potato, and rice starches, 631
- Chung, O. K., J. B. Ohm, A. M. Guo, C. W. Deyoe, G. L. Lookhart, and J. G. Ponte, Jr. Free lipids in air-classified high-protein fractions of hard winter wheat flours and their effects on breadmaking quality, 774  
—, *See* J. B. Ohm, 274
- Clarke, C. I., T. J. Schober, and E. K. Arendt. Effect of single strain and traditional mixed strain starter cultures on rheological properties of wheat dough and on bread quality, 640  
—, *See* T. J. Schober, 408
- Cloutier, S. *See* N. Radovanovic, 843
- Cnossen, A. *See* Z. Sun, 349
- Courtin, C. M. *See* K. Gebruers, 613  
—, *See* K. Van den Bulck, 329
- Crosbie, G. B., P. C. Chiu, and A. S. Ross. Shortened temperature program for application with a rapid visco analyser in prediction of noodle quality in wheat, 596
- Cubadda, R. *See* E. Marconi, 634
- Cuq, B., E. Yildiz, and J. Kokini. Influence of mixing conditions and rest time on capillary flow behavior of wheat flour dough, 129  
—, *See* A. D. Roman-Gutierrez, 471
- Cyran, M., M. S. Izydorczyk, and A. W. MacGregor. Structural characteristics of water-extractable nonstarch polysaccharides from barley malt, 359
- Czuchajowska, Z. *See* R. Jackowski, 125

- Daigle, K. *See* F. Shih, 745
- Dailey, O. D., Jr. Effect of lactic acid on protein solubilization and starch yield in corn wet-mill steeping: A study of hybrid effects, 257
- Daqiq, L. *See* H. L. Beasley, 301
- Darvey, N. L. *See* H. A. Naem, 332
- Deguyte-Fomins, L., T. Sontag-Strohm, and H. Salovaara. Oat bran fermentation by rye sourdough, 345
- Delcour, J. A. *See* K. Brijs, 423
- . *See* K. Gebruers, 613
- . *See* J. A. Ingelbrecht, 322, 798
- . *See* K. Van den Bulck, 329
- Delwiche, S. R., R. A. Graybosch, L. A. Nelson, and W. R. Hruschka. Environmental effects on developing wheat as sensed by near-infrared reflectance of mature grains, 885
- DeMacon, V. L. *See* A. D. Bettge, 670
- Demeke, T. *See* E.-S. M. Abdel-Aal, 458
- Dempster, R. *See* D. Wang, 418
- Desjardins, R. G. *See* D. W. Hatcher, 64
- Dexter, J. E. *See* N. M. Edwards, 850
- . *See* D. W. Hatcher, 64
- Deyoe, C. W. *See* O. K. Chung, 774
- Dien, B. S., R. J. Bothast, L. B. Iten, L. Barrios, and S. R. Eckhoff. Fate of Bt protein and influence of corn hybrid on ethanol production, 582
- Di Fonzo, N. *See* M. A. Brescia, 238
- Di Martino, G. *See* M. A. Brescia, 238
- Ding, X. *See* Y. Yao, 751
- Dobraszczyk, B. J., and J. D. Schofield. Rapid assessment and prediction of wheat and gluten baking quality with the 2-g direct drive mixograph using multivariate statistical analysis, 607
- Doehlert, D. C., M. S. McMullen, and N. R. Riveland. Sources of variation in oat kernel size, 528
- . *See* M. Bhattacharya, 178
- Donelson, J. R., C. S. Gaines, L. C. Andrews, and P. F. Finney. Prediction of test weight from a small volume specific gravity measurement, 227
- Dowell, F. E., T. C. Pearson, E. B. Maghirang, F. Xie, and D. T. Wicklow. Reflectance and transmittance spectroscopy applied to detecting fumonisin in single corn kernels infected with *Fusarium verticillioides*, 222
- . *See* M. S. Ram, 230, 858
- . *See* D. Wang, 418
- Dua, S. *See* A. Mahajan, 834
- Duviau, M.-P. *See* R. Alary, 553
- Ebbinghaus, P. B. *See* J. A. Ingelbrecht, 798
- Eckhoff, S. R. *See* B. S. Dien, 582
- . *See* S. Mbuvi, 695
- Edwards, N. M., J. E. Dexter, and M. G. Scanlon. Starch participation in durum dough linear viscoelastic properties, 850
- . *See* D. W. Hatcher, 64
- Eliasson, A.-C. *See* A. Watanabe, 203
- Engel, K.-H. *See* Th. Frenzel, 215
- Engeseth, N. *See* D. Kleen, 687
- Engleson, J. A., and R. G. Fulcher. Mechanical behavior of oats: The groat effect, 787
- , and ———. Mechanical behavior of oats: Specific groat characteristics and relation to groat damage during impact dehulling, 790
- Erazo-Castrejón, S. V. *See* M. Bhattacharya, 178
- Ernoul, V., C. I. Moraru, and J. L. Kokini. Influence of fat on expansion of glassy amylopectin extrudates by microwave heating, 265
- Fairbanks, D. J. *See* K. H. Wright, 715
- Fäldt, P. *See* G. Richardson, 546
- Falk, D. *See* E.-S. M. Abdel-Aal, 455
- Fang, C., and G. M. Campbell. Effect of roll fluting disposition and roll gap on breakage of wheat kernels during first-break roller milling, 518
- , and ———. Stress-strain analysis and visual observation of wheat kernel breakage during roller milling using fluted rolls, 511
- Fares, C. *See* M. A. Brescia, 238
- Feng, F., D. J. Myers, M. P. Hojilla-Evangelista, K. A. Miller, L. A. Johnson, and S. K. Singh. Quality of corn oil obtained by sequential extraction processing, 707
- Fernández-Muñoz, J. L., M. E. Rodríguez, R. C. Pless, H. E. Martínez-Flores, M. Leal, J. L. Martínez, and L. Baños. Changes in nitamalized corn flour dependent on postcooking steeping time, 162
- . *See* C. Zazueta, 500
- Finney, P. F. *See* J. R. Donelson, 227
- Flores, R. A. *See* Y. Mao, 648
- Foti, S. *See* A. W. J. Savage, 768
- Franco, C. M. L., K.-S. Wong, S.-H. Yoo, and J.-L. Jane. Structural and functional characteristics of selected soft wheat starches, 243
- Frégeau-Reid, J. *See* E.-S. M. Abdel-Aal, 455
- Frenzel, Th., A. Miller, and K.-H. Engel. Metabolite profiling—A fractionation method for analysis of major and minor compounds in rice grains, 215
- Fujimaki, H. *See* H. Nakamura, 486
- Fulcher, R. G. *See* J. A. Engleson, 787, 790
- Gaines, C. S. *See* J. R. Donelson, 227
- Gänzle, M. G. *See* C. Thiele, 45
- Gautier, M.-F. *See* R. Alary, 553
- Gebruers, K., C. M. Courtin, H. Goesaert, S. Van Campenhout, and J. A. Delcour. Note: Endoxylanase inhibition activity in different European wheat cultivars and milling fractions, 613
- Ghelli, S. *See* M. A. Brescia, 238
- Gianibelli, M. C. *See* M. J. Sissons, 675
- Glenn, G. M. *See* A. P. Klamczynski, 387
- Glover, D. V. *See* M. R. Campbell, 317
- González, H. H. L. *See* L. E. Broggi, 741
- Grant, L. A., A. M. Ostenson, and P. Rayas-Duarte. Determination of amylose and amylopectin of wheat starch using high performance size-exclusion chromatography (HPSEC), 771
- Gras, P. W. *See* B. J. Butow, 826
- . *See* H. A. Naem, 332
- Graybosch, R. A. *See* S. R. Delwiche, 885
- Grobet, P. J. *See* J. A. Ingelbrecht, 322
- Gropper, M., C. I. Moraru, and J. L. Kokini. Effect of specific mechanical energy on properties of extruded protein-starch mixtures, 429
- Guedira, M., P. J. McCluskey, F. MacRitchie, and G. M. Paulsen. Composition and quality of wheat grown under different shoot and root temperatures during maturation, 397
- Guilbert, S. *See* A. D. Roman-Gutierrez, 471
- Guiltinan, M. J. *See* Y. Yao, 757
- Guo, A. M. *See* O. K. Chung, 774
- Guttieri, M. H., R. McLean, S. P. Lanning, L. E. Talbert, and E. J. Souza. Assessing environmental influences on solvent retention capacities of two soft white spring wheat cultivars, 880
- Habernicht, D., J. M. Martin, and L. E. Talbert. End-use quality of hard red and hard white spring wheat contaminated with grain of contrasting classes, 404
- Hamaker, B. R. *See* X.-Z. Han, 892, 897
- . *See* Y.-P. Lin, 354
- Han, H. L. *See* E.-S. M. Abdel-Aal, 458
- Han, J.-A. *See* S.-T. Lim, 601
- Han, X.-Z., and B. R. Hamaker. Association of starch granule proteins with starch ghosts and remnants revealed by confocal laser scanning microscopy, 892
- , O. H. Campanella, N. C. Mix, and B. R. Hamaker. Consequence of starch damage on rheological properties of maize starch pastes, 897
- Haque, E. *See* M. C. Pasikatan, 92
- Haraszi, R. *See* B. J. Butow, 826
- Hare, R. A. *See* M. J. Sissons, 78
- Hatcher, D. W., M. J. Anderson, R. G. Desjardins, N. M. Edwards, and J. E. Dexter. Effects of flour particle size and starch damage on processing and quality of white salted noodles, 64
- Heiniö, R.-L., P. Lehtinen, K.-M. Oksman-Caldentey, and K. Poutanen. Differences between sensory profiles and development of rancidity during long-term storage of native and processed oat, 367
- Herald, T. J., E. Obuz, W. W. Twombly, and K. D. Rausch. Tensile properties of extruded corn protein low-density polyethylene films, 261
- Hermansson, A.-M. *See* G. Richardson, 546
- Himmelsbach, D. S. *See* F. E. Barton, II, 143
- Hironaka, K. *See* N. Ohwada, 732
- Hirsch, J. B., and J. L. Kokini. Understanding the mechanism of cross-linking agents (POCl<sub>3</sub>, STMP, and EPI) through swelling behavior and pasting properties of cross-linked waxy maize starches, 102
- Hojilla-Evangelista, M. P. *See* F. Feng, 707
- Homco-Ryan, C. L. *See* K. J. Ryan, 434
- Hruschka, W. R. *See* S. R. Delwiche, 885
- Huber, C. S. *See* K. H. Wright, 715
- Huber, K. C. *See* K. H. Wright, 715
- Hucl, P. *See* E.-S. M. Abdel-Aal, 455, 458
- Humphreys, D. G. *See* N. Radovanovic, 843
- Hwang, J.-K. *See* S. J. Lee, 838
- Ingelbrecht, J. A., A. M.-A. Loosveld, P. J. Grobet, H. Schols, E. Bakx, and J. A. Delcour. Note: Characterization of the carbohydrate part of arabinogalactan peptides in Triticum durum Desf. semolina, 322
- , K. Brijs, L. Schlichting, B. Marchylo, T. Tweed, P. B. Ebbinghaus, and J. A. Delcour. Note: Effects of endoxylanase addition on pasta processing with short mixing time, 798
- Ingram, D. A. *See* Y. V. Wu, 496

- Ishibashi, K. *See* N. Ohwada, 732
- Iten, L. B. *See* B. S. Dien, 582
- Ivanovski, M. *See* M. Menkovska, 720
- Izydorczyk, M. S. *See* M. Cyran, 359
- . *See* S. You, 624
- Jackowski, R., Z. Czuchajowska, and B.-K. Baik. Note: Granular cold water starch prepared from chickpea starch using liquid ammonia and ethanol, 125
- Jackson, D. S. *See* G. Pineda-Valdes, 779
- . *See* D. L. Shandera, 308
- Jane, J.-L. *See* C. M. L. Franco, 243
- Jennings, S. D., D. J. Myers, L. A. Johnson, and L. M. Pollak. Effects of maturity on corn starch properties, 703
- , ———, ———, and ———. Effects of maturity on grain quality and wet-milling properties of two selected corn hybrids, 697
- Jenson, J. *See* K. J. Ryan, 434
- Jideani, J. A. *See* V. A. Jideani, 710
- Jideani, V. A., I. Nkama, E. B. Agbo, and J. A. Jideani. Mathematical modeling of odor deterioration of millet (*Pennisetum glaucum*) dough (*fura*) as affected by time-temperature and product packaging parameters, 710
- Johnson, L. A. *See* F. Feng, 707
- . *See* S. D. Jennings, 697, 703
- Johnston, D. B. *See* V. Singh, 523
- Jones, B. L. *See* K. Brijs, 423
- Joudrier, P. *See* R. Alary, 553
- Kadan, R. S., and A. B. Pepperman. Physicochemical properties of starch in extruded rice flours, 476
- Kaletunc, G. *See* A. Barrett, 806
- Keentok, M. *See* S. Uthayakumaran, 294
- Khan, K. *See* J. Zhu, 783
- Kidwell, K. K. *See* A. D. Bettge, 670
- Kieffer, R. *See* F. Meuser, 617
- Kim, C.-H. *See* C.-H. Lee, 593
- Kim, H. *See* K. M. Chung, 631
- Kim, H. Y. L. *See* H. D. Chun, 98
- Kim, K.-O. *See* D. S. Suh, 576
- King, J. M. *See* X. Liang, 812
- Klamczynski, A. P., G. M. Glenn, and W. J. Orts. Flavor retention and physical properties of rice cakes prepared from coated rice grain, 387
- Kleen, D., G. Padua, and N. Engeseth. Stabilization of lipids in a biodegradable zein-oleate film by incorporation of antioxidants, 687
- Klucinec, J. D., and D. B. Thompson. Amylopectin nature and amylose-to-amylopectin ratio as influences on the behavior of gelsol dispersed starch, 24
- , and ———. Note: Structure of amylopectins from *ae*-containing maize starches, 19
- Knezevic, D. *See* M. Menkovska, 720
- Koh, W. *See* C.-H. Lee, 593
- . *See* S. J. Lee, 838
- Kokini, J. L. *See* B. Cuq, 129
- . *See* V. Ernout, 265
- . *See* M. Gropper, 429
- . *See* J. B. Hirsch, 102
- . *See* L. Toufeili, 138
- Köksel, H. *See* D. Sivri, 41
- Kothari, K. M. *See* S. B. Altenbach, 279
- Kovacs, M. I. P. *See* C. Wang, 183, 190, 197
- Kronka, S. N. *See* M. S. J. Manzoni, 120
- Kuhn, M. *See* T. J. Schober, 408
- Kutschbach, A. *See* F. Meuser, 617
- Kwon, Y. A. *See* S. J. Lee, 838
- Lai, L.-S., and Liao, C.-L. Steady and dynamic shear rheological properties of starch and decolorized Hsian-tso leaf gum composite systems, 58
- Lambert, I. A. *See* L. Toufeili, 138
- Lampi, A.-M. *See* V. Piironen, 148
- Langton, M. *See* G. Richardson, 546
- Lanning, S. P. *See* M. J. Guttieri, 880
- Larroque, O. R. *See* M. P. Newberry, 874
- Larsen, N. G. *See* M. P. Newberry, 874
- Larsson, H. Note: Effect of pH and sodium chloride on wheat flour dough properties: Ultracentrifugation and rheological measurements, 544
- . *See* A. Watanabe, 203
- Lasserre, T.-M. *See* C. Létang, 535
- Lawton, J. W. Review: Zein: A history of processing and use, 1
- Le Meste, M. *See* E. Chiotelli, 286
- Leal, M. *See* J. L. Fernández-Muñoz, 162
- Lee, C.-H., J.-K. Cho, S. J. Lee, W. Koh, W. Park, and C.-H. Kim. Note: Enhancing  $\beta$ -carotene content in Asian noodles by adding pumpkin powder, 593
- . *See* S. J. Lee, 838
- Lee, L., P. K. W. Ng, and J. F. Steffe. Biochemical studies of proteins in nondeveloped, partially developed, and developed doughs, 654
- Lee, S. J., M. Rha, W. Koh, W. Park, C. Lee, Y. A. Kwon, and J.-K. Hwang. Measurement of cooked noodle stickiness using a modified instrumental method, 838
- . *See* C.-H. Lee, 593
- Lehtinen, P. *See* R. L. Heiniö, 367
- Leshner, L. *See* A. Barrett, 806
- Létang, C., M.-F. Samson, T.-M. Lasserre, M. Chaurand, and J. Abécassis. Production of starch with very low protein content from soft and hard wheat flours by jet milling and air classification, 535
- Liang, X., J. M. King, and F. F. Shih. Pasting property differences of commercial and isolated rice starch with added lipids and  $\beta$ -cyclodextrin, 812
- Liao, C.-L. *See* L.-S. Lai, 58
- Lieu, D. *See* S. B. Altenbach, 279
- Lim, H. S. *See* S.-T. Lim, 601
- Lim, S.-T., J.-A. Han, H. S. Lim, and J. N. BeMiller. Modification of starch by dry heating with ionic gums, 601
- Lin, Y.-P., A. Aboubacar, B. E. Zehr, and B. R. Hamaker. Corn dry-milled grit and flour fractions exhibit differences in amylopectin fine structure and gel texture, 354
- Liu, Z., and M. G. Scanlon. Understanding and modeling the processing-mechanical property relationship of bread crumb assessed by indentation, 763
- Lookhart, G. L. *See* O. K. Chung, 774
- . *See* M. S. Ram, 230
- . *See* C. M. Rosell, 801
- Loosveld, A. M.-A. *See* J. A. Ingelbrecht, 322
- . *See* K. Van den Bulck, 329
- Lopes-Filho, J. F. *See* M. S. J. Manzoni, 120
- Loughin, T. M. *See* Y. Mao, 648
- Lukow, O. M. *See* N. Radovanovic, 843
- Lusas, E. W. *See* P. Cheewapramong, 586
- Ma, C.-Y., and D. L. Phillips. Review: FT-Raman spectroscopy and its applications in cereal science, 171
- MacGregor, A. W. *See* M. Cyran, 359
- MacKinney, G. A. *See* C. Stylianopoulos, 85
- MacRitchie, F. *See* M. Guedira, 397
- . *See* H. A. Naem, 332
- . *See* N. J. Pollard, 662
- Maeda, T. *See* N. Morita, 491
- Maga, J. A. *See* D. Park, 572
- Maghirang, E. B. *See* F. E. Dowell, 222
- Maguire, P. *See* A. Barrett, 806
- Mahajan, A., and S. Dua. Salts and pH induced changes in functional properties of Amaranth (*Amaranthus tricolor* L.) seed meal, 834
- Manthey, F. A., and A. L. Schorno. Physical and cooking quality of spaghetti made from whole wheat durum, 504
- Manzoni, M. S. J., S. N. Kronka, and J. F. Lopes-Filho. Effect of steeping conditions (sulfur dioxide, lactic acid, and temperature) on starch yield, starch quality, and germ quality from the intermittent milling and dynamic steeping process (IMDS) for a Brazilian corn hybrid, 120
- Mao, Y., R. A. Flores, and T. M. Loughin. Objective texture measurements of commercial wheat flour tortillas, 648
- Marchylo, B. *See* J. A. Ingelbrecht, 798
- . *See* T. Ueno, 155
- Marconi, E., M. Carcea, M. Schiavone, and R. Cubadda. R. Spelt (*Triticum spelta* L.) pasta quality: Combined effect of flour properties and drying conditions, 634
- Marks, B. P. *See* J.-F. Meullenet, 52
- Martin, J. M. *See* D. Habernicht, 404
- Martinez, J. L. *See* J. L. Fernández-Muñoz, 162
- Martínez-Flores, H. E. *See* J. L. Fernández-Muñoz, 162
- Matsuki, J. *See* T. Sasaki, 861
- Mauromoustakos, A. *See* J.-F. Meullenet, 52
- Mbuvu, S., and S. R. Eckhoff. Rapid Communication: Effect of stress cracks on corn wet-milling yields, 695
- McClung, A. M. *See* F. E. Barton, II, 143
- McCluskey, P. J. *See* M. Guedira, 397
- McLean, R. *See* M. J. Guttieri, 880
- McMullen, M. S. *See* M. Bhattacharya, 178
- . *See* D. C. Doehlert, 528
- Meadows, F. Pasting process in rice flour using rapid visco analyser curves and first derivatives, 559
- , and F. E. Barton, II. Determination of rapid visco analyser parameters in rice by near-infrared spectroscopy, 563

- Menkovska, M., D. Knezevic, and M. Ivanoski. Protein allelic composition, dough rheology, and baking characteristics of flour mill streams from wheat cultivars, 720
- Meullenet, J.-F., A. Mauromoustakos, T. Bellman Horner, and B. P. Marks. Prediction of texture of cooked white rice by near-infrared reflectance analysis of whole-grain milled samples, 52
- Meuser, F., A. Kutschbach, R. Kieffer, H. Wieser, and P. Schieberle. Investigation of the effect of hot air drying of wheat gluten on its viscoelasticity and baking performance by a systems analytical model, 617
- Miller, A. See Th. Frenzel, 215
- Miller, K. A. See F. Feng, 707
- Miller, S. S. See P. J. Wood, 445
- Milliken, G. A. See M. C. Pasikatan, 92
- Miura, H. See N. Morita, 491
- Mix, N. C. See X.-Z. Han, 897
- Miyazaki, M. See N. Morita, 491
- Miyoshi, E. Effects of heat-moisture treatment and lipids on gelatinization and retrogradation of maize and potato starches, 72
- Molina-Cano, J.-L. See J. S. Swanson, 392
- Moon, T. W. See K. M. Chung, 631
- Moralejo, M. A. See J. S. Swanson, 392
- Moraru, C. I. See V. Ernout, 265
- . See M. Gropper, 429
- Morita, N., T. Maeda, M. Miyazaki, M. Yamamori, H. Miura, and I. Ohtsuka. Dough and baking properties of high-amylose and waxy wheat flours, 491
- Morris, C. F. See A. D. Bettge, 670
- Mort, A. See K. Van den Bulck, 329
- Myers, D. J. See F. Feng, 707
- . See S. D. Jennings, 697, 703
- Naeem, H. A., N. L. Darvey, P. W. Gras, and F. MacRitchie. Mixing properties, baking potential, and functionality changes in storage proteins during dough development of triticale-wheat flour blends, 332
- Nakamura, H., and H. Fujimaki. Specific *Glu-D1f* allele frequency of Japanese common wheat compared with distribution of *Glu-1* alleles in Chinese wheat, 486
- Nelson, L. A. See S. R. Delwiche, 885
- Newberry, M. P., N. Phan-Thien, O. R. Larroque, R. I. Tanner, and N. G. Larsen. Dynamic and elongation rheology of yeasted bread doughs, 874
- Ng, P. K. W. See L. Lee, 654
- Nightingale, M. J. See T. Ueno, 155
- Nkama, I. See V. A. Jideani, 710
- Noomhorm, A. See S. Yoenyongbuddhagal, 481
- Obuz, E. See T. J. Herald, 261
- Ohm, J. B., and O. K. Chung. Relationships of free lipids with quality factors in hard winter wheat flours, 274
- . See O. K. Chung, 774
- Ohtsuka, I. See N. Morita, 491
- Ohwada, N., K. Ishibashi, and K. Hironaka. Effect of holding temperature on the structures of mung bean starch gels and noodles, 732
- Oksman-Caldentey, K.-M. See R. L. Heiniö, 367
- Orts, W. J. See A. P. Klamczynski, 387
- Osorio-Díaz, P. See R. Rendon-Villalobos, 340
- Ostenson, A. M. See L. A. Grant, 771
- Pacin, A. M. See L. E. Broggi, 741
- Padua, G. See D. Kleen, 687
- Palmquist, D. E. See Y. V. Wu, 496
- Paredes-López, O. See R. Rendon-Villalobos, 340
- Park, C. S., and B.-K. Baik. Flour characteristics related to optimum water absorption of noodle dough for making white salted noodles, 867
- Park, D., and J. A. Maga. Effects of storage temperature and kernel physical condition on popping qualities of popcorn hybrids, 572
- Park, W. See C.-H. Lee, 593
- . See S. J. Lee, 838
- Partridge, S. J. See H. L. Beasley, 301
- Pasikatan, M. C., J. L. Steele, E. Haque, C. K. Spillman, and G. A. Milliken. Evaluation of a near-infrared reflectance spectrometer and a granulation sensor for first-break ground wheat: Studies with hard red winter wheats, 92
- Patindol, J., and Y.-J. Wang. Fine structures of starches from long-grain rice cultivars with different functionality, 465
- . See Y.-J. Wang, 383
- Paulsen, G. M. See M. Guedira, 397
- Pearson, T. C. See F. E. Dowell, 222
- Pepperman, A. B. See R. S. Kadan, 476
- Peyron, S., J. Abecassis, J.-C. Autran, and X. Rouau. Influence of UV exposure on phenolic acid content, mechanical properties of bran, and milling behavior of durum wheat (*Triticum durum* Desf.). 726
- Phan-Thien, N. See M. P. Newberry, 874
- . See S. Uthayakumaran, 294
- Phillips, D. L. See C.-Y. Ma, 171
- Piironen, V., J. Toivo, and A.-M. Lampi. Plant sterols in cereals and cereal products, 148
- Pineda-Valdes, G., D. Ryu, D. S. Jackson, and L. B. Bullerman. Note: Reduction of moniliformin during alkaline cooking of corn, 779
- Platani, C. See M. A. Brescia, 238
- Pless, R. C. See J. L. Fernández-Muñoz, 162
- . See C. Zazueta, 500
- Pollak, L. M., See M. R. Campbell, 317
- . See S. D. Jennings, 697, 703
- Pollard, N. J., F. L. Stoddard, Y. Popineau, C. W. Wrigley, and F. MacRitchie. Lupin flours as additives: Dough mixing, breadmaking, emulsifying, and foaming, 662
- Ponte, J. G., Jr. See O. K. Chung, 774
- Popineau, Y. See N. J. Pollard, 662
- Poutanen, K. See R. L. Heiniö, 367
- Prestat, C. See K. J. Ryan, 434
- Preston, K. R. See T. Ueno, 155
- . See S. You, 624
- Proost, P. See K. Van den Bulck, 329
- Rabalski, I. See E.-S. M. Abdel-Aal, 455
- Radovanovic, N., S. Cloutier, D. Brown, D. G. Humphreys, and O. M. Lukow. Genetic variance for gluten strength contributed by high molecular weight glutenin proteins, 843
- Ram, M. S., F. E. Dowell, and L. Seitz. Invisible coatings for wheat kernels, 858
- , ———, and G. Lookhart. Development of standard procedures for a simple rapid test to determine wheat color class, 230
- Ramos, G. See C. Zazueta, 500
- Rausch, K. D. See T. J. Herald, 261
- Rayas-Duarte, P. See L. A. Grant, 771
- Rendon-Villalobos, R., L. A. Bello-Pérez, P. Osorio-Díaz, T. Tovar, and O. Paredes-López. Effect of storage time on in vitro digestibility and resistant starch content of nixtamal, masa, and tortilla, 340
- Reniero, F. See M. A. Brescia, 238
- Resnik, S. L. See L. E. Broggi, 741
- Rha, M. See S. J. Lee, 838
- Riaz, M. N. See P. Cheewapramong, 586
- Richardson, G., M. Langton, P. Fäldt, and A.-M. Hermansson. Microstructure of  $\alpha$ -crystalline emulsifiers and their influence on air incorporation in cake batter, 546
- Richardson, M. See A. Barrett, 806
- Riveland, N. R. See D. C. Doehlert, 528
- Robben, J. See K. Van den Bulck, 329
- Robbins, K. L. See K. J. Ryan, 434
- Robertson, G. H., and T. K. Cao. Mixograph responses of gluten and gluten-fortified flour for gluten products produced by cold-ethanol or water displacement of starch from wheat flour, 737
- Rodríguez, M. E. See J. L. Fernández-Muñoz, 162
- . See C. Zazueta, 500
- Roman-Gutierrez, A. D., S. Guilbert, and B. Cuq. Frozen and unfrozen water contents of wheat flours and their components, 471
- Rooney, L. W. See J. M. Awika, 249
- . See P. Cheewapramong, 586
- Rosell, C. M., S. Aja, S. Bean, and G. Lookhart. Effect of *Aelia* spp. and *Eurygaster* spp. damage on wheat proteins, 801
- Ross, A. S. See G. B. Crosbie, 596
- Rouau, X. See S. Peyron, 726
- Ryan, K. J., C. L. Homco-Ryan, J. Jenson, K. L. Robbins, C. Prestat, and M. S. Brewer. Lipid extraction process on texturized soy flour and wheat gluten protein-protein interactions in a dough matrix, 434
- Ryu, D. See G. Pineda-Valdes, 779
- Sacco, A. See M. A. Brescia, 238
- Saletti, R. See A. W. J. Savage, 768
- Salovaara, H. See L. Deguyte-Fomins, 345
- Samson, M.-F. See C. Létang, 535
- Sapirstein, H. D. See D. Sivri, 41
- Sasaki, T., T. Yasui, J. Matsuki, and T. Satake. Comparison of physical properties of wheat starch gels with different amylose content, 861
- Satake, T. See T. Sasaki, 861
- Savage, A. W. J., R. Saletti, S. Foti, P. R. Shewry, and A. S. Tatham. Note: Determination of molecular weights of C hordeins by matrix-assisted laser desorption/ionization mass spectrometry (MALDI-MS), 768
- Scanlon, M. G. See N. M. Edwards, 850
- . See Z. Liu, 763

- Schiavone, M. *See* E. Marconi, 634
- Schieberle, P. *See* F. Meuser, 617
- Schlichting, L. *See* J. A. Ingelbrecht, 798
- Schober, T. J., C. I. Clarke, and M. Kuhn. Characterization of functional properties of gluten proteins in spelt cultivars using rheological and quality factor measurements, 408  
— *See* C. I. Clarke, 640
- Schofield, J. D. *See* B. J. Dobraszczyk, 607
- Schols, H. *See* J. A. Ingelbrecht, 322
- Schorno, A. L. *See* F. A. Manthey, 504
- Seib, P. A. *See* K. S. Woo, 819
- Seitz, L. *See* M. S. Ram, 230, 858
- Serin, A. *See* R. Alary, 553
- Serna Saldívar, S. O. *See* C. Stylianopoulos, 85
- Sessa, D. J. *See* W. J. Wolf, 439
- Shandera, D. L., and D. S. Jackson. Corn kernel structural integrity: Analysis using solvent and heat treatments, 308
- Shannon, J. C. *See* Y. Yao, 757
- Shephard, D. *See* Y.-J. Wang, 383
- Shewry, P. R. *See* A. W. J. Savage, 768
- Shih, F., and K. Daigle. Preparation and characterization of low oil uptake rice cake donuts, 745  
— *See* X. Liang, 812  
— *See* Z. Sun, 349
- Singh, S. K. *See* F. Feng, 707
- Singh, V., and D. B. Johnston. Pasting properties and surface characteristics of starch obtained from an enzymatic corn wet-milling process, 523
- Sissons, M. J., M. C. Gianibelli, and I. L. Batey. Small-scale reconstitution of durum semolina components, 675  
—, and R. A. Hare. Tetraploid wheat—A resource for genetic improvement of durum wheat quality, 78
- Sivri, D., H. D. Sapirstein, W. Bushuk, and H. Köksel. Wheat intercultural differences in susceptibility of glutenin protein to effects of bug (*Eurygaster integriceps*) protease, 41
- Sontag-Strohm, T. *See* L. Degutyte-Fomins, 345
- Sopena, A. *See* J. S. Swanston, 392
- Souza, E. J. *See* M. J. Guttieri, 880
- Spillman, C. K. *See* M. C. Pasikatan, 92
- Steele, J. L. *See* M. C. Pasikatan, 92
- Steffe, J. F. *See* L. Lee, 654
- Stelwagen, A. *See* Z. Sun, 349
- Stevenson, S. G. *See* T. Ueno, 155  
— *See* S. You, 624
- Stoddard, F. L. *See* H. L. Beasley, 301  
— *See* N. J. Pollard, 662  
— *See* S. Uthayakumaran, 294
- Stylianopoulos, C., S. O. Serna Saldívar, and G. A. MacKinney. Effects of fortification and enrichment of maize tortillas on growth and brain development of rats throughout two generations, 85
- Suh, D. S., P. S. Chang, and K.-O. Kim. Physicochemical properties of corn starch selectively oxidized with 2,2,6,6-tetramethyl-1-piperidinyl oxoammonium ion, 576
- Suhendro, E. L. *See* J. M. Awika, 249
- Sun, X. S. *See* F. C. Wang, 108, 567
- Sun, Z., W. Yang, T. Siebenmorgen, A. Stelwagen, and A. Cnossen. Thermo-mechanical transitions of rice kernels, 349
- Swanston, J. S., A. Sopena, M. A. Moralejo, and J.-L. Molina-Cano. Germination and malting properties of mutants derived from malting barley cv. Triumph, 392
- Talbert, L. E. *See* M. J. Guttieri, 880  
— *See* D. Habernicht, 404
- Tanner, R. I. *See* M. P. Newberry, 874  
— *See* S. Uthayakumaran, 294
- Tatham, A. S. *See* A. W. J. Savage, 768
- Thiele, C., M. G. Gänzle, and R. F. Vogel. Contribution of sourdough lactobacilli, yeast, and cereal enzymes to the generation of amino acids in dough relevant for bread flavor, 45
- Thompson, A. R. *See* W. J. Wolf, 439
- Thompson, D. B. *See* J. D. Klucinec, 19, 24  
— *See* Y. Yao, 757
- Toivo, J. *See* V. Piironen, 148
- Toufeili, L., I. A. Lambert, and J. L. Kokini. Effect of glass transition and cross-linking on rheological properties of gluten: Development of a preliminary state diagram, 138
- Tovar, J. *See* R. Rendon-Villalobos, 340
- Trogh, I. *See* K. Brijs, 423
- Tweed, T. *See* J. A. Ingelbrecht, 798
- Twombly, W. W. *See* T. J. Herald, 261
- Ueno, T., S. G. Stevenson, K. R. Preston, M. J. Nightingale, and B. M. Marchylo. Simplified dilute acetic acid based extraction procedure for fractionation and analysis of wheat flour protein by size exclusion HPLC and flow field-flow fractionation, 155
- Uthayakumaran, S., H. L. Beasley, F. L. Stoddard, M. Keentok, N. Phan-Thien, R. I. Tanner, and F. Békés. Synergistic and additive effects of three high molecular weight glutenin subunit loci. I. Effects on wheat dough rheology, 294  
— *See* H. L. Beasley, 301
- Van Campenhout, S. *See* K. Gebruers, 613
- Van Damme, J. *See* K. Van den Bulck, 329
- Van den Bulck, K., A.-M. A., Loosveld, C. M. Courtin, P. Proost, J. Van Damme, J. Robben, A. Mort, and J. A. Delcour. Rapid Communication: Amino acid sequence of wheat flour arabinogalactan-peptide, identical to part of grain softness protein GSP-1, leads to improved structural model, 329
- Vogel, R. F. *See* C. Thiele, 45
- Wang, C., and M. I. P. Kovacs. Swelling index of glutenin test. I. Method and comparison with sedimentation, gel-protein, and insoluble glutenin tests, 183  
—, and —. Swelling index of glutenin test. II. Application in prediction of dough properties and end-use quality, 190  
—, and —. Swelling index of glutenin test for prediction of durum wheat quality, 197
- Wang, D., and D. S. Chung. Study of a small-scale laboratory wet-milling procedure for wheat, 115  
—, F. E. Dowell, and R. Dempster. Determining vitreous subclasses of hard red spring wheat using visible/near-infrared spectroscopy, 418
- Wang, F. *See* Y.-J. Wang, 383
- Wang, F. C., and X. S. Sun. Creep-recovery of wheat flour doughs and relationship to other physical dough tests and breadmaking performance, 567  
—, and —. Frequency dependence of viscoelastic properties of bread crumb and relation to bread staling, 108
- Wang, L. *See* Y.-J. Wang, 252, 383
- Wang, Y.-J., and L. Wang. Structures of four waxy rice starches in relation to thermal, pasting, and textural properties, 252  
—, —, D. Shephard, F. Wang, and J. Patindol. Properties and structures of flours and starches from whole, broken, and yellowed rice kernels in a model study, 383  
— *See* J. Patindol, 465
- Waniska, R. D., R. A. Graybosch, and J. L. Adams. Effect of partial waxy wheat on processing and quality of wheat flour tortillas, 210
- Ward, R. E., and C. W. Bamforth. Esterases in barley and malt, 681
- Watanabe, A., H. Larsson, and A.-C. Eliasson. Effect of physical state of nonpolar lipids on rheology and microstructure of gluten-starch and wheat flour doughs, 203
- Wicklow, D. T. *See* F. E. Dowell, 222
- Wieser, H. *See* F. Meuser, 617
- Wolf, W. J., D. J. Sessa, Y. V. Wu, and A. R. Thompson. Air classification of pin-milled soybean hulls, 439
- Wong, K.-S. *See* C. M. L. Franco, 243
- Woo, K. S., and P. A. Seib. Cross-linked resistant starch: Preparation and properties, 819
- Wood, P. J., E. Arrigoni, S. S. Miller, and R. Amadò. Fermentability of oat and wheat fractions enriched in  $\beta$ -glucan using human fecal inoculation, 445  
— *See* E.-S. M. Abdel-Aal, 455
- Wright, K. H., K. C. Huber, D. J. Fairbanks, and C. S. Huber. Isolation and characterization of *Atriplex hortensis* and sweet *Chenopodium quinoa* starches, 715
- Wrigley, C. W. *See* N. J. Pollard, 662
- Wu, Y. V., K. L. Bett, D. E. Palmquist, and D. A. Ingram. Sensory analysis of brownies fortified with corn gluten meal, 496  
— *See* W. J. Wolf, 439
- Xie, F. *See* F. E. Dowell, 222
- Yamamori, M. *See* N. Morita, 491
- Yang, W. *See* Z. Sun, 349
- Yao, Y., and X. Ding. Pulsed nuclear magnetic resonance (NMR) study of rice starch retrogradation, 751  
—, M. J. Guiltinan, J. C. Shannon, and D. B. Thompson. Single kernel sampling method for maize starch analysis while maintaining kernel vitality, 757
- Yasui, T. *See* T. Sasaki, 861
- Yeager, H. *See* M. R. Campbell, 317
- Yeh, A.-I. *See* G. C.-C. Chuang, 36
- Yildiz, E. *See* B. Cuq, 129
- Yoenyongbuddhagal, S., and A. Noomhorm. Effect of physicochemical properties of high-amylose Thai rice flours on vermicelli quality, 481

Yoo, S.-H. *See* C. M. L. Franco, 243  
You, S., S. G. Stevenson, M. S. Izydorczyk, and K. R. Preston. Separation and characterization of barley starch polymers by a flow field-flow fractionation technique in combination with multiangle light scattering and differential refractive index detection, 624  
Young, J. C. *See* E.-S. M. Abdel-Aal, 455

Zazueta, C., G. Ramos, J. L. Fernández-Muñoz, M. E. Rodríguez, G. Acevedo-Hernández, and R. C. Pless. A radioisotopic study of the entry of calcium ion into the maize kernel during nixtamalization, 500  
Zehr, B. E. *See* Y.-P. Lin, 354  
Zhu, J., and K. Khan. Quantitative variation of HMW glutenin subunits from hard red spring wheats grown in different environments, 783

## Subject Index

Page numbers of errata are in italic.

- Acknowledgment of reviewers, iii  
Adulteration, quantification of common wheat in durum wheat pasta (Alary et al), 553  
Air classification, of wheat flours (Létang et al), 535  
Alkaline cooking, of corn in a lime (calcium hydroxide) solution at alkaline pH (Pineda-Valdes et al), 779  
Amaranth, seed meal; functional properties in presence of salts and pH (Butow et al), 826  
Amino acids  
—formation by proteolysis during sourdough fermentation (Thiele et al), 45  
—separation from sugars (Frenzel et al), 215  
—wheat flour arabinogalactan-peptide sequence (Van den Guick et al), 329  
 $\alpha$ -Amylase, effect on paste viscosity measurement in assessment of wheat whole meal for noodle quality (Crosbie et al), 596  
Amylopectin  
—of barley starch; separation and characterization of (You et al), 624  
—contribution to gels of dispersed starch (Klucinec and Thompson), 24  
—fine structure and gel texture; corn dry-milled grit and flour fractions (Lin et al), 354  
—fine structure of amylomaize (Klucinec and Thompson), 19  
Amylose  
—of barley starch; separation and characterization of (You et al), 624  
—determination in wheat starch (Grant et al), 771  
—in wheat starch gels; comparison of physical properties (Sasaki et al), 861  
Antioxidants, incorporation; lipid stabilization in biodegradable zein-oleate film (Kleen et al), 687  
Arabinogalactan peptide  
—carbohydrate characterization in wheats (Ingelbrecht et al), 322  
—identity with grain softness protein (Van den Guick et al), 329  
Arabinoxylan, from barley malt; isolation and characterization of water-extractable (Cyran et al), 359  
Baking  
—bread, prediction of quality (Dobraszczyk and Schofield), 607  
—small-scale method (Menkovska et al), 720  
Barley  
—esterases in (Ward and Bamforth), 681  
—malting, germination and malting properties of mutants derived from (Swanston et al), 392  
—molecular weight determination of C hordeins by MALDI-MS (Savage et al), 768  
Brain development, of rats in two generations, cerebral DNA and neuron number (Stylianopoulos et al), 85  
Bran (see also Wheat bran)  
—mechanical properties of (Peyron et al), 726  
—oat and preprocessed wheat fractions, fermentation with human fecal inocula (Wood et al), 445  
Bread  
—effect of lupin flours as additives (Pollard et al), 662  
—flavor; contribution of sourdough fermentation, proteolysis, and ornithine formation by *L. pontis* (Thiele et al), 45  
—quality; single and mixed strain starter cultures on rheological properties of (Clarke et al), 640  
—shelf-stable, long-term textural stability of (Barrett et al), 806  
—staling; affected by waxy wheat flour blends (Bhattacharya et al), 178  
—textural properties, assessed by compression and indentation (Liu and Scanlon), 763  
—viscoelastic properties of crumb with staling (Wang and Sun), 108  
—volume; bread size based on density (Wang and Sun), 567  
—white, effect of glycerol and moisture redistribution on mechanical properties of (Baik and Chinachoti), 376  
Breadmaking  
—effect of gliadin and HMW-GS on (Menkovska et al), 720  
—effect of high-amylose and waxy wheat flours on (Morita et al), 491  
—effect of moisture content and density on crumb texture (Liu and Scanlon), 763  
—environment effect (Zhu and Khan), 783  
—manufacture/production of bread (Wang and Sun), 567  
—relationship with glutenin swelling properties and small-scale tests (Wang and Kovacs), 190  
—triticale flour effect on bread volume (Naeem et al), 332  
—wheat flour lipid effect on (Chung et al), 774  
Brownies, fortified with corn gluten meal, sensory analysis of (Wu et al), 496  
Cake, batter; effect of emulsifiers on air incorporation (Richardson et al), 546  
Calcium  
—entry into maize kernel during nixtamalization (Zazueta et al), 500  
—ion diffusion; as function of steeping time (Fernández-Muñoz et al), 162  
 $\beta$ -Carotene  
—enhancing content in Asian noodle with pumpkin powder (Lee et al), 593  
Cereal  
—expansion; fat effect on expansion of glassy amylopectin extrudates by microwave heating (Ernoul et al), 265  
—flakes; use of partially defatted peanut flour in (Cheewapramong et al), 586  
—plant sterols in (Piironen et al), 148  
Corn (see also Maize)  
—Brazilian, effect of steeping on starch and germ quality from IMDS for (Manzoni et al), 120  
—detecting fumonisin and *Fusarium* (Dowell et al), 222  
—dry-milled grit and flour fractions, amylopectin differences (Lin et al), 354  
—effect of Bt and hybrid on ethanol fermentation (Dien et al), 582  
—extraction and solubility of zein (Lawton), 1  
—kernel structural integrity; solvent and heat for analysis (Shandera and Jackson), 308  
—maturity, quality measurements (Jennings et al), 697  
—mycoflora distribution in dry-milled fractions of, in Argentina (Broggi et al), 741  
—nixtamalization for nitamal, masa, and tortilla production (Rendon-Villalobos et al), 340  
—oil; refining, processing, and analysis (Feng et al), 707  
—protein; tensile properties of low-density polyethylene films (Herald et al), 261  
—wet-milling; effect of lactic acid on protein solubilization and starch yield (Dailey), 257  
—wet-milling process; starch pasting properties and surface characteristics (Singh and Johnston), 523  
—wet-milling yields; stress crack effect on (Mbuvi and Eckhoff), 695  
Corn gluten meal, sensory analysis of brownies fortified with (Wu et al), 496  
Corn starch  
—physicochemical properties of, selectively oxidized with TEMPO (Suh et al), 576  
—properties; maturity effects on (Jennings et al), 7703  
Creep-recovery, type of rheological test (Wang and Sun), 567  
Differential scanning calorimetry, popular thermal analysis methodology (Sun et al), 349  
Disulfide, contents in dough with various degrees of development (Lee et al), 654  
Donuts, rice cake, preparation and characterization of (Shih and Daigle), 745  
Dough  
—bread, wheat gluten protein-protein interactions in (Ryan et al), 434  
—effect of high-amylose and waxy wheat flours on properties (Morita et al), 491  
—lupin flours as ingredients for dough mixing (Pollard et al), 662  
—small-scale testing; application as research tool (Beasley et al), 301  
—starch participation in linear viscoelastic properties (Edwards et al), 850  
—wheat flour, mass made of wheat flour (Wang and Sun), 567  
—wheat flour, nonpolar lipid physical state effect on (Watanabe et al), 203  
—wheat flour, pH and NaCl effect (Larsson), 544  
—wheat flour, rheological characterization (Cuq et al), 129  
—yeasted bread, dynamic and elongation rheology of (Newberry et al), 874

- Dry milling  
—corn fractions; mycoflora distribution in Argentina (Broggi et al), 741  
—of corn grit, differences in amylopectin fine structure and gel texture (Lin et al), 354  
—soybean hulls; distribution of proteins by air classification (Wolf et al), 439
- Drying  
—hot air, method for wet gluten performed with flash dryers (Meuser et al), 617  
—removal of moisture from cereal material (Sun et al), 349
- Durum, semolina; small-scale reconstitution of (Sissons et al), 675
- Einkorn, potential for developing high lutein wheat (Abdel-Aal et al), 455
- Electrophoresis  
—acid-PAGE and SDS-PAGE of gliadin and glutenin proteins (Menkovska et al), 720  
—environment effect on glutenin (Zhu and Khan), 783  
—SDS-PAGE and A-PAGE of proteins obtained from doughs of various degrees of development (Lee et al), 654
- Emulsifiers, effects in cake batter (Richardson et al), 546
- Endoxylanases, influence on pasta processing with short mixing time (Ingelbrecht et al), 798
- Environment  
—effect on gluten gene regulation (Altenbach et al), 279  
—effect on glutenin composition (Zhu and Khan), 783  
—effect on solvent retention capacities of soft white spring wheat cultivars (Guttieri et al), 880
- Enzyme, inhibitor, of endoxylanase in different European wheat cultivars and milling fractions (Gebruers et al), 613
- Esterases, in barley and malt (Ward and Bamforth), 681
- Ethanol  
—effect of Bt protein and corn hybrid on production of (Dien et al), 582  
—to prepare granular cold water gelling starch (Jackowski et al), 125  
—use in separating wheat gluten and starch (Robertson and Cao), 737
- Extraction, simplified dilute acetic acid procedure for SE-HPLC and FFF; for wheat flour proteins (Ueno et al), 155
- Extrusion  
—of rice flours; physicochemical properties of starch (Kadan and Pepperman) 476  
—specific mechanical energy, effect on starch gelatinization/conversion (Gropper et al), 429
- Fats, effect on expansion (Ernoul et al), 265
- Fertilizer, effect on gluten gene regulation (Altenbach et al), 279
- Fiber, fermentation by human fecal inocula of , in wheat and oat bran (Wood et al), 445
- Flat bread, effect of wheat quality on (Waniska et al), 210
- Flavor, retention; of rice cakes prepared from coated rice grain (Klamczynski et al), 387
- Flour  
—hard winter wheat, free lipid relation with quality (Ohm and Chung), 274  
—high-amylose and waxy wheat, application for breadmaking (Morita et al), 491  
—high-amylose rice, effect on rice vermicelli quality (Yoenyongbuddhagal and Noomhorm) 481  
—milling; effect of roll disposition and gap on breakage and resulting particle size distribution from first-break roller milling (Fang and Campbell), 518  
—milling; stress-strain analysis and visual observation of wheat kernel breakage during roller milling using fluted rolls (Fang and Campbell), 511  
—optimum water absorption, noodle dough (Park and Baik), 867  
—partially defatted peanut, use in breakfast cereal flakes (Cheewapramong et al), 586  
—properties of rice flours from whole, broken, and yellowed rice kernels (Baik and Chinachoti), 376  
—soft and hard wheat (Létang et al), 535  
—textured soy, in bread dough (Ryan et al), 434  
—triticale-wheat flour blends (Naeem et al), 332  
—from waxy and nonwaxy wheats, physicochemical and structural characteristics of (Abdel-Aal et al), 458  
—wheat, amino acid arabinogalactan-peptide sequence (Van den Guick et al), 329  
—wheat, frozen and unfrozen water contents of (Roman-Gutierrez et al), 471  
—wheat flour lipids, effect on breadmaking (Chung et al), 774
- Fractionation  
—flow field-flow, simplified dilute acetic acid procedure for fractionation and analysis of wheat flour protein by (Ueno et al), 155  
—of water-extractable nonstarch polysaccharides from barley malt (Cyran et al), 359
- FT-Raman spectroscopy, chemically modified starches, proteins (Ma and Phillips), 171
- Functionality, of amaranth; in presence of salts and pH (Butow et al), 826
- Gelatinization, of maize and potato starches; effects of heat-moisture treatment and lipids on (Miyoshi), 72
- Germination  
—changes in protease composition in rye (Brij et al), 423  
—water sensitivity and germinative energy (Swanston et al), 392
- Glass transition  
—effect of specific mechanical energy on protein-starch mixtures (Gropper et al), 429  
—measurement by DSC and mechanical spectroscopy (Toufeili et al), 138  
—temperature; at which polymeric material like rice changes from glassy to rubbery state (Sun et al), 349
- Gliadin  
—effect of environment on transcript accumulation (Altenbach et al), 279  
—quantity obtained in doughs of various degrees of development (Lee et al), 654
- $\beta$ -Glucan  
—from barley malt; isolation and characterization of water-extractable (Cyran et al), 359  
—fermentation by human fecal inocula of fiber in wheat and oat bran (Wood et al), 445  
—solubilization and content of, during fermentation of oat bran (Deguyte-Fomins et al), 345
- Gluten  
—characterization and differentiation of spelt cultivars on basis of fundamental rheological gluten properties (Schober et al), 408  
—effect of environment on transcript accumulation (Altenbach et al), 279  
—functional properties of (Meuser et al), 617  
—measurement of rheological properties (Toufeili et al), 138  
—mixograph responses for water-based and cold ethanol-based concentrate (Robertson and Cao), 737  
—separation from wet milling (Wang and Chung), 115  
—strength; contribution of HMW glutenin subunits and genetic variability (Radovanovic et al), 843
- Glutenin  
—changes in swelling capacity  
—changes in swelling properties in SDS, during different swelling times (Wang and Kovacs), 183  
—effect of environment on composition (Zhu and Khan), 783  
—HMW-GS composition and its relationship to rheological properties (Uthayakumar et al), 294  
—intercultural differences in susceptibility to bug protease (Sivri et al), 41  
—quantity obtained in doughs of various degrees of development (Lee et al), 654  
—swelling properties, pasta-making quality of durum wheat (Wang and Kovacs), 197
- Glycerol, effect on mechanical properties of white bread (Baik and Chinachoti), 376
- Grain, structure; solvent and heat for analysis (Shandera and Jackson), 308
- Gum, ionic, dry heating with, for starch modification (Lim et al), 601
- Heat-moisture treatment, effect on gelatinization and retrogradation of maize and potato starches (Miyoshi), 72
- HMW  
—glutenin; differences in susceptibility to bug protease (Sivri et al), 41  
—glutenin composition, effects on dough properties and end-product quality (Beasley et al), 301  
—glutenin subunits; rheological properties of cultivars , salt effect (Butow et al), 826  
—glutenin subunits; separation and contribution to gluten strength (Radovanovic et al), 843
- HPSEC, determination of amylose and amylopectin using (Grant et al), 771
- Hsian-tso* leaf gum, decolorized, rheological properties of (Lai and Laio), 58
- Image analysis, of air distribution on cake batter (Richardson et al), 546
- Instructions to authors, iv
- Lactic acid, effect on protein solubilization and starch yield in corn wet-mill steeping (Dailey), 257
- Lipids  
—classes, separation of major and minor compounds (Frenzel et al), 215  
—content after air classification (Létang et al), 535  
—effect on gelatinization and retrogradation of maize and potato starches (Miyoshi), 72  
—effect on pasting properties of isolated and commercial rice starch (Liang et al), 812  
—free, relation of hard winter wheat flour with quality (Ohm and Chung), 274

- nonpolar, physical state effect on rheology and microstructure of gluten-starch and wheat flour doughs (Watanabe et al), 203
- Lupin, flour and protein concentrate as ingredients (Pollard et al), 662
- Maize (see also Corn)
  - entry of calcium into kernel during nixtamalization (Zazueta et al), 500
  - gelatinization and retrogradation of, effects of heat-moisture treatment and lipids on (Miyoshi), 72
  - starch; analysis with single kernel sampling method (Yao et al), 757
  - starch; behavior of amylo maize (Klucinec and Thompson), 24
  - starch; methods for amylose screening (Campbell et al), 317
  - tortillas; fortification and enrichment effects of, on growth and brain development of rats (Stylianopoulos et al), 85
  - waxy starch, cross-linking agent mechanism (Hirsch and Kokini), 102
- Malt
  - esterases in (Ward and Bamforth), 681
  - structure and molecular characteristics of water-extractable arabinoxylan and  $\beta$ -glucan (Cyran et al), 359
- Malting, malt extracts, fermentability and soluble nitrogen (Swanston et al), 392
- Methods
  - comparison for amylose screening among *ae* maize starches (Campbell et al), 317
  - metabolite profiling, rough rice, major and minor compounds (Frenzel et al), 215
  - mixograph and extensigraph, dough functional properties (Butow et al), 826
  - modified instrumental for measurement of noodle stickiness (Lee et al), 838
  - solvent retention, as selection tool for cultivar development (Bettge et al), 670
  - swelling index of glutenin, to compare with other small-scale tests, for evaluating flour end-use quality (Wang and Kovacs), 183
  - swelling index of glutenin, to evaluate pasta-making quality (Wang and Kovacs), 197
  - swelling index of glutenin, prediction of wheat end-use quality (Wang and Kovacs), 190
- Microscopy
  - confocal laser scanning, to reveal starch ghosts and granule proteins (Han and Hamaker), 892
  - LM, CLSM, TEM of emulsifier and cake batter (Richardson et al), 546
- Microwave heating, expansion of glassy amylopectin extrudates, fat influence (Ernoul et al), 265
- Millet, dough; odor deterioration of, mathematical modeling (Jideani et al), 710
- Milling
  - behavior of durum wheat (Peyron et al), 726
  - breadmaking and rheological qualities of milling fractions (Menkovska et al), 720
  - effect of flour particle size and starch damage on white salted noodle properties (Hatcher et al), 64
  - fractions, endotylinase inhibitor in (Gebruers et al), 613
  - hard red winter wheat, effects of roll gap, NIR absorbance properties, estimation of granulation of first-break ground wheat (Pasikatan et al), 92
  - jet technology (Létang et al), 535
  - mechanical behavior of oat, groat effect (Engleson and Fulcher), 787, 790
  - value of sorghum; compared by adjusting yields to constant product color (Awika et al), 249
  - of wheat using fluted rolls; effect of roll disposition and gap on breakage and resulting particle size distribution from first-break roller milling (Fang and Campbell), 518
  - of wheat using fluted rolls; stress-strain analysis and visual observation of wheat kernel breakage (Fang and Campbell), 511
- Mixing, starch participation in mixograph dough linear viscoelastic properties (Edwards et al), 850
- Mixograph
  - direct drive, for prediction of wheat and gluten baking quality (Dobraszczyk and Schofield), 607
  - responses for water-based and cold ethanol-based gluten concentrates (Robertson and Cao), 737
- Modeling, mathematical, of odor deterioration of millet dough (Jideani et al), 710
- Moisture
  - content; effects on viscoelastic properties of glutinous rice extrudates (Chuang and Yeh), 36
  - effect on mechanical properties of white bread (Baik and Chinachoti), 376
- Mung bean, starch; effect of storage temperature on structures of gels and noodles (Ohwada et al), 732
- Mycoflora, corn distribution (Broggi et al), 741
- Mycotoxin, moniliformin, produced by *Fusarium* spp. (Pineda-Valdes et al), 779
- NIR spectroscopy
  - analysis of whole-grain milled samples, cooked white rice texture prediction by (Meullenet et al), 52
  - classification of kernel vitreousness (Wang et al), 418
  - detecting corn quality (Dowell et al), 222
  - to determine Rapid Visco Analyser parameters in rice (Meadows and Barton), 563
  - to estimate granulation of first-break ground wheat (Pasikatan et al), 92
  - of mature grains; environmental effects on developing wheat (Delwiche et al), 885
  - of rice quality and cooking (Barton et al), 143
- Nixtamalization
  - alkali-temperature process (Fernández-Muñoz et al), 162
  - method of processing corn into tortillas by alkaline cooking (Pineda-Valdes et al), 779
- Noodles,
  - Asian; influence of pumpkin powder on (Lee et al), 593
  - effect of flour particle size and starch damage on white salted noodle properties (Hatcher et al), 64
  - measurement of stickiness by modified instrumental method (Lee et al), 838
  - relationship with glutenin swelling properties and small-scale tests (Wang and Kovacs), 190
  - rice, quality affected by high-amylose rice flours (Yoenyongbuddhagal and Noomhorm), 481
  - texture predicted by RVA test on wheat whole meal using shortened temperature program (Crosbie et al), 596
  - white salted, flour and water absorption of noodle dough (Park and Baik), 867
- Oat
  - milling; mechanical behavior (Engleson and Fulcher), 787, 790
  - kernel size; sources of variation in (Doehrlert et al), 528
  - stability; senory analysis (Heiniö et al), 367
- Oat bran, effect of rye flour and fermentation on viscosity of suspensions of (Deguyte-Fomins et al), 345
- Oil
  - corn, refining, processing, and analysis (Feng et al), 707
  - uptake rice cake donuts; preparation and characterization of (Shih and Daigle), 745
- Packaging, parameters; effect on mathematical modeling of odor deterioration of millet dough (Jideani et al), 710
- Pasta
  - from durum cultivars; tetraploid wheat for genetic improvement (Sissons and Hare), 78
  - processing; influence of endoxylanases on (Engelbrecht et al), 798
  - quality; four properties and drying conditions (Marconi et al), 634
  - quality; prediction by swelling index of glutenin test (Wang and Kovacs), 197
  - quality; small-scale reconstitution of durum semolina affecting (Sissons et al), 675
  - quantification of common wheat adulteration (Alary et al), 553
- Pasting, in rice flour; using Rapid Visco Analyser curves and first derivatives (Meadows), 559
- PCR, quantification of pasta adulteration (Alary et al), 553
- Pentosans, content after air classification (Létang et al), 535
- Physical properties, of *yukwa* as affected by various steeping periods (Chun et al), 98
- Physicochemical properties, of corn starch selectively oxidized with TEMPO (Suh et al), 576
- Polysaccharide, rice water-soluble fractions, anticomplementary activity (Yamagishi et al), 8783
- Popcorn, popping qualities affected by storage temperature and kernel physical condition (Park and Maga), 572
- Potato, starch; gelatinization and retrogradation of, effects of heat-moisture treatment and lipids on (Miyoshi), 72
- Processing, corn; oil extraction, sequential extraction (Feng et al), 707
- Protease
  - proteolytic enzymes in germinating rye grains (Brij et al), 423
  - wheat bug protease effects on glutenin (Sivri et al), 41
- Protein
  - bug protease effects on wheat glutenin (Sivri et al), 41
  - composition and quality under different growing temperatures (Guedira et al), 397
  - conformational composition, FT-Raman analysis (Ma and Phillips), 171
  - content after air classification (Létang et al), 535
  - high protein lupin concentrate for baking and as food ingredient (Pollard et al), 662
  - matrix; formation during dough development (Lee et al), 654
  - polymeric wheat; simplified procedure for extraction, fractionation, and analysis by SE-HPLC and FFF (Ueno et al), 155
  - storage, alteration of, in wheat (Rosell et al), 801

- Proteolysis, effects of pH, NaCl addition, and sourdough fermentation (Thiele et al), 45
- Rapid Visco Analyser  
—curves and first derivatives; for pasting process in rice flour (Meadows), 559  
—parameters in rice determined by NIR spectroscopy (Meadows and Barton), 563  
—shortened temperature program for use in prediction of noodle quality in wheat (Crosbie et al), 596
- Retrogradation, of maize and potato starches; effects of heat-moisture treatment and lipids on (Miyoshi), 72
- Rheological behavior; size class difference of wheat starch (Chioelli and Le Meste), 286
- Rheological properties  
—of bread crumb and relation to staling (Wang and Sun), 108  
—of gluten; mechanical spectroscopy and pressure rheometry (Toufeili et al), 138  
—of glutinous rice extrudates (Chuang and Yeh), 36  
—of maize starch pastes, starch damage effect (Han et al), 897  
—measurement of (Cuq et al), 129  
—salt effect on cultivars (Butow et al), 826  
—starch participation in dough linear viscoelastic properties (Edwards et al), 850  
—type of physical properties (Wang and Sun), 567  
—of wheat flour dough (Larsson), 544
- Rheology  
—basic, of bread dough and its relationship to HMW-GS composition (Uthayakumaran et al), 294  
—dynamic and elongation, effect on yeasted bread doughs (Newberry et al), 874  
—effect of flour particle size and starch damage of white salted noodle dough rheological properties (Hatcher et al), 64  
—fundamental, characterization of gluten from spelt wheat cultivars with oscillatory and creep measurements (Schober et al), 408  
—of gluten-starch and wheat flour dough; nonpolar lipid physical state effect on (Watanabe et al), 203  
—relationship between biochemical data and dough properties (Lee et al), 654
- Rice  
—cake donuts; low oil uptake, preparation and characterization of (Shih and Daigle), 745  
—cakes; flavor retention and physical properties of, prepared from coated rice grain (Baik and Chinachoti), 376  
—determination of Rapid Visco Analyser parameters in, by NIR spectroscopy (Meadows and Barton), 563  
—extruded flours, starch physicochemical properties in (Kadan and Pepperman) 476  
—flour; pasting process in, use of Rapid Visco Analyser curves and first derivatives (Meadows), 559  
—long-grain cultivar, with different functionality (Patindol and Wang), 465  
—noodle; quality affected by high-amylose rice flours (Yoenyongbuddhagal and Noomhorm) 481  
—one of most commonly consumed cereal grains (Sun et al), 349  
—quality and cooking, NIR spectroscopy (Barton et al), 143  
—rough, metabolite profiling method, major and minor compounds (Frenzel et al), 215  
—starch with added lipids and  $\beta$ -cyclodextrin (Liang et al), 812  
—starch; retrogradation, Avrami equation, determined by Pulsed NMR (Yao and Ding), 751  
—texture predicted by NIR spectroscopy analysis (Meullenet et al), 52  
—water-soluble polysaccharide fractions, anticomplementary activity (Yamagishi et al), 8783  
—whole, broken and yellowed kernels (Wang et al), 383
- Rye  
—flour and sourdough or starter, effect of  $\beta$ -glucan and protein solubilization and content in oat bran suspensions (Deguyte-Fomins et al), 345  
—grains; proteolytic enzymes in germinated (Brij et al), 423
- Salt  
—effects on emulsifier function in batter (Richardson et al), 546  
—effects on rheological properties (Butow et al), 826
- SE-HPLC, simplified dilute acetic acid extraction procedure for fractionation and analysis of wheat flour protein by (Ueno et al), 155
- Semolina, Italian durum wheat characterization by analytical and spectroscopic determinations (Brescia et al), 238
- Sensory analysis, brownies fortified with corn gluten meal (Wu et al), 496
- Sensory characteristics, of *yukwa* as affected by various steeping periods (Chun et al), 98
- Sonication, of starches, physicochemical properties of (Chung et al), 631
- Sorghum  
—quality; compared by adjusting yields to constant product color (Awika et al), 249
- Sour dough, fermentation to improve bread flavor (Thiele et al), 45
- Soybean, hulls; distribution of proteins by air classification (Wolf et al), 439
- Spaghetti, made from whole wheat durum (Manthey and Schorno), 504
- Spelt, pasta-making aptitude and pasta quality (Marconi et al), 634
- Staling  
—bread, affected by waxy wheat flour blends (Bhattacharya et al), 178  
—bread crumb; measured using dynamic mechanical analyzer (Wang and Sun), 108
- Starch  
—analysis with single kernel sampling method (Yao et al), 757  
—*Atriplex hortensis* and sweet *Chenopodium quinoa*, isolation and characterization of (Wright et al), 713  
—barley, separation and characterization of polymers (You et al), 624  
—chemically modified, FT-Raman analysis (Ma and Phillips), 171  
—coating rice grain; rice cake flavor retention and physical properties (Baik and Chinachoti), 376  
—composition and quality under different growing temperatures (Guedira et al), 397  
—cross-linked resistant, preparation and properties (Woo and Seib), 819  
—damage; effect on rheological properties of maize starch pastes (Han et al), 897  
—determination of amylose and amylopectin in (Grant et al), 771  
—fine structure; amylopectin from amylo maize (Klucinec and Thompson), 19  
—glass transition (Groppe et al), 429  
—granular cold water gelling, prepared from chickpea starch with liquid ammonia and ethanol (Jackowski et al), 125  
—granule proteins; and starch ghosts revealed by confocal laser scanning microscopy (Han and Hamaker), 892  
—gum interaction; rheological properties of (Lai and Laio), 58  
—low protein content (Létang et al), 535  
—maize, methods for amylose screening (Campbell et al), 317  
—modification by dry heating with ionic gums (Lim et al), 601  
—mung bean, effect of storage temperature on structures of gels and noodles (Ohwada et al), 732  
—participation in dough linear viscoelastic properties (Edwards et al), 850  
—pasting properties and surface characteristics, enzymatic corn wet-milling process (Singh and Johnston), 523  
—physicochemical properties of, in extruded rice flours (Kadan and Pepperman) 476  
—properties; thermal, pasting and textural (Wang and Wang), 252  
—quality affected by steeping, Brazilian corn hybrid (Manzoni et al), 120  
—retrogradation, resistant and biodisponibility in tortillas (Rendon-Villalobos et al), 340  
—retrogradation; rice starches, Avrami equation, determined by pulsed NMR (Yao and Ding), 751  
—rice, properties and structures of, from whole, broken, and yellowed rice kernels (Baik and Chinachoti), 376  
—rice, structures and properties of, from three long-grain cultivars (Patindol and Wang), 465  
—soft wheat, structural and functional characteristics of (Franco et al), 243  
—sonication; changes in physicochemical properties of (Chung et al), 631  
—swelling and paste viscosity, relationships with texture of alkaline noodles (Crosbie et al), 596  
—from waxy and nonwaxy wheats, physicochemical and structural characteristics of (Abdel-Aal et al), 458  
—waxy maize, cross-linking agent mechanism (Hirsch and Kokini), 102  
—waxy rice from four varieties (Wang and Wang), 252  
—wheat, from wet-milling process (Wang and Chung), 115  
—wheat gels, different amylose content, physical property comparison (Sasaki et al), 861
- Steeping  
—of corn; effect of lactic acid on protein solubilization and starch yield (Dailey), 257  
—effect on starch and germ quality from IMDS of Brazilian corn hybrid (Manzoni et al), 120  
—of wheat (Wang and Chung), 115
- Sterols, plant, in cereals and cereal products (Piironen et al), 148
- Storage  
—of oats; differences between sensory profiles and development of rancidity during (Heiniö et al), 367  
—popcorn temperature, effects on popping qualities (Park and Maga), 572  
—retardation of staling, baked with waxy wheat flour (Morita et al), 491
- Stress cracks, effect on corn wet-milling yields (Mbuvi and Eckhoff), 695
- Sugar, separation from organic/amino acids (Frenzel et al), 215
- Temperature  
—effect on composition and quality during maturation of wheat (Guedira et al), 397

- effect on temporal regulation of gluten protein genes (Altenbach et al), 279
- popcorn storage, effects on popping qualities (Park and Maga), 572
- product, effects on viscoelastic properties of glutinous rice extrudates (Chuang and Yeh), 36
- Test weight, prediction of, specific gravity measurement (Donelson et al), 227
- Textural stability, of shelf-stable bread (Barrett et al), 806
- Texture
  - of bread crumb; measurement and prediction (Liu and Scanlon), 763
  - bread quality baked with waxy and high-amylose wheat flours (Morita et al), 491
  - of cooked white rice predicted by NIR spectroscopy analysis (Meullenet et al), 52
  - effect of flour particle size and starch damage on white salted noodle cooking properties (Hatcher et al), 64
- Tortillas
  - digestibility of (Rendon-Villalobos et al), 340
  - maize, fortification and enrichment effects of, on growth and brain development of rats (Stylianopoulos et al), 85
  - traditional nixtamalization process (Fernández-Muñoz et al), 162
  - wheat flour, effect of wheat quality on (Waniska et al), 210
  - wheat flour, objective texture measurements of (Mao et al), 648
- Triticale, functional properties of pure flour and in blends with wheat flour (Naeem et al), 332
- Viscoelasticity, unique rheological property of wheat gluten proteins as compared to those of other proteins of plant origin (Meuser et al), 617
- Viscosity
  - shear and extensional, effect of mixing time and resting on flow properties (Cuq et al), 129
  - steeping time dependence (Fernández-Muñoz et al), 162
- Water, frozen and unfrozen content of flour components (Roman-Gutierrez et al), 471
- Wet milling
  - of corn hybrids; effects of maturity on (Jennings et al), 697
  - corn yields affected by stress cracks (Mbuvi and Eckhoff), 695
  - effect of processing conditions on starch yield (Wang and Chung), 115
  - from enzymatic corn process; starch pasting properties and surface characteristics (Singh and Johnston), 523
- Wheat
  - analysis and breeding test (Bettge et al), 670
  - composition and quality under different growing temperatures (Guedira et al), 397
  - durum, carbohydrate characterization of arabinogalactan peptides (Ingelbrecht et al), 322
  - durum, characterization by analytical and spectroscopic determinations (Brescia et al), 238
  - durum, genetic improvement of, tetraploid wheat for (Sissons and Hare), 78
  - durum, milling behavior of (Peyron et al), 726
  - durum, pasta adulteration (Alary et al), 553
  - durum, swelling index of glutenin test to predict pasta-making quality (Wang and Kovacs), 197
  - effect of environment on gluten gene regulation (Altenbach et al), 279
  - effect of HMW-GS on functionality of flour triticale wheat flour blends (Naeem et al), 332
  - end-use quality of, contaminated with contrasting class grain (Habernicht et al), 404
  - environmental effect on, NIR spectroscopy (Delwiche et al), 885
  - European cultivars, endotylinase inhibitor in (Gebruers et al), 613
  - flour dough; pH and NaCl effect (Larsson), 544
  - flour lipids; effect on breadmaking (Chung et al), 774
  - flour protein; simplified procedure for extraction, fractionation, and analysis by SE-HPLC and FFF (Ueno et al), 155
  - flour tortillas; objective texture measurements of (Mao et al), 648
  - gluten; protein extracted from wheat flour (Meuser et al), 617
  - gluten protein-protein interactions; in bread dough (Ryan et al), 434
  - glutenin composition from different environments (Zhu and Khan), 783
  - glutenin susceptibility to bug protease (Sivri et al), 41
  - glutenin; swelling properties in nonreducing solvents (Wang and Kovacs), 183
  - glutenin; swelling properties, relationship to end-use quality (Wang and Kovacs), 190
  - high lutein, development of by Einkorn (Abdel-Aal et al), 455
  - HRS, vitreousness of (Wang et al), 418
  - HRW, ground by first-break roller mill, granulation properties (Pasikatan et al), 92
  - Japanese common, specific *Glu-D1f* compared with *Glu-1* alleles in Chinese wheat (Nakamura and Fujimaki), 486
  - kernel breakage during roller milling using fluted rolls; effect of roll disposition and gap on breakage and resulting particle size distribution from first-break roller milling (Fang and Campbell), 518
  - kernel breakage during roller milling using fluted rolls; stress-strain analysis and visual observation of wheat kernel breakage (Fang and Campbell), 511
  - kernels; invisible coatings for (Ram et al), 858
  - noodle texture; predicted by RVA test on whole meal using shortened temperature program (Crosbie et al), 596
  - optimization of parameters for NaOH soak test for red or white color class determination (Ram et al), 230
  - protein allelic composition, dough rheology, and baking characteristics of flour mill streams (Menkovska et al), 720
  - protein damage by insect infestation (Rosell et al), 801
  - quality for tortillas (Waniska et al), 210
  - separation to gluten and starch (Robertson and Cao), 737
  - soft starches, structural and functional characteristics of (Franco et al), 243
  - soft white spring, environmental effect on solvent retention capacities of (Guttieri et al), 880
  - sourdough; single and mixed strain starter cultures on rheological properties of (Clarke et al), 640
  - specific gravity prediction of test weight (Donelson et al), 227
  - spelt, gluten properties, baking properties, traditional specialty breads (Schober et al), 408
  - starch gels; different amylose content, physical property comparison (Sasaki et al), 861
  - tetraploid, for genetic improvement of (Sissons and Hare), 78
  - waxy and nonwaxy, flours and starches from, physicochemical and structural characteristics of (Abdel-Aal et al), 458
  - waxy, effect on bread staling (Bhattacharya et al), 178
  - wet-milling procedure (Wang and Chung), 115
  - whole, physical and cooking quality of spaghetti (Manthey and Schorno), 504
- Wheat bran (see also Bran)
  - preprocessed, fermentation by human fecal inocula of (Wood et al), 445
- Wheat starch, granules, small and large effect on thermomechanical starch behavior (Chioelli and Le Meste), 286
- Yukwa*, Korean rice snack, steeping period effects on (Chun et al), 98
- Zein
  - corn, tensile properties of low-density polyethylene films (Herald et al), 261
  - extraction and solubility of and applications for (Lawton), 1
  - oleate film; stabilization of lipids in, antioxidants for incorporation (Kleen et al), 687