

## Author Index to Volume 81

- Aamodt, A., E. M. Magnus, and E. M. Færgestad. Effect of protein quality, protein content, bran addition, DATEM, proving time, and their interaction on hearth bread, 722
- Abe, M. *See* M. Seguchi, 710
- Åman, P., L. Rimsten, and R. Andersson. Molecular weight distribution of  $\beta$ -glucan in oat-based flours, 356  
— *See* H. Fredriksson, 650
- Ames, N. *See* R. Graybosch, 19
- Andersson, R. *See* P. Åman, 356
- Arendt, E. K. *See* C. I. Clarke, 409  
— *See* M. M. Moore, 567
- Badaruddin, M. *See* F. A. Manthey, 232
- Baenziger, P. S. *See* R. Graybosch, 19
- Baik, B.-K., and R. Jackowski. Characteristics of granular cold-water gelling starches of cereal grains and legumes prepared using liquid ammonia and ethanol, 538  
—, J. Powers, and L. T. Nguyen. Extrusion of regular and waxy barley flours for production of expanded cereals, 94  
— *See* C. S. Park, 159, 165  
— *See* Z. Quinde, 752
- Ballabio, C. *See* C. Berti, 275
- Bansemá, C. *See* F. Temelli, 499
- Barringer, S. A. *See* A. M. Whitaker, 177
- Barton, F. E., II. *See* M. Sohn, 341, 429
- Bautisa, R. C. *See* L. Wang, 389
- Becker, C. *See* M. J. Guttieri, 261
- Bejosano, F. P., and R. D. Waniska. Note: Functionality of bicarbonate leaveners in wheat flour tortillas, 77
- Békés, F. *See* R. Haraszi, 555
- BeMiller, J. N. *See* J. A. Gray, 278
- Bergman, C. *See* E. T. Champagne, 237
- Berti, C., C. Ballabio, P. Restani, M. Porrini, F. Bonomi, and S. Iametti. Note: Immunochemical and molecular properties of proteins in *Chenopodium quinoa*, 275
- Berzonsky, W. A. *See* D. J. Boehm, 51
- Beta, T., and H. Corke. Effect of ferulic acid and catechin on sorghum and maize starch pasting properties, 418
- Bett-Garber, K. L., E. T. Champagne, D. A. Ingram, and C. C. Grimm. Impact of iron source and concentration on rice flavor using a simulated rice kernel micronutrient delivery system, 384  
— *See* E. T. Champagne, 237, 444
- Bhattacharya, M. *See* D. J. Boehm, 51
- Bhunja, A. K. *See* P. Zhang, 511
- Black, C. K., and J. F. Panozzo. Accurate technique for measuring color values of grain and grain products using a visible-NIR instrument, 469
- Boehm, D. J., W. A. Berzonsky, and M. Bhattacharya. Influence of nitrogen fertilizer treatments on spring wheat (*Triticum aestivum* L.) flour characteristics and effect on fresh and frozen dough quality, 51
- Bonafaccia, G. *See* V. Skrabanja, 172
- Bonazzi, C. *See* V. Guillard, 767
- Bonomi, F. *See* C. Berti, 275  
— *See* S. Iametti, 15
- Boom, R. M. *See* S. H. Peighambardoust, 714
- Boyer, V. *See* I. Tea, 759
- Brandemarte, E. A., C. M. L. Franco, and J. F. Lopes-Filho. Physicochemical properties of maize starch obtained from intermittent milling and dynamic steeping (IMDS) under various steeping conditions, 369
- Brendel, L. *See* S. Domenek, 423
- Briggs, J. L. *See* M. Colleoni-Sirghie, 434
- Brijs, K., J. A. Ingelbrecht, C. M. Courtin, L. Schlichting, B. A. Marchylo, and J. A. Delcour. Combined effects of endoxylanases and reduced water levels in pasta production, 361
- Broyart, B. *See* V. Guillard, 767
- Bruckner, P. L. *See* A. K. Jukanti, 481
- Buckeridge, M. S., C. Rayon, B. Urbanowicz, M. A. S. Tiné, and N. C. Carpita. Review: Mixed linkage (1 $\rightarrow$ 3),(1 $\rightarrow$ 4)- $\beta$ -D-glucans of grasses, 115
- Bueso, F. J., L. W. Rooney, R. D. Waniska, and L. Silva. Combining maltogenic amylase with CMC or wheat gluten to prevent amylopectin recrystallization and delay corn tortilla staling, 654
- Burkholder, K. M. *See* P. Zhang, 511
- Byun, J. *See* S. Shin, 194
- Cai, M. *See* Y. Yan, 561
- Campanella, O. H. *See* P. X. Li, 70
- Cao, T. K. *See* G. H. Robertson, 673
- Capparelli, R., A. Costabile, M. Viscardi, I. Ventimiglia, L. Longobardi, D. Fenizia, and D. Jannelli. Note: Quantification of gliadin by flow cytometry, 456
- Cappelletti, C. *See* S. Iametti, 15
- Carlson, G. *See* J. M. Martin, 188
- Carpita, N. C. *See* M. S. Buckeridge, 115
- Carriere, C. J. *See* S. Lee, 637
- Champagne, E. T., K. L. Bett-Garber, A. M. McClung, and C. Bergman. Sensory characteristics of diverse rice cultivars as influenced by genetic and environmental factors, 237  
—, J. F. Thompson, K. L. Bett-Garber, R. Mutters, J. A. Miller, and E. Tan. Impact of storage of freshly harvested paddy rice on milled white rice flavor, 444  
— *See* K. L. Bett-Garber, 384  
— *See* M. Sohn, 341
- Chen, J.-J., V. M.-F. Lai, and C. Lii. Composition dependencies of the rheological properties of rice starch blends, 267
- Chen, P. *See* R. Ruan, 182
- Chiotelli, E., A. Rolée, and Le Meste, M. Rheological properties of soft wheat flour doughs: Effect of salt and triglycerides, 459
- Choi, H. J. *See* S. I. Shin, 404
- Chung, K. M. *See* S. I. Shin, 404
- Chung, O. K. *See* J. D. Hubbard, 693  
— *See* S. H. Park, 699
- Clarke, C. I., T. J. Schober, P. Dockery, K. O'Sullivan, and E. K. Arendt. Wheat sourdough fermentation: Effects of time and acidification on fundamental rheological properties, 409
- Cohen, C. *See* S. E. Martling, 207
- Collado, L. S. *See* L. M. Tam, 475
- Colleoni-Sirghi, M., J.-L. Jannink, I. V. Kovalenko, J. L.

- Briggs, and P. J. White. Prediction of  $\beta$ -glucan concentration based on viscosity evaluations of raw oat flours from high  $\beta$ -glucan and traditional oat lines, 434
- , —, and P. J. White. Pasting and thermal properties of flours from oat lines with high and typical amounts of  $\beta$ -glucan, 686
- Copeland, L. *See* J. M.-C. Dang, 486
- Corke, H. *See* T. Beta, 418
- . *See* L. M. Tam, 475
- Costabile, A. *See* R. Capparelli, 456
- Courtin, C. M. *See* K. Brijs, 361
- . *See* I. Trogh, 576
- Cubadda, R. *See* E. Marconi, 6
- Cuppett, S. L. *See* K. T. Hwang, 345
- Damerval, C. *See* J. Landry, 153
- Dang, J. M.-C., and L. Copeland. Genotype and environmental influences on pasting properties of rice flour, 486
- da Silva, L. S., and J. R. N. Taylor. Sorghum bran as a potential source of kafirin, 322
- de Kock, H. L. *See* S. Yetneberk, 314
- Delcour, J. A. *See* K. Brijs, 361
- . *See* I. Trogh, 576
- Delhay, S. *See* J. Landry, 153
- Delwiche, S. R., and G. A. Hareland. Detection of scab-damaged hard red spring wheat kernels by near-infrared reflectance, 643
- Deng, S. *See* R. Ruan, 182
- Dessalegn, T. *See* M. T. Labuschagne, 533
- Dick, T. J. *See* F. A. Manthey, 232
- Dixon, P. M. *See* Y. Ji, 59
- Dockery, P. *See* C. I. Clarke, 409
- . *See* M. M. Moore, 567
- Doehlert, D. C. *See* N. Vignaux, 377
- Domenek, S., L. Brendel, M.-H. Morel, and S. Guilbert. Influence of degree of protein aggregation on mass transport through wheat gluten membranes and their digestibility—An invitro study, 423
- Dowell, F. E. *See* M. C. Pasikatan, 145
- . *See* M. S. Ram, 244
- . *See* F. Xie, 249, 594
- Downing, J. M. *See* J. D. Hubbard, 693
- Duvick, S. *See* Y. Ji, 59
- . *See* E. Lenihan, 527
- Egashira, T. *See* Y. Yoshimoto, 515
- Elias, E. M. *See* N. Vignaux, 377
- Elmehdi, H. M., J. H. Page, and M. G. Scanlon. Ultrasonic investigation of the effect of mixing under reduced pressure on the mechanical properties of bread dough, 504
- Endo, S. *See* K. Hayakawa, 666
- Evans, A., and D. B. Thompson. Resistance to  $\alpha$ -amylase in four native high-amylose maize starches, 31
- Færgestad, E. M. *See* A. Aamodt, 722
- Fang, Q. *See* J. Guan, 199
- Fenizia, D. *See* R. Capparelli, 456
- Fernández-Muñoz, J. L., I. Rojas-Molina, M. L. González-Dávalos, M. Leal, M. E. Valtierra, E. San Martín-Martínez, and M. E. Rodríguez. Study of calcium ion diffusion in components of maize kernels during traditional nixtamalization process, 65
- Fischer, A. M. *See* A. K. Jukanti, 481
- Fowler, D. B. *See* C. Wang, 777
- Franco, C. M. L. *See* E. A. Brandemarte, 369
- Fredriksson, H., J. Tallving, J. Rosén, and P. Åman. Fermentation reduces free asparagine in dough and acrylamide content in bread, 650
- Fujita, M. *See* T. Yanagisawa, 26
- Fukami, S. *See* S. Naito, 80
- Fulcher, G. *See* R. Ruan, 182
- Gaffa, T., Y. Yoshimoto, I. Hanashiro, O. Honda, S. Kawasaki, and Y. Takeda. Physicochemical properties and molecular structures of starches from millet (*Pennisetum typhoides*) and sorghum (*Sorghum bicolor* L. Moench) cultivars in Nigeria, 255
- Gaines, C. S. Prediction of sugar-snap cookie diameter using sucrose solvent retention capacity, milling softness, and flour protein content, 549
- García-Villanova, B. *See* A. Ramirez-Jimenez, 399
- Gellrich, C., P. Schiberle, and H. Wieser. Biochemical characterization of  $\gamma$ -75 k secalins of rye. I. Amino acid sequences, 290
- , —, and —. Biochemical characterization of  $\gamma$ -75 k secalins of rye. II. Disulfide bonds, 296
- Genter, T. *See* I. Tea, 759
- Gimeno, E., C. I. Moraru, and J. L. Kokini. Effect of xanthan gum and CMC on the structure and texture of corn flour pellets expanded by microwave heating, 100
- Giroux, M. J. *See* J. M. Martin, 188
- Golob, T. *See* V. Skrabanja, 172
- Gontard, N. *See* V. Guillard, 767
- González-Dávalos, M. L. *See* J. L. Fernández-Muñoz, 65
- Grant, L. A. *See* N. Vignaux, 377
- Gras, P. W. *See* R. Haraszi, 555
- Gray, J. A., and J. N. BeMiller. Development and utilization of reflectance confocal laser scanning microscopy to locate reaction sites in modified starch granules, 278
- Graybosch, R., N. Ames, P. S. Baenziger, and C. J. Peterson. Genotypic and environmental modification of Asian noodle quality of hard winter wheats, 19
- Grimm, C. C. *See* K. L. Bett-Garber, 384
- Guajardo-Flores, S. *See* S. O. Serna-Saldivar, 220
- Guan, J., Q. Fang, and M. A. Hanna. Selected functional properties of extruded starch acetate and natural fibers foams, 199
- Guerra-Hernandez, E. J. *See* A. Ramirez-Jimenez, 399
- Guilbert, S. *See* S. Domenek, 423
- . *See* V. Guillard, 767
- Guillard, V., B. Broyart, C. Bonazzi, S. Guilbert, and N. Gontard. Effect of temperature on moisture barrier efficiency of monoglyceride edible films in cereal-based composite foods, 767
- Guttieri, M. J., C. Becker, and E. J. Souza. Application of wheat meal solvent retention capacity tests within soft wheat breeding populations, 261
- Habernicht, D. K. *See* J. M. Martin, 188
- Hagiwara, H. *See* M. Kurakake, 108
- Hamaker, B. R. *See* S. I. Shin, 404
- Hamer, R. J. *See* S. H. Peighambardoust, 714
- Hanashiro, I. *See* T. Gaffa, 255
- . *See* Y. Yoshimoto, 515
- Hanna, M. A. *See* J. Guan, 199
- . *See* K. T. Hwang, 345
- . *See* Y. Xu, 735
- Haraszi, R., P. W. Gras, S. Tömösközi, A. Salgó, and F. Békés. Application of a micro Z-arm mixer to characterize mixing properties and water absorption of wheat flour, 555
- Hardacre, A. K. *See* P. X. Li, 70
- Hareland, G. A. *See* S. R. Delwiche, 643

- Haros, M., O. E. Perez, and C. M. Rosell. Effect of steeping corn with lactic acid on starch properties, 10
- Hatcher, D. W., and K. R. Preston. Investigation of a small-scale asymmetric centrifugal mixer for the evaluation of Asian noodles, 303
- Hayakawa, K., K. Tanaka, T. Nakamura, S. Endo, and T. Hoshino. End use quality of waxy wheat flour in various grain-based foods, 666
- Hayashi, M., and M. Seguchi. Oil binding of heat-treated waxy wheat starch granules and starch granule ghosts produced with concentrated KI and I<sub>2</sub>, 621
- , T. Yasui, C. Kiribuchi-Otobe, and M. Seguchi. Presence of a minor amylose fraction in the central portion of waxy wheat starch granules and its contribution to granular stability, 589
- Hegstad, J. *See* N. Vignaux, 377
- Himmelsbach, D. S. *See* M. Sohn, 429
- Holley, R. *See* C. Wang, 777
- Honda, O. *See* T. Gaffa, 255
- Horigane, A. K. *See* K. Irie, 350
- . *See* T. I. Kojima, 746
- Hoshino, T. *See* K. Hayakawa, 666
- Hsam, S. L. K. *See* Y. Yan, 561
- Hu, Y. *See* Y. Yan, 561
- Hubbard, J. D., J. M. Downing, M. S. Ram, and O. K. Chung. Lipid extraction from wheat flour using supercritical fluid extraction, 693
- Hwang, K. T., C. L. Weller, S. L. Cuppett, and M. A. Hanna. Policosanols contents and composition of grain sorghum kernels and dried distillers grains, 345
- Iametti, S., C. Cappelletti, A. Oldani, L. Scafuri, and F. Bonomi. Improved protocols for ELISA determination of gliadin in glucose syrups, 15
- . *See* C. Berti, 275
- Ikeda, K. *See* V. Skrabanja, 172
- Ikeda, S. *See* V. Skrabanja, 172
- Inazu, A. *See* C. Kiribuchi-Otobe, 48
- Ingelbrecht, J. A. *See* K. Brijs, 361
- Inglett, G. E. *See* S. Lee, 637
- Ingram, D. A. *See* K. L. Bett-Garber, 384
- Irie, K., A. K. Horigane, S. Naito, H. Motoi, and M. Yoshida. Moisture distribution and texture of various types of cooked spaghetti, 350
- Ishida, N. *See* S. Naito, 80
- Jackowski, R. *See* B.-K. Baik, 538
- Jane, J. *See* A. Tziotis, 611
- Jannelli, D. *See* R. Capparelli, 456
- Jannink, J.-L. *See* M. Colleoni-Sirghie, 434, 686
- Ji, Y., L. M. Pollak, S. Duvick, K. Seetharaman, P. M. Dixon, and P. J. White. Gelatinization properties of starches from three successive generations of six exotic corn lines grown in two locations, 59
- , K. Seetharaman, and P. J. White. Optimizing a small-scale corn-starch extraction method for use in the laboratory, 55
- Jiang, Y. *See* Y. Yan, 561
- Johnston, D. B., and V. Singh. Enzymatic milling of corn: Optimization of soaking, grinding, and enzyme incubation steps, 626
- Jukanti, A. K., P. L. Bruckner, and A. M. Fischer. Rapid Communi-ation: Evaluation of wheat polyphenol oxidase genes, 481
- Kaisa, P. *See* K. Kati, 598
- Kano, H. *See* S. Naito, 80
- Kariluoto, S., L. Vahteristo, H. Salovaara, K. Katina, K.-H. Liukkonen, and V. Piironen. Effect of baking method and fermentation on folate content of rye and wheat breads, 134
- Karin, A. *See* K. Kati, 598
- Kati, K., P. Kaisa, and A. Karin. Influence and interactions of processing conditions and starter culture on formation of acids, volatile compounds, and amino acids in wheat sourdoughs, 598
- Katina, K. *See* S. Kariluoto, 134
- . *See* J. Lopenen, 87
- Kawasaki, S. *See* T. Gaffa, 255
- Kayahara, H. *See* M. Watanabe, 450
- Kelekci, N. *See* S. Pascut, 38
- Khan, K. *See* J. Zhu, 681
- Kianian, S. F. *See* N. Vignaux, 377
- Kim, J. H. *See* T. Maeda, 660
- Kiribuchi-Otobe, C., K. Kurita, T. Yanagisawa, G. Takeda, and A. Inazu. Interactions among *Wx* genes and effects of a mutated *Wx-D1e* allele on starch properties in wheat, 48
- . *See* M. Hayashi, 589
- . *See* T. Yanagisawa, 26
- Kleiber, D. *See* I. Tea, 759
- Klucinec, J. D. *See* A. Tziotis, 611
- Knapp, M. *See* V. Skrabanja, 172
- Koen, E. *See* M. T. Labuschagne, 533
- Kohyama, K. *See* T. Sasaki, 226
- Koizumi, M. *See* S. Naito, 80
- Kojima, T. I., A. K. Horigane, H. Nakajima, M. Yoshida, and S. Nagawawa. *T*<sub>2</sub> map, moisture distribution, and texture of boiled Japanese noodles prepared from different types of flour, 746
- Kokini, J. L. *See* E. Gimeno, 100
- . *See* I. Toufeili, 582
- Komaki, T. *See* M. Kurakake, 108
- Kosmelj, K. *See* V. Skrabanja, 172
- Kovacs, M. I. P. *See* C. Wang, 777
- Kovalenko, I. V. *See* M. Colleoni-Sirghie, 434
- Kreft, I. *See* V. Skrabanja, 172
- Kreft, S. *See* V. Skrabanja, 172
- Kurakake, M., H. Hagiwara, and T. Komaki. Effects of various surfactants on rheological properties of maize starch granules, 108
- Kurita, K. *See* C. Kiribuchi-Otobe, 48
- Labuschagne, M. T., E. Koen, and T. Dessalegn. Use of size-exclusion high-performance liquid chromatography for wheat quality prediction in Ethiopia, 533
- Lai, V. M.-F. *See* J.-J. Chen, 267
- . *See* C. Lii, 392
- Landry, J., S. Delhaye, and C. Damerval. Protein distribution pattern in flourey and vitreous endosperm of maize grain, 153
- Lanning, S. P. *See* J. M. Martin, 188
- Lawton, J. W. Plasticizers for zein: Their effect on tensile properties and water absorption of zein films, 1
- Leal, M. *See* J. L. Fernández-Muñoz, 65
- Lee, J. H. *See* Y. C. Zhang, 741
- Lee, S., G. E. Inglett, and C. J. Carriere. Effect of nutrim oat bran and flaxseed on rheological properties of cakes, 637
- Lei, H. *See* R. Ruan, 182
- Le Meste, M. *See* E. Chiotelli, 459
- Lenihan, E., S. Duvick, and P. White. Rapid screening to identify unusual thermal starch traits from bulked corn kernels, 527
- Li, J. *See* L. M. Tam, 475
- Li, P. X., O. H. Campanella, and A. K. Hardacre. Using an in-line slit-die viscometer to study the effects of extrusion parameters on corn melt rheology, 70

- Li, Y. *See* R. Ruan, 182  
 ——. *See* Y. Yan, 561
- Lii, C., V. M.-F. Lai, and M.-C. Shen. Changes in retrogradation properties of rice starches with amylose content and molecular properties, 392  
 ——. *See* J.-J. Chen, 267
- Lin, X. *See* R. Ruan, 182
- Liu, B. *See* Z. Pan, 287
- Liukkonen, K.-H. *See* S. Kariluoto, 134
- Longobardi, L. *See* R. Capparelli, 456
- Lopes-Filho, J. F. *See* E. A. Brandemarte, 369
- Loponen, J., M. Mikola, K. Katina, T. Sontag-Srohm, and H. Salovaara. Degradation of HMW glutenins during wheat sourdough fermentations, 87
- Lummerzheim, M. *See* I. Tea, 759
- Maeda, T., J. H. Kim, and N. Morita. Evaluation of various baking methods for polished wheat flours, 660  
 ——. *See* M. Watanabe, 450
- Magnus, E. M. *See* A. Aamodt, 722
- Manthey, F. A., S. R. Yalla, T. J. Dick, and M. Badaruddin. Extrusion properties and cooking quality of spaghetti containing buckwheat bran flour, 232
- Marchylo, B. A. *See* K. Brijs, 361
- Marconi, E., M. C. Messia, G. Palleschi, and R. Cubadda. A maltose biosensor for determining gelatinized starch in processed cereal foods, 6
- Martin, J. M., L. E. Talbert, D. K. Habernicht, S. P. Lanning, J. D. Sherman, G. Carlson, and M. J. Giroux. Reduced amylose effects on bread and white salted noodle quality, 188
- Martling, S. E., S. J. Mulvaney, and C. Cohen. Effect of moisture content on viscoelastic properties of hydrated gliadin, 207
- Matsler, A. L. *See* C. A. Rohrer, 544  
 ——. *See* L. Wang, 389
- Matsumura, Y. *See* M. Seguchi, 633
- McClung, A. M. *See* E. T. Champagne, 237  
 ——. *See* M. Sohn, 341
- McMullen, M. S. *See* N. Vignaux, 377
- Meng, F. *See* Z. Pan, 287
- Messia, M. C. *See* E. Marconi, 6
- Mikola, M. *See* J. Loponen, 87
- Miladinov, V. *See* Y. Xu, 735
- Miller, J. A. *See* E. T. Champagne, 444
- Mizokami, Y. *See* S. Naito, 80
- Mizutani, U. *See* M. Seguchi, 633
- Modic, M. *See* V. Skrabanja, 172
- Monsoor, M. A., A. Proctor, and T. J. Siebenmorgen. Surface lipid and free fatty acid (FFA) content of bread and broken rice produced by milling after different drying treatments, 705
- Moon, T. W. *See* S. Shin, 194, 404
- Moore, M. M., T. J. Schober, P. Dockery, and E. K. Arendt. Textural comparisons of gluten-free and wheat-based doughs, batters, and breads, 567
- Moraru, C. I. *See* E. Gimeno, 100
- Morel, M.-H. *See* S. Domenek, 423
- Morita, N. *See* T. Maeda, 660  
 ——. *See* M. Watanabe, 450
- Motoi, H. *See* K. Irie, 350
- Mulvaney, S. J. *See* S. E. Martling, 207
- Mutters, R. *See* E. T. Champagne, 444
- Nagasawa, A. *See* T. I. Kojima, 746
- Naito, S., S. Fukami, Y. Mizokami, N. Ishida, H. Takano, M. Koizumi, and H. Kano. Effect of freeze-thaw cycles on the gluten fibrils and crumb grain structures of breads made from frozen doughs, 80
- . *See* K. Irie, 350
- Nakajima, H. *See* T. I. Kojima, 746
- Nakamura, C. *See* M. Seguchi, 633
- Nakamura, T. *See* K. Hayakawa, 666
- Naulet, N. *See* I. Tea, 759
- Ngadi, M. O. *See* L. J. Yu, 772
- Nguyen, L. T. *See* B.-K. Baik, 94
- O'Connor-Sánchez, A. *See* G. Ramos, 308
- Ohinata, H. *See* Y. Yoshimoto, 515
- Oldani, A. *See* S. Iametti, 15
- O'Sullivan, K. *See* C. I. Clarke, 409
- Ozawa, M. *See* M. Seguchi, 633
- Page, J. H. *See* H. M. Elmehdi, 504
- Palleschi, G. *See* E. Marconi, 6
- Pan, Z., W. Song, F. Meng, L. Xu, B. Liu, and J. Zhu. Note: Characterization of genes encoding wheat grain hardness from Chinese cultivar GaoCheng 8901, 287
- Panozzo, J. F. *See* C. K. Black, 469
- Park, C. S., and B.-K. Baik. Cooking time of white salted noodles and its relationship with protein and amylose contents of wheat, 165  
 —, and ——. Relationship between protein characteristics and instant noodle making quality of wheat flour, 159  
 —, and ——. Significance of amylose content of wheat starch on processing and textural properties of instant noodles, 521
- Park, K. H. *See* S. Shin, 194, 404
- Park, S. H., J. D. Wilson, O. K. Chung, and P. A. Seib. Size distribution and properties of wheat starch granules in relation to crumb grain score of pup-loaf bread, 699
- Park, W. *See* S. Sahlström, 328
- Pascut, S., N. Kelekci, and R. D. Waniska. Effects of wheat protein fractions on flour tortilla quality, 38
- Pasikatan, M. C., and F. E. Dowell. High-speed NIR segregation of high- and low-protein single wheat seeds, 145  
 ——. *See* T. C. Pearson, 490
- Patterson, J. A. *See* P. Zhang, 511
- Pearson, T. C., D. T. Wicklow, and M. C. Pasikatan. Reduction of aflatoxin and fumonisin contamination in yellow corn by high-speed dual-wavelength sorting, 490  
 ——. *See* F. Xie, 594
- Peighambardoust, S. H., A. J. van der Goot, R. J. Hamer, and R. M. Boom. A new method to study simple shear processing of wheat gluten-starch mixtures, 714
- Perez, O. E. *See* M. Haros, 10
- Peterson, C. J. *See* R. Graybosch, 19
- Pezet-Valdez, M. *See* G. Ramos, 308
- Piironen, V. *See* S. Kariluoto, 134
- Placencia, C. *See* G. Ramos, 308
- Pless, R. C. *See* G. Ramos, 308
- Pollak, L. M. *See* Y. Ji, 59
- Porrini, M. *See* C. Berti, 275
- Powers, J. *See* B.-K. Baik, 94
- Preston, K. R. *See* D. W. Hatcher, 303
- Proctor, A. *See* M. A. Monsoor, 705
- Quinde, Z., S. E. Ullrich, and B.-K. Baik. Genotypic variation in color and discoloration potential of barley-based food products, 752
- Ram, M. S., L. M. Seitz, and F. E. Dowell. Natural fluorescence of red and white wheat kernels, 244

- . *See* J. D. Hubbard, 693
- Ram, S., and R. P. Singh. Solvent retention capacities of Indian wheats and their relationship with cookie-making quality, 128
- Ramirez-Jimenez, A., B. Garcia-Villanova, and E. J. Guerra-Hernandez. Nonenzymatic browning during storage of infant cereals, 399
- Ramos, G., M. Pezet-Valdez, A. O'Connor-Sánchez, C. Placencia, and R. C. Pless. Hydration rates for various types of Mexican maize based on single-kernel measurements, 308
- Rayon, C. *See* M. S. Buckeridge, 115
- Restani, P. *See* C. Berti, 275
- Rimsten, L. *See* P. Áman, 356
- Robertson, G. H., and T. K. Cao. Proteins extracted by water or aqueous ethanol during refining of developed wheat dough to vital wheat gluten and crude starch as determined by capillary-zone electrophoresis (CZE), 673
- Rodríguez, M. E. *See* J. L. Fernández-Muñoz, 65
- Rohrer, C. A., A. L. Matsler, and T. J. Siebenmorgen. Comparison of three extraction systems for determining surface lipid content of thickness-fractionated milled rice, 544
- Rojas-Molina, I. *See* J. L. Fernández-Muñoz, 65
- Rolée, A. *See* E. Chiotelli, 459
- Rooney, L. W. *See* F. J. Bueso, 654
- . *See* S. Yetneberk, 314
- Rosell, C. M. *See* M. Haros, 10
- Rosén, J. *See* H. Fredriksson, 650
- Rout, M. K. *See* K. Seetharaman, 336
- Ruan, R., H. Lei, P. Chen, S. Deng, X. Lin, Y. Li, W. Wilcke, and G. Fulcher. Ozone-aided corn steeping process, 182
- Sahlström, S., W. Park, and D. R. Shelton. Factors influencing yeast fermentation and the effect of LMW sugars and yeast fermentation on hearth bread quality, 328
- Salgó, A. *See* R. Haraszi, 555
- Salovaara, H. *See* S. Kariluoto, 134
- . *See* J. Loponen, 87
- San Martín-Martínez, E. *See* J. L. Fernández-Muñoz, 65
- Sasaki, T., K. Kohyama, T. Yasui, and T. Satake. Rheological properties of white salted noodles with different amylose content at small and large deformation, 226
- Satake, T. *See* T. Sasaki, 226
- Scafuri, L. *See* S. Iametti, 15
- Scanlon, M. G. *See* H. M. Elmehdi, 504
- Schieberle, P. *See* C. Gellrich, 290, 296
- Schlichting, L. *See* K. Brijs, 361
- Schober, T. J. *See* C. I. Clarke, 409
- . *See* M. M. Moore, 567
- Schwartz, S. J. *See* Y. C. Zhang, 741
- Seetharaman, K., N. Yao, and M. K. Rout. Role of water in pretzel dough development and final product quality, 336
- . *See* Y. Ji, 55, 59
- . *See* A. Tziotis, 611
- Seguchi, M., and M. Abe. Effect of number of carbons in added disulfide on breadmaking quality, 710
- , M. Takemoto, U. Mizutani, M. Ozawa, C. Nakamura, and Y. Matsumura. Effects of secondary structures of heated egg white protein on the binding between prime starch and tailings fractions in fresh wheat flour, 633
- . *See* M. Hayashi, 589, 621
- Seib, P. A. *See* S. H. Park, 699
- Seitz, L. M. *See* M. S. Ram, 244
- Serna-Saldivar, S. O., S. Guajardo-Flores, and R. Viesca-Rios. Potential of triticale as a substitute for wheat in flour tortilla production, 220
- Shelton, D. R. *See* S. Sahlström, 328
- Shen, M.-C. *See* C. Lii, 392
- Sherman, J. D. *See* J. M. Martin, 188
- Shin, S. I., J. Byun, K. H. Park, and T. W. Moon. Effect of partial acid hydrolysis and heat-moisture treatment on formation of resistant tuber starch, 194
- , H. J. Choi, K. M. Chung, B. R. Hamaker, K. H. Park, and T. W. Moon. Slowly digestible starch from debranched waxy sorghum starch: Preparation and properties, 404
- Siebenmorgen, T. J. *See* M. A. Monsoor, 705
- . *See* C. A. Rohrer, 544
- . *See* L. Wang, 389
- Silva, L. *See* F. J. Bueso, 654
- Singh, R. P. *See* S. Ram, 128
- Singh, V. *See* D. B. Johnston, 626
- Skrabanja, V., I. Kreft, T. Golob, M. Modic, S. Ikeda, K. Ikeda, S. Kreft, G. Bonafaccia, M. Knapp, and K. Kosmelj. Nutrient content in buckwheat milling fractions, 172
- Sohn, M., F. E. Barton, II, A. M. Clung, and E. T. Champagne. Near-infrared spectroscopy for determination of protein and amylose in rice flour through use of derivatives, 341
- , D. S. Himmelsbach, and F. E. Barton, II. A comparative study of Fourier Transform Raman and NIR spectroscopic methods for assessment of protein and apparent amylose in rice, 429
- Song, W. *See* Z. Pan, 287
- Sontag-Srohms, T. *See* J. Loponen, 87
- Souza, E. J. *See* M. J. Guttieri, 261
- Stobbe, K. *See* F. Temelli, 499
- Sun, M. *See* Y. Yan, 561
- Sun, X. S. *See* F. Xie, 249
- Takano, H. *See* S. Naito, 80
- Takase, Y. *See* Y. Yoshimoto, 515
- Takeda, G. *See* C. Kiribuchi-Otobe, 48
- Takeda, Y. *See* T. Gaffa, 255
- . *See* Y. Yoshimoto, 515
- Takemoto, M. *See* M. Seguchi, 633
- Talbert, L. E. *See* J. M. Martin, 188
- Tallving, J. *See* H. Fredriksson, 650
- Tam, L. M., H. Corke, W. T. Tan, J. Li, and L. S. Collado. Production of *Bihon*-type noodles from maize starch differing in amylose content, 475
- Tan, E. *See* E. T. Champagne, 444
- Tan, W. T. *See* L. M. Tam, 475
- Tanaka, K. *See* K. Hayakawa, 666
- Taylor, J. R. N. *See* L. S. da Silva, 322
- . *See* S. Yetneberk, 314
- Tea, I., T. Genter, N. Naulet, V. Boyer, M. Lummerzheim, and D. Kleiber. Effect of foliar sulfur and nitrogen fertilization on wheat storage protein composition and dough mixing properties, 759
- Temelli, F., C. Bansema, and K. Stobbe. Development of an orange-flavored  $\beta$ -glucan beverage, 499
- Thompson, D. B. *See* A. Evans, 31
- Thompson, J. F. *See* E. T. Champagne, 444
- Tilley, M. PCR amplification of wheat sequences from DNA extracted during milling and baking, 44
- Tiné, M. A. S. *See* M. S. Buckeridge, 115
- Tömösközi, S. *See* R. Haraszi, 555
- Toufeili, I., and J. L. Kokini. Glass transition behavior and rheological properties of surfactants and gluten-surfactant mixtures, 582
- Trogh, I., C. M. Courtin, and J. A. Delcour. Isolation and characterization of water-extractable arabinoxylan from hull-less barley flours, 576
- Tsukahara, K. *See* M. Watanabe, 450
- Tziotis, A., K. Seetharaman, K. Wong, J. D. Klucinec, J. Jane, and P. J. White. Structural properties of starch fractions

- isolated from normal and mutant corn genotypes using different methods, 611
- Ullrich, S. E. *See* Z. Quinde, 752
- Urbanowicz, B. *See* M. S. Buckeridge, 115
- Vahteristo, L. *See* S. Kariluoto, 134
- Valtierra, M. E. *See* J. L. Fernández-Muñoz, 65
- van der Goot, A. J. *See* S. H. Peighambardoust, 714
- Ventimiglia, I. *See* R. Capparelli, 456
- Viesca-Rios, R. *See* S. O. Serna-Saldivar, 220
- Vignaux, N., D. C. Doehlert, J. Hegstad, E. M. Elias, M. S. McMullen, L. A. Grant, and S. F. Kianian. Grain quality characteristics and milling performance of full and partial waxy durum lines, 377
- Viscardi, M. *See* R. Capparelli, 456
- Vodovotz, Y. *See* Y. C. Zhang, 741
- Wampler, J. L. *See* P. Zhang, 511
- Wang, C., M. I. P. Kovacs, D. B. Fowler, and R. Holley. Effects of protein content and composition on white noodle making quality: Color, 777
- Wang, L., T. J. Siebenmorgen, A. D. Matsler, and R. C. Bautisa. Note: Effects of rough rice moisture content at harvest on peak viscosity, 389
- , and Y.-J. Wang. Application of high-intensity ultrasound and surfactants in rice starch isolation, 140
- Wang, Y.-J. *See* L. Wang, 140
- Waniska, R. D. *See* F. P. Bejosano, 77
- . *See* F. J. Bueso, 654
- . *See* S. Pascut, 38
- Watanabe, M., T. Maeda, K. Tsukahara, H. Kayahara, and N. Morita. Application of pregerminated brown rice for bread-making, 450
- Weller, C. L. *See* K. T. Hwang, 345
- Whistler, R. L. *See* P. Zhang, 511
- Whitaker, A. M., and S. A. Barringer. Measurement of contour and volume changes during cake baking, 177
- White, P. J. *See* M. Colleoni-Sirghie, 434, 686
- . *See* Y. Ji, 55, 59
- . *See* E. Lenihan, 527
- . *See* A. Tziotis, 611
- Wicklow, D. T. *See* T. C. Pearson, 490
- Wieser, H. *See* C. Gellrich, 290, 296
- Wilcke, W. *See* R. Ruan, 182
- Wilson, J. D. *See* S. H. Park, 699
- Wong, K. *See* A. Tziotis, 611
- Xiao, Y. *See* Y. Yan, 561
- Xie, F., F. E. Dowell, and X. S. Sun. Using visible and near-infrared reflectance spectroscopy and DSC to study starch, protein, and temperature effects on bread staling, 249
- , T. Pearson, F. E. Dowell, and N. Zhang. Detecting vitreous wheat kernels using reflectance and transmittance image analysis, 594
- Xu, L. *See* Z. Pan, 287
- Xu, Y., V. Miladinov, and M. A. Hanna. Synthesis and characterization of starch acetates with high substitution, 735
- Yalla S. R. *See* F. A. Manthey, 232
- Yan, Y., Y. Jiang, M. Sun, J. Yu, Y. Xiao, J. Zheng, Y. Hu, M. Cai, Y. Li, S. L. K. Hsam, and F. J. Zeller. Rapid identification of HMW glutenin subunits from different hexaploid wheat species by acidic capillary electrophoresis, 561
- Yanagisawa, T., C. Kiribuchi-Otobe, and M. Fujita. Increase in apparent amylose content and change in starch pasting properties at cool growth temperatures in mutant wheat, 26
- . *See* C. Kiribuchi-Otobe, 48
- Yao, N. *See* K. Seetharaman, 336
- Yasui, T. *See* M. Hayashi, 589
- . *See* T. Sasaki, 226
- Yetneberk, S., H. L. de Kock, L. W. Rooney, and J. R. N. Taylor. Effects of sorghum cultivar on *injera* quality, 314
- Yoshida, M. *See* K. Irie, 350
- . *See* T. I. Kojima, 746
- Yoshimoto, Y., T. Egashira, I. Hanashiro, H. Ohinata, Y. Takase, and Y. Takeda. Molecular structure and some physicochemical properties of buckwheat starches, 515
- . *See* T. Gaffa, 255
- Yu, J. *See* Y. Yan, 561
- Yu, L. J., and M. O. Ngadi. Textural and other quality properties of instant fried noodles as affected by some ingredients, 772
- Zeller, F. J. *See* Y. Yan, 561
- Zhang, N. *See* F. Xie, 594
- Zhang, P., J. L. Wampler, A. K. Blunia, K. M. Burkholder, J. A. Patterson, and R. L. Whistler. Effects of arabinoxylans on activation of murine macrophages and growth performance of broiler chicks, 511
- Zhang, Y. C., J. H. Lee, Y. Vodovotz, and S. J. Schwartz. Changes in distribution of isoflavones and  $\beta$ -glucosidase activity during soy bread proofing and baking, 741
- Zheng, J. *See* Y. Yan, 561
- Zhu, J., and K. Khan. Characterization of glutenin protein fractions from sequential extraction of hard red spring wheats of different breadmaking quality, 681
- . *See* Z. Pan, 287