

Subject Index to Volume 81

- Acetic acid, fractionation of wheat flour (Seguchi et al), 633
- Acidic capillary electrophoresis, to identify HMW glutenin subunits of different hexaploid wheat species (Yan et al), 561
- Acidity, formation in sourdough; influence of processing conditions (Kati et al), 598
- Acknowledgment of reviewers, iii
- Alkaline, water retention capacity; effect on cookie-making quality (Ram and Singh), 128
- Amino acids
- formation in sourdough; influence of processing conditions (Kati et al), 598
 - sequences: of secalin peptides (Gellrich et al), 296; γ -75k secalins (Gellrich et al), 290
- Amylase, maltogenic, to prevent amylopectin recrystallization and delay corn tortilla staling (Bueso et al), 654
- α -Amylase, digestion resistance; in maize starches (Evans and Thompson), 31
- Amylopectin
- recrystallization; prevented by combined maltogenic amylase with CMC or wheat gluten (Bueso et al), 654
 - structures of buckwheat starches (Yoshimoto et al), 515
- Amylose
- content: increase at cool growth temperature (Yanagisawa et al), 26; and structures of buckwheat starches (Yoshimoto et al), 515; of wheat, relation to cooking time of white salted noodles (Park and Baik), 165; of white salted noodles, rheological properties (Sasaki et al), 226
 - effects on bread and noodle quality (Martin et al), 188
 - fraction; in waxy wheat starch granules and its contribution to granular stability (Hayashi et al), 589
 - in rice, assessed by NIR and Raman spectroscopies (Sohn et al), 429
 - in rice flour; NIR spectroscopy to determine, derivative use (Sohn et al), 341
 - seasonal effects in rice flour (Dang and Copeland), 486
- Arabinoxylans
- effect on activation of murine macrophages and growth performance of broiler chicks (Zhang et al), 511
 - water-extractable, purified from hull-less barley flours (Trogh et al), 576
- Baking
- cake, contour and volume changes during (Whitaker and Barringer), 177
 - effect on wheat DNA (Tilley), 44
 - evaluation of various methods for polished wheat flours (Maeda et al), 660
 - method and fermentation effect on folate content of rye and wheat breads (Kariluoto et al), 134
 - quality; evaluation of eating quality of white bread and sponge cake from blended flour (Hayakawa et al), 666
 - soy bread; isoflavonone distribution and β -glucosidase activity (Zhang et al), 741
- Barley
- food products; genotypic variation in color and discoloration potential of (Quinde et al), 752
 - β -glucan beverage; development of orange-flavored (Temelli et al), 499
 - regular and waxy flour; extrusion for cereal production (Baik et al), 94
- Batters, wheat-based, textural comparison with gluten-free breads and dough (Moore et al), 567
- Beverage, barley β -glucan, development of orange-flavored (Temelli et al), 499
- Biosensor, maltose, to determine gelatinized starch in processed cereal (Marconi et al), 6
- Bran
- addition effect on hearth bread (Aamodt et al), 722
 - buckwheat milling fractions, nutrient content (Skrabanja et al), 172
 - sorghum, edible films from kafirin extracted from (da Silva and Taylor), 322
- Bread
- acrylamide content reduced by fermentation (Fredriksson et al), 650
 - crumb; effects of size distribution and properties of wheat starch granules (Park et al), 699
 - freeze damage on crumb grain and on underlying gluten fibrils (Naito et al), 80
 - gluten-free, textural comparison with wheat doughs and batters (Moore et al), 567
 - hearth: effect of LMW sugars and yeast fermentation (Sahlström et al), 228; factors affecting interaction on (Aamodt et al), 722
 - reduced amylose effects (Martin et al), 188
 - soy, proofing and baking, isoflavonone distribution and β -glucosidase activity (Zhang et al), 741
 - staling mechanism; affected by starch, protein, and temperature (Xie et al), 249
 - white, properties and eating quality from waxy wheat flour (Hayakawa et al), 666
- Breadmaking
- quality affected by number of carbons in added disulfide (Seguchi and Abe), 710
 - quality of: glutenin fractions (Zhu and Khan), 681; pregerminated brown rice flour bread (Watanabe et al), 450
- Breeding, sorting single seeds for protein (Pasikatan and Dowell), 145
- Brown rice, flour bread; pregerminated quality (Watanabe et al), 450
- Buckwheat
- bran flour; extrusion properties and cooking quality of spaghetti containing (Manthey et al), 232
 - milling fractions; nutrient content (Skrabanja et al), 172
 - starch; structures and physicochemical properties (Yoshimoto et al), 515
- Cakes
- eating quality from blended flour including waxy wheat flour (Hayakawa et al), 666
 - effect of Nutrim oat bran and flaxseed as fat replacer (Lee et al), 637
 - volume and contour; measurement during baking (Whitaker and Barringer), 177
- Calcium, ion diffusion; in maize kernel components during nixtamalization (Fernández-Muñoz et al), 65
- Celiac disease, genetic disorder that damages villi of intestines in patients intolerant to gluten (Capparelli et al), 456

- Cell walls, β -glucan dynamics during cell growth (Buckeridge et al), 115
- Cereal
- based composite foods; monoglyceride edible film in, temperature effect on moisture of (Guillard et al), 767
 - infant, nonenzymatic browning during storage of (Ramirez-Kimenez et al), 399
 - processed, gelatinized starch in, determined by maltose biosensor (Marconi et al), 6
 - RTE, extrusion of regular and waxy flour for production (Baik et al), 94
 - starch; granular cold-water gelling starches of (Baik and Jackowski), 538
- Color
- of Asian noodles; mixer evaluation (Hatcher and Preston), 303
 - and furosine; indicators of nonenzymatic browning (Ramirez-Kimenez et al), 399
 - genotypic variation in, barley-based food products (Quinde et al), 752
 - measuring of a sample; to classify and grade (Black and Panozzo), 469
 - wheat, determining class (Ram et al), 244
 - white noodle making (Wang et al), 777
- Confocal laser scanning microscopy, utilization to locate starch granule sites (Gray and BeMiller), 278
- Cookies
- quality: application of SRC and SDS of soft wheat breeding populations (Guttieri et al), 261; solvent retention capacities of Indian wheats (Ram and Singh), 128
 - sugar-snap: prediction of diameter using sucrose solvent retention capacity, milling softness, and flour protein content (Gaines), 549
- Cooking, time of white salted noodles; relation to protein and amylose contents of wheat (Park and Baik), 165
- Corn (see also Maize)
- enzymatic milling; optimization of soaking, grinding, and enzyme inoculation steps (Johnston and Singh), 626
 - flour pellets; xanthan gum and CMC on structure and texture of (Gimeno et al), 100
 - grain; optical sorting to remove aflatoxin and fumonisin (Pearson et al), 490
 - lines; exotic, corn starch thermal properties (Ji et al), 59
 - melt rheology; extrusion parameter effects on (Li et al), 70
 - mutants; starch structure by various methods (Tziotis et al), 611
 - starch thermal properties (Lenihan et al), 527
 - steeping; new process developed (Ruan et al), 182
 - wet milling; lactic acid effect on starch properties (Haros et al), 10
- Corn starch
- extraction; effects on yield, protein content, and thermal properties (Ji et al), 55
 - with low gelatinization onset temperature (Ji et al), 59
 - pasting properties; corn wet-milling, lactic acid effect (Haros et al), 10
 - structure determination by various methods (Tziotis et al), 611
 - yield; steeping efficiency evaluated (Ruan et al), 182
- Differential scanning calorimetry
- for analysis of thermal properties of slowly digestible sorghum starch (Shin et al), 404
 - bread staling rate; starch, protein, and temperature effects on staling (Xie et al), 249
 - rapid screening of starch properties (Lenihan et al), 527
- Distillers grains, sorghum, policosanol levels (Hwang et al), 345
- Disulfide
- bonds; of γ -75k secalins (Gellrich et al), 290
 - number of carbons in, effect on breadmaking quality (Seguchi and Abe), 710
- Dough
- effect on rheological properties of pregerminated brown rice flour (Watanabe et al), 450
 - free asparagine in, reduced by fermentation (Fredriksson et al), 650
 - frozen and thawed (Naito et al), 80
 - gluten network formation (Peighambardoust et al), 714
 - mixing properties; development time, stability, and breakdown determined with micro Z-arm mixer (Haraszi et al), 555
 - quality; effect of nitrogen fertilizer on wheat flour characteristics (Boehm et al), 51
 - viscoelastic properties determined by ultrasound (Elmehdi et al), 504
 - wheat-based, textural comparison with gluten-free breads and batters (Moore et al), 567
 - wheat flour, rheological properties of, salt and triglyceride effect (Chiotelli et al), 459
- Electrophoresis, of glutenin fractions (Zhu and Khan), 681
- Endosperm, vitreousness of maize grain (Landry et al), 153
- Endoxylanases, influence on pasta production in combination with reduced water levels (Brijs et al), 361
- Environment
- effect of temperate and tropical on corn starch thermal properties (Ji et al), 59
 - influence on: pasting properties of rice flour (Dang and Copeland), 486; sensory characteristics of diverse rice cultivars (Champagne et al), 237
- Enzymes, proteinases present in sourdough (Loponen et al), 87
- Extraction
- comparison of three to determine surface lipid content of thickness-fractionated milled rice (Rohrer et al), 544
 - lipid, of wheat flour using SFE (Hubbard et al), 693
 - sequential, for glutenin fractions (Zhu and Khan), 681
- Extrusion
- properties; of spaghetti with buckwheat bran flour (Manthey et al), 232
 - of regular and waxy barley flours; for cereal production (Baik et al), 94
 - viscometer to study effects of on corn melt rheology (Li et al), 70
- Fermentation
- effect on folate content of rye and wheat breads (Kariluoto et al), 134
 - free asparagine in dough and acrylamide content in bread reduced by (Fredriksson et al), 650
- Fiber, foams; blended with starch acetate foams, functional properties of (Guan et al), 199
- Films, kafirin, properties of (da Silva and Taylor), 322
- Flavor
- rice, iron source and concentration impact on (Bett-Garber et al), 384
 - of white rice; storage impact of paddy rice on (Champagne et al), 444
- Flaxseed, effect on rheological properties of baked products (Lee et al), 637
- Flour
- buckwheat milling fractions, nutrient content (Skrabanja et al), 172
 - fresh wheat, binding of prime starch and tailings fractions (Seguchi et al), 633

- hull-less barley, isolation and characterization of water-extractable arabinoxylan (Trogh et al), 576
- for Japanese noodles; moisture and texture (Kojima et al), 746
- polished wheat, evaluation of various baking methods for (Maeda et al), 660
- water absorption; prediction from single measurement using micro Z-arm mixer (Haraszi et al), 555
- waxy wheat, end use quality in various grain-based foods (Hayakawa et al), 666
- Flow cytometry, method for quantifying components or structural features of cells primarily by optical means (Capparelli et al), 456
- Fluorescence, wheat, whole kernels (Ram et al), 244
- Foams, extruded starch acetate and natural fiber, (Guan et al), 199
- Folate, content of rye and wheat breads; effect of baking method and fermentation on (Kariluoto et al), 134
- Fractionation, of rye flour proteins (Gellrich et al), 290

- Gelatinization, rheological properties of rice starch blends (Chen et al), 267
- Genetics, influence on sensory characteristics of diverse rice cultivars (Champagne et al), 237
- Germination, endo- and exo- β -D-glucanases (Buckeridge et al), 115
- Glass transition
 - measurement by DSC of plasticized zein (Lawton), 1
 - of surfactants and gluten-surfactant mixtures (Toufeili and Kokini), 582
- Gliadin
 - to-gluten ratio; effects on water absorption and dough development time (Haraszi et al), 555
 - hydrated, moisture effect on viscoelastic properties of (Martling et al), 207
 - immunoassay; ELISA to determine in glucose syrups (Iametti et al), 15
 - quantification by flow cytometry (Capparelli et al), 456
- β -Glucan
 - barley beverage, development of orange-flavored (Temelli et al), 499
 - biosynthesis at the Golgi membrane (Buckeridge et al), 115
 - in oat-based foods; molecular weight distribution in (Åman et al), 356
 - pasting and thermal properties of oat lines with high and typical amounts (Colleoni-Sirghie et al), 686
 - prediction of concentration in flours by viscosity (Colleoni-Sirghie et al), 434
- Glucose, syrups; ELISA determination of gliadin (Iametti et al), 15
- Gluten
 - extraction of proteins by water or ethanol during dough mixing (Robertson and Cao), 673
 - rheological properties in presence of surfactants (Toufeili and Kokini), 582
 - in pretzel dough and product quality (Seetharaman et al), 336
- Glutenin
 - degradation in wheat sourdough, depolymerization (Loponen et al), 87
 - sequential extraction with HCl (Zhu and Khan), 681
- Grain, quality; full and partial waxy durum wheat (Vignaux et al), 377

- High molecular weight (HMW) glutenin subunits (GS)
 - composition; effects on dough development time obtained with 2-g mixograph and micro Z-arm mixer (Haraszi et al), 555
 - identification and separation from different hexaploid wheats by acidic capillary electrophoresis (A-CE) method (Yan et al), 561
- Hydration, rates of maize; single-kernel measurements (Ramos et al), 308

- Image analysis, reflectance and transmittance, predicting wheat vitreousness (Xie et al), 594
- Injera, quality from sorghum and tef (Yetneberk et al), 314
- Instructions to authors, v
- Iron, source and concentration effect on rice flavor (Bett-Garber et al), 384

- Kafirin, properties of films from (da Silva and Taylor), 322

- Leavening, bicarbonate, functionality in wheat flour tortillas (Bejosano and Waniska), 77
- Legumes, granular cold-water gelling starches of (Baik and Jackowski), 538
- Lipids
 - free, SFE extraction of wheat flour (Hubbard et al), 693
 - sorghum, long-chained alcohols (Hwang et al), 345
 - surface, in head and broken rice, milling and drying (Monsoor et al), 705

- Maize (see also Corn)
 - endosperm; floury and vitreous parts, N distribution (Landry et al), 153
 - hydration rates; single-kernel measurements (Ramos et al), 308
 - kernels; calcium ion diffusion in during nixtamalization (Fernández-Muñoz et al), 65
 - starch: α -amylase digestion resistance (Evans and Thompson), 31; pasting properties affected by ferulic acid and catechin (Beta and Corke), 418; physicochemical properties of (Brandemarte et al), 369
 - starch granules; surfactant effects on rheological properties of (Kurakake et al), 108
 - starch noodles; production of Bihon-type noodles from (Tam et al), 475
- Methods, soft wheat flour quality evaluated by SRC (Guttieri et al), 261
- Microscopy, of pretzel dough and product (Seetharaman et al), 336
- Microwave, expansion of corn flour pellets (Gimeno et al), 100
- Millet, starches; physicochemical properties and molecular structures of, in Nigeria (Gaffa), 255
- Milling
 - of corn; optimization of soaking, grinding, and enzyme inoculation steps (Johnston and Singh), 626
 - full and partial waxy durum wheat performance (Vignaux et al), 377
 - of rice; drying effect, lipid and FFA content (Monsoor et al), 705
- Mixing
 - mechanical properties of bread dough (Elmehdi et al), 504
- Moisture
 - barrier efficiency; edible films, temperature effect (Guillard et al), 767
 - content; effect on viscoelastic properties of hydrated gliadin (Martling et al), 207
 - in cooked spaghetti; MRI to determine (Irie et al), 350
 - distribution in Japanese noodles (Kojima et al), 746
 - rough rice, effects on peak viscosity at harvest (Wang et al),

Molecular structures, amylopectin and amylose unit chain distribution, in Nigeria (Gaffa et al), 255

MRI

- moisture distribution in cooked spaghetti (Irie et al), 350
 - visualization and image analysis of crumb grain of baked bread (Naito et al), 80
- Mycotoxins, aflatoxin and fumonisin contamination of corn (Pearson et al), 490

NIR spectroscopy

- for assessment of protein and apparent amylose in rice (Sohn et al), 429
- bread staling rate; starch, protein, and temperature effects on staling (Xie et al), 249
- in classification of infested and mycotoxin-contaminated grains (Pearson et al), 490
- derivatives to determine protein and amylose in rice flour (Sohn et al), 341
- to detect scab damage in hard red spring wheat kernels (Delwiche and Hareland), 643
- to measure color values of grain (Black and Panozzo), 469

Nitrogen, fertilizer; effect on wheat flour characteristics and dough quality (Boehm et al), 51

Nixtamalization, for study of calcium ion diffusion in maize kernel components (Fernández-Muñoz et al), 65

Noodles

- Asian, centrifugal mixer to evaluate (Hatcher and Preston), 303
- Bihon-type, starch noodles from maize or rice (Tam et al), 475
- cooking time relation with protein and amylose contents of wheat (Park and Baik), 165
- discoloration by polyphenol oxidases (Jukanti et al), 481
- of hard winter wheat; quality, color, and texture of (Graybosch et al), 19
- instant fried: ingredient effect on texture and quality (Yu and Ngadi), 772; relation between protein characteristics and (Park and Baik), 159
- instant, processing and textural properties of, wheat starch amylose content (Park and Baik), 521
- Japanese, moisture and texture effect on flour of (Kojima et al), 746
- rheological properties affecting amylose content of (Sasaki et al), 226
- white: salted, reduced amylose effects (Martin et al), 188; effect of protein on (Wang et al), 777

Oat bran, Nutrim, hydrocolloid prepared by thermo-mechanically shearing oats (Lee et al), 637

Oats

- flours; β -glucan impact on pasting and thermal properties (Colleoni-Sirghie et al), 686
- β -glucan molecular weight distribution in (Åman et al), 356
- prediction of concentration in flours by viscosity (Colleoni-Sirghie et al), 434

Oil, binding; of waxy wheat starch granules (Hayashi and Seguchi), 621

Oligosaccharides, in wheat flours; measurement of yeast fermentation rate (Sahlström et al), 228

Ozone, use in corn steeping (Ruan et al), 182

Pasta

- production; influence of endoxylanases and reduced water levels (Brijs et al), 361

—simple shear effect on overall cooking properties of pasta-like products (Peighambardoust et al), 714

—spaghetti with buckwheat bran flour; extrusion quality and cooking quality of (Manthey et al), 232

Pasting properties, of oats with various β -glucan amounts (Colleoni-Sirghie et al), 686

Physicochemical properties, including pasting and proportion of amylose and amylopectin components and their iodine affinities, in Nigeria (Gaffa), 255

Policosanols, sorghum, content and composition (Hwang et al), 345

Polyphenol oxidase, discoloring enzymes in wheat products, genes, gene family, DNA sequence (Jukanti et al), 481

Potato, starch; resistant, characterization of partially acid-hydrolyzed, with autoclaving-cooling followed by heat-moisture treatment (Shin et al), 194

Pretzel, dough development; gluten and starch roles in product quality (Seetharaman et al), 336

Processing

—enzymatic milling of corn, optimization of soaking, grinding, and enzyme inoculation steps (Johnston and Singh), 626

—simple shear, wheat GS blends, new shearing device (Peighambardoust et al), 714

Proofing, soy bread; isoflavonone distribution and β -glucosidase activity (Zhang et al), 741

Protein

—aggregation degree influence; on mass transport through wheat gluten membranes (Domenek et al), 423

—composition; under foliar sulfur and nitrogen fertilization (Tea et al), 759

—content and quality; effect on hearth bread (Aamodt et al), 722

—content; relation between instant noodle making quality and (Park and Baik), 159

—content of wheat; relation to cooking time of white salted noodles (Park and Baik), 165

—content of wheat; response to nitrogen fertilization (Wang et al), 777

—distribution in maize endosperm (Landry et al), 153

—egg white, secondary structures of (Seguchi et al), 633

—glutenin extraction (Zhu and Khan), 681

—in quinoa; immunochemical and molecular properties of (Berti et al), 275

—rice, assessed by NIR and Raman spectroscopies (Sohn et al), 429

—in rice flour; NIR spectroscopy to determine, derivative use (Sohn et al), 341

—rye storage (Gellrich et al), 290, 296

—sorting single kernels (Pasikatan and Dowell), 145

—water and ethanol extraction from dough and batter (Robertson and Cao), 673

—wheat fractions, effect on flour tortilla quality (Pascut et al), 38

Puroindoline, protein associated with wheat grain texture (Pan et al), 287

Quinoa, proteins in, immunochemical and molecular properties of (Berti et al), 275

Raman spectroscopy, for assessment of protein and apparent amylose in rice (Sohn et al), 429

Rheological properties

—of maize starch granules; effect of surfactants on (Kurakake et al), 108

—of rice starch blends; composition dependencies (Chen et al), 267

- of soft wheat flour doughs; salt and triglyceride effect (Chiotelli et al), 459
- of white salted noodles; different amylose content (Sasaki et al), 226
- Rheology
 - corn melt, extrusion effects, viscometer for (Li et al), 70
 - properties of dough; ultrasonic determination (Elmehdi et al), 504
- Rice
 - diverse cultivars, influence of genetics and environment on sensory characteristics (Champagne et al), 237
 - flavor; effect of iron source and concentration impact on (Bett-Garber et al), 384
 - flour: genotype and environmental influences on pasting properties (Dang and Copeland), 486; protein and amylose in, determined by NIR spectroscopy (Sohn et al), 341
 - milled white flour, impact of storage of paddy rice on (Champagne et al), 444
 - milling and drying of head and broken, lipid and FFA content (Monsoor et al), 705
 - protein and apparent amylose; NIR and Raman spectroscopic methods to assess (Sohn et al), 429
 - rough at harvest, moisture content effects on peak viscosity (Wang et al), 389
 - starch blends; rheological properties of, composition dependencies (Chen et al), 267
 - starch isolation; using high-intensity ultrasound and surfactants (Wang and Wang), 140
 - starch; multiple effects of composition and structure, retrogradation (Lii et al), 392
 - thickness-fractionated milled, surface lipid content determination by three extraction systems (Rohrer et al), 544
- RP-HPLC
 - of peptides (Gellrich et al), 296
 - separation of proteins and peptides (Gellrich et al), 290
- Rye
 - bread; folate content affected by baking method and fermentation (Kariluoto et al), 134
 - characterization of secalins (Gellrich et al), 290, 296
- Scanning electron microscopy
 - image of grain pore walls washed with water (Naito et al), 80
 - to study structural properties of slowly digestible sorghum starch (Shin et al), 404
- SDS-PAGE, of glutenin fractions (Zhu and Khan), 681
- SE-HPLC, to predict wheat quality in Ethiopia (Labuschagne et al), 533
- Solvent, prediction of sugar-snap cookie diameter using sucrose solvent retention capacity, milling softness, and flour protein content (Gaines), 549
- Sorghum
 - effect of cultivar on injera quality (Yetneberk et al), 314
 - kafirin films from milling fractions (da Silva and Taylor), 322
 - policosanols levels in kernels and DDG (Hwang et al), 345
 - starch: cooked and debranched by isoamylase for various reaction times (Shin et al), 404; pasting properties affected by ferulic acid and catechin (Beta and Corke), 418; physicochemical properties and molecular structures of, in Nigeria (Gaffa), 255
- Sourdough
 - fundamental rheology and laser scanning confocal microscopy (Clarke et al), 409
 - influence of processing conditions and starter culture (Kati et al), 598
 - protein degradation, glutenin depolymerization, proteinase activity (Loponen et al), 87
- Spaghetti
 - with buckwheat bran flour; extrusion quality and cooking quality of (Manthey et al), 232
 - cooked, moisture distribution and texture of (Irie et al), 350
 - Staling, firming of injera over storage (Yetneberk et al), 314
- Starch
 - acetate foams; blended with natural fiber foams, functional properties of (Guan et al), 199
 - acetates with substitution; synthesis and characterization (Xu et al), 735
 - cereal and legume using ammonia and ethanol, granular cold-water gelling (Baik and Jackowski), 538
 - extraction; affected by steeping time, number of kernels, sedimentation (Ji et al), 55
 - gelatinized, in processed cereal, maltose biosensor to determine (Marconi et al), 6
 - granules; R-CLSM to locate sites (Gray and BeMiller), 278
 - maize, α -amylase digestion resistance (Evans and Thompson), 31
 - noodle extruder; for starch noodle processing (Tam et al), 475
 - pasting property change at cool growth temperature (Yanagisawa et al), 26
 - rice, retrogradation kinetics, multiple factors (Lii et al), 392
 - role on pretzel dough and product quality (Seetharaman et al), 336
 - slowly digestible, produced from cooked and debranched sorghum starch (Shin et al), 404
 - sorghum and maize, pasting properties affected by ferulic acid and catechin (Beta and Corke), 418
 - structure; comparison by various methods (Tziotis et al), 611
 - structures and properties of, from buckwheat (Yoshimoto et al), 515
 - thermal properties, rapid screening (Lenihan et al), 527
 - tuber, resistant, effect of acid hydrolysis and heat-moisture treatment on formation of (Shin et al), 194
 - waxy wheat granules: and granule ghosts, oil binding of (Hayashi and Seguchi), 621; presence of amylose fraction in and contribution to granular stability (Hayashi et al), 589
 - waxy wheat, pasting properties, amylose content (Kiribushi-Otobe et al), 48
 - wheat, amylose content effect on instant noodles (Park and Baik), 521
- Storage
 - impact of paddy rice on white rice flavor (Champagne et al), 444
 - of infant cereals; nonenzymatic browning during (Ramirez-Kimenez et al), 399
- Sulfur dioxide, steeping comparison with ozone (Ruan et al), 182
- Surfactants
 - effect on rheological properties of maize starch granules (Kurakake et al), 108
 - in rice starch isolation (Wang and Wang), 140
 - surface-active agents (Toufeili and Kokini), 582
- Temperature
 - effect on barrier efficiency of edible films; cereal-based composite foods (Guillard et al), 767
 - effects on protein extraction from dough (Robertson and Cao), 673
- Texture
 - of Asian noodles; mixer evaluation (Hatcher and Preston), 303
 - in cooked spaghetti; MRI to determine (Irie et al), 350
 - of corn flour pellets; effect of xanthan gum and CMC on (Gimeno et al), 100

- of instant fried noodles; ingredient effect (Yu and Ngadi), 772
- Thermal properties**
 - of corn starch; from three successive generations and tropical environments (Ji et al), 59
 - of oats with various β -glucan amounts (Colleoni-Sirghie et al), 686
 - starch, affected by extraction method (Ji et al), 55
- Tortillas**
 - corn, staling delayed by combined maltogenic amylase with CMC or wheat gluten (Bueso et al), 654
 - quality affected by wheat protein fractions (Pascut et al), 38
 - triticale as wheat substitute in (Serna-Saldiva et al), 220
 - wheat flour, bicarbonate leavener functionality in (Bejosano and Waniska), 77
- Triticale, potential as wheat substitute in tortillas (Serna-Saldiva et al), 220**

- Ultrasound, in rice starch isolation (Wang and Wang), 140**

- Viscoelastic properties, moisture effect on hydrated gliadin (Martling et al), 207**
- Viscometer, in-line slit-die, to study effects of extrusion on corn melt rheology (Li et al), 70**
- Viscosity**
 - prediction of β -glucan concentration (Colleoni-Sirghie et al), 434
 - rough rice moisture effects at harvest on (Wang et al), 389
- Vitreousness, durum wheat grading method with image analysis (Xie et al), 594**
- Volatile compounds, formation in sourdough, influence of processing conditions (Kati et al), 598**

- Water**
 - absorption in plasticized zein films (Lawton), 1
 - role on pretzel breakage (Seetharaman et al), 336
- Wet-milling**
 - of corn; lactic acid effect on starch properties (Haros et al), 10
 - effect of steeping conditions on (Brandemarte et al), 369
- Wheat**
 - Asian noodle quality genotypic and environmental modification of (Graybosch et al, 19)
 - bread; folate content affected by baking method and fermentation (Kariluoto et al), 134
 - cold ethanol method for gluten (Robertson and Cao), 673
 - durum, grain quality and milling performance of (Vignaux et al), 377
 - flour capacity evaluated by SRC (Guttieri et al), 261
 - flour doughs; rheological properties of, salt and triglyceride effect (Chiotelli et al), 459
 - flour: evaluation of Asian noodles with centrifugal mixer (Hatcher and Preston), 303; lipid extraction from using SFE (Hubbard et al), 693; nitrogen fertilizer effect on (Boehm et al), 51; relation between protein and noodle making quality (Park and Baik), 159
 - fluorescence; for determining color class (Ram et al), 244
 - gluten membranes; influence of degree of protein aggregation on mass transport through (Domenek et al), 423
 - hard red spring kernels, detection of scab damage by NIR (Delwiche and Hareland), 643
 - hexaploid, identification of HMW-GS by A-CE method (Yan et al), 561
 - high-speed sorting (Pasikatan and Dowell), 145
 - molecular biology of polyphenol oxidases (Jukanti et al), 481
 - protein; effect of foliar sulfur and nitrogen fertilization on dough mixing properties (Tea et al), 759
 - protein fraction effect on flour tortilla quality (Pascut et al), 38
 - puroindoline grain hardness; gene characterization (Pan et al), 287
 - quality predicted with SE-HPLC, in Ethiopia (Labuschagne et al), 533
 - starch granules; size distribution and property effect on bread crumb (Park et al), 699
 - triticale as substitute in tortillas (Serna-Saldiva et al), 220
 - waxy, interactions among Wx genes (Kiribushi-Otobe et al), 48
 - waxy mutant (Yanagisawa et al), 26
- Xanthan gum, effect on corn flour pellet structure and texture (Gimeno et al), 100**
- X-ray diffraction**
 - for analysis of polymorphism of slowly digestible sorghum starch (Shin et al), 404
 - to analyze crystalline polymorphism of resistant tuber starch isolated from partially acid-hydrolyzed starch with autoclaving-cooling followed by heat-moisture treatment (Shin et al), 194
- Yeast, fermentation; factors influencing hearth bread quality (Sahlström et al), 228**

- Zein**
 - edible, properties of compared with kafirin edible films (da Silva and Taylor), 322
 - tensile properties of films (Lawton), 1