

## Author Index to Volume 82

- Aamodt, A., E. M. Magnus, and E. M. Fægstad. Hearth bread characteristics: Effect of protein quality, protein content, whole meal flour, DATEM, proving time, and their interactions, 290
- Abécassis, J. *See* V. Greffeuille, 138
- , *See* M.-F. Samson, 81
- Adewusi, S. R. A. *See* M. S. Falade, 479
- Agbisit, R. M. *See* K. D. Rausch, 431
- Ahlborn, G. J., O. A. Pike, S. B. Hendrix, W. M. Hess, and C. S. Huber. Sensory, mechanical, and microscopic evaluation of staling in low-protein and gluten-free breads, 328
- Ajo, R. *See* A. Amr, 499
- Altpeter, F. *See* H. Wieser, 594
- Ames, N. *See* C. Rhymer, 197
- Amr, A., and R. Ajo. Production of two types of pocket-forming flat bread by the sponge and dough method, 499
- Anastasio, M. *See* O. Pepe, 239
- Añón, M. C. *See* M. C. Puppo, 173
- Aramaki, I. *See* M. Okuda, 361
- Archibald, D. D. *See* M. Sohn, 660
- Arendt, E. K. *See* D. F. McCarthy, 609
- , *See* T. J. Schober, 394
- Aussenac, T. *See* E. Lemelin, 28
- Baier-Schenk, A., S. Handschin, and B. Conde-Petit. Ice in prefermented frozen bread dough—an investigation based on calorimetry and microscopy, 251
- Baik, B.-K. *See* Z. Quinde-Axtell, 711
- Bamforth, C. W. *See* A. Sun, 621
- Bargren, G. L. *See* G. S. Murthy, 302
- Barker, W. *See* D. W. Hatcher, 233
- Bar L'Helgouac'h, C. *See* V. Greffeuille, 138
- Barrett, A. H., G. Marando, H. Leung, and G. Kaletunç. Effect of different enzymes on the textural stability of shelf-stable bread, 152
- Barton, F. E., III. *See* M. Sohn, 660
- Batey, I. L. *See* M. C. Gianibelli, 321
- Bautista, R. C. *See* P. A. Counce, 645
- Bean, S. R. *See* T. J. Schober, 394
- Bechtel, D. B., and J. D. Wilson. Endosperm structural changes in wheat during drying of maturing caryopses, 385
- Behall, K. M., and D. J. Scholfield. Food amylose content affects postprandial glucose and insulin responses, 654
- Behnke, K. C. *See* W. B. Cavalcanti, 455, 462
- Bejosano, F. P., S. Joseph, R. M. Lopez, N. N. Kelekci, and R. D. Waniska. Rheological and sensory evaluation of wheat flour tortillas during storage, 256
- Belefant-Miller, H., M. G. Kay, and F. N. Lee. Small-scale induction of postharvest yellowing of rice endosperm, 721
- Belyea, R. L. *See* K. D. Rausch, 431
- , *See* V. Singh, 187
- , *See* R. Srinivasan, 528
- BeMiller, J. N. *See* X.-Z. Han, 351
- Benmoussa, M. *See* X.-Z. Han, 351
- Bergman, C. J. *See* M.-H. Chen, 4
- , *See* P. A. Counce, 645
- Bern, C. J. *See* K. A. Rosentrater, 436
- Beta, T., S. Nam, J. E. Dexter, and H. D. Sapirstein. Phenolic content and antioxidant activity of pearled wheat and roller-milled fractions, 390
- Bett-Garber, K. L. *See* E. T. Champagne, 369
- Biswas, A., D. J. Sessa, J. W. Lawton, S. H. Gordon, and J. L. Willett. Microwave-assisted rapid modification of zein by octenyl succinic anhydride, 1
- Blancher, G., M. H. Morel, E. Gastaldi, and B. Cuq. Determination of surface tension properties of wheat endosperms, wheat flours, and wheat gluteins, 158
- Bonet, A., P. A. Caballero, M. Gómez, and C. M. Rosell. Microbial transglutaminase as a tool to restore the functionality of gluten from insect-damaged wheat, 425
- Briggs, J. L. *See* M. E. Camire, 666
- Brown, D. *See* C. Rhymer, 197
- Bruckner, P. *See* R. McLean, 559
- Bryant, R. J., J. A. Dorsch, K. L. Peterson, J. N. Rutger, and V. Raboy. Phosphorus and mineral concentrations in whole grain and milled low phytic acid (*lpa*) 1-1 rice, 517
- , *See* P. A. Counce, 645
- Byaruhanga, Y. B., C. Erasmus, and J. R. N. Taylor. Effect of microwave heating of kafirin on the functional properties of kafirin film, 565
- Byrd, J. E., and M. J. Perona. Kinetics of popping of popcorn, 53
- Caballero, P. A. *See* A. Bonet, 425
- Calvelo, A. *See* M. C. Puppo, 173
- Cameron, D. K., and Y.-J. Wang. A better understanding of factors that affect the hardness and stickiness of long-grain rice, 113
- Camire, M. E., M. P. Dougherty, and J. L. Briggs. Antioxidant-rich foods retard lipid oxidation in extruded corn, 666
- Carbone, B. F. *See* T. De Pilli, 494
- Castro, M. *See* M. Dalla Rizza, 287
- Cavalcanti, W. B., and K. C. Behnke. Effect of composition of feed model systems on pellet quality: A mixture experimental approach. I, 455
- , and —. Effect of composition of feed model systems on pellet quality: A mixture experimental approach. II, 462
- Champagne, E. T., K. L. Bett-Garber, J. Thompson, R. Mutters, C. C. Grimm, and A. M. McClung. Effects of drain and harvest dates on rice sensory and physicochemical properties, 369
- Chaney, S. R. *See* P. Yang, 420
- Chang, P. R. *See* N. Lindeboom, 216, 246
- Chelkowski, J. *See* B. J. Dobraszczyk, 182
- Chen, F. *See* L. Xia, 38
- Chen, M.-H., and C. J. Bergman. Influence of kernel maturity, milling degree, and milling quality on rice bran phytochemical concentrations, 4
- Chen, X. *See* L. Xia, 38
- Chéret, R. *See* M.-F. Samson, 81
- Chibbar, R. N. *See* N. Lindeboom, 246
- Chung, K. M. *See* S. Kwon, 101
- Chung, O. K. *See* S.-H. Park, 166
- Chung, Y.-L., and H.-M. Lai. Water-barrier property of starch films investigated by magnetic resonance imaging, 131
- Clevenger, T. E. *See* K. D. Rausch, 431
- Conde-Petit, B. *See* A. Baier-Schenk, 251
- Cordeiro, H. *See* K. R. Preston, 15
- Cotta, M. A. *See* B. S. Dien, 616
- , *See* N. N. Nichols, 554
- Counce, P. A., R. J. Bryant, C. J. Bergman, R. C. Bautista, Y.-J. Wang, T. J. Siebenmorgen, K. A. K. Moldenhauer, and J.-F. C. Meullenet. Rice milling quality, grain dimensions, and starch branching as affected by high night temperatures, 645
- Cuq, B. *See* G. Blancher, 158
- Dalla Rizza, M., P. Díaz Dellavalle, D. Vázquez, and M. Castro. Note: Improved resolution of nonsilica-based size-exclusion HPLC column for wheat flour protein analyses, 287
- da Silva, L. S., and J. R. N. Taylor. Physical, mechanical, and barrier properties of kafirin films from red and white sorghum milling fractions, 9
- Daugherty, B. J. *See* K. D. Rausch, 431
- de Kock, S. *See* J. Taylor, 485
- Delcour, J. A. *See* V. Derycke, 468
- Dell, B. *See* M. Leesawatwong, 588
- Della Valle, G. *See* J. Rouillé, 20
- De Man, W. *See* V. Derycke, 468
- De Pilli, T., R. Giuliani, B. F. Carbone, A. Derossi, and C. Severini. Study on different emulsifiers to retain fatty fraction during extrusion of fatty flours, 494
- Derossi, A. *See* T. De Pilli, 494
- Derycke, V., W. S. Veraverbeke, G. E. Vandeputte, W. De Man, R. C. Hosney, and J. A. Delcour. Impact of proteins on pasting and cooking properties of nonparboiled and parboiled rice, 468
- Devaux, M. F. *See* J. Rouillé, 20
- Dexter, J. E. *See* T. Beta, 390
- , *See* D. W. Hatcher, 60
- Díaz Dellavalle, P. *See* M. Dalla Rizza, 287

- Dien, B. S., D. B. Johnston, K. B. Hicks, M. A. Cotta, and V. Singh. Hydrolysis and fermentation of pericarp and endosperm fibers recovered from enzymatic corn dry-grind process, 616  
 —. See N. N. Nichols, 554
- Ding, X. See A. Hagenimana, 70
- Dobraszczyk, B. J., B. P. Salmanowicz, B. Ługowska, and J. Chełkowski. Rapid quality assessment of wheat cultivars registered in Poland using the 2-g mixograph and multivariate statistical analysis, 182
- Doehlert, D. C. See N. Vignaux, 93
- Dolan, K. D. See A. H. Schmid, 305
- Dorsch, J. A. See R. J. Bryant, 517
- Dougherty, M. P. See M. E. Camire, 666
- Dubreil, L. See J. Rouillé, 20
- Duguid, S. See C. Rhymer, 197
- Dutton, M. F. See J. Taylor, 485
- Duvick, S. A. See M. P. Scott, 546
- Eckhoff, S. R. See P. Yang, 420  
 —. See Z. Zhang, 447
- Edwards, N. M. See O. Harada, 314
- Egan, N. E. See M. J. Sissons, 601
- Elias, E. M. See N. Vignaux, 93
- Eliasson, A.-C. See I. Mira, 44
- Erasmus, C. See Y. B. Byaruhanga, 565
- Eustace, D. W. See R. A. Flores, 727
- Fægstad, E. M. See A. Aamodt, 290
- Falade, M. S., O. Owoyomi, C. E. Harwood, and S. R. A. Adewusi. Chemical composition and starch hydrolysis of *Acacia colei* and *Acacia tumida* seeds, 479
- Falk, K. C. See N. Lindeboom, 216
- Faulds, C. B. See A. Sun, 621
- Feng, H. See Z. Zhang, 447
- Flores, R. A., K. B. Hicks, D. W. Eustace, and J. Phillips. High-starch and high- $\beta$ -glucan barley fractions milled with experimental mills, 727  
 —. See K. A. Rosentrater, 436
- Formato, A., and O. Pepe. Pizza dough differentiation by principal component analysis of alveographic, microbiological, and chemical parameters, 356
- Fulcher, R. G. See H. Lei, 574, 582
- Gallagher, E. See D. F. McCarthy, 609
- Gastaldi, E. See G. Blancher, 158
- Gelencsér, T. See R. S. Juhász, 488
- Gellrich, C., P. Schieberle, and H. Wieser. Studies of partial amino acid sequences of  $\gamma$ -40k secalins of rye, 541
- Gergely, S. See R. S. Juhász, 488
- Gianibelli, M. C., M. J. Sissons, and I. L. Batey. Effect of source and proportion of waxy starches on pasta cooking quality, 321  
 —. See M. J. Sissons, 601
- Giuliani, R. See T. De Pilli, 494
- Godwin, I. D. See L. Izquierdo, 706
- Gómez, M. See A. Bonet, 425
- Gordon, S. H. See A. Biswas, 1
- Gormley, T. R. See D. F. McCarthy, 609
- Grant, L. A. See N. Vignaux, 93
- Gray, J. A. See X.-Z. Han, 351
- Greffeuille, V., J. Abecassis, C. Bar L'Helgouac'h, and V. Lullien-Pellerin. Differences in the aleurone layer fate between hard and soft common wheats in grain milling, 138
- Grimm, C. C. See E. T. Champagne, 369
- Guttieri, M. J. See R. McLean, 559
- Habernicht, D. K. See R. McLean, 559
- Hagenimana, A., and X. Ding. A comparative study on pasting and hydration properties of native rice starches and their mixtures, 70
- Haken, A. E. See P. Yang, 420
- Hamaker, B. R. See X.-Z. Han, 351  
 —. See G. Zhang, 534
- Han, J.-A., B.-H. Lee, W. J. Lim, and S.-T. Lim. Utilization of hydroxypropylated waxy rice and corn starches in Korean waxy rice cake to retard retrogradation, 88
- Han, X.-Z., M. Benmoussa, J. A. Gray, J. N. BeMiller, and B. R. Hamaker. Detection of proteins in starch granule channels, 351
- Handschin, S. See A. Baier-Schenk, 251
- Hanna, M. A. See Y. Xu, 105, 336
- Harada, O., E. D. Lysenko, N. M. Edwards, and K. R. Preston. Effects of commercial hydrolytic enzyme additives on Japanese-style sponge and dough bread properties and processing characteristics, 314
- Harwood, C. E. See M. S. Falade, 479
- Hashizume, K. See M. Okuda, 361
- Hatcher, D. W. Impact of a reduced wheat meal sample size on the falling number test, 450  
 —, and W. Barker. A rapid microassay for determination of peroxidase in wheat and flour, 233  
 —, S. Lagasse, J. E. Dexter, B. Rossnagel, and M. Izidorczyk. Quality characteristics of yellow alkaline noodles enriched with hull-less barley flour, 60  
 —. See K. R. Preston, 15
- Hayashi, M. See Y. Yoshino, 739
- He, Z. H., L. Liu, X. C. Zia, J. J. Liu, and R. J. Peña. Composition of HMW and LMW glutenin subunits and their effects on dough properties, pan bread, and noodle quality of Chinese bread wheats, 345  
 —. See L. Xia, 38  
 —. See Y. Zhang, 633
- Hendrix, S. B. See G. J. Ahlborn, 328
- Hess, W. M. See G. J. Ahlborn, 328
- Hicks, K. B. See B. S. Dien, 616  
 —. See R. A. Flores, 727  
 —. See P. Yang, 420
- Himmelsbach, D. S. See M. Sohn, 660
- Hong, M.-C. See C.-C. Liu, 649
- Hoseney, R. C. See V. Derycke, 468
- Huber, C. S. See G. J. Ahlborn, 328
- Hung, P. V., M. Yamamori, and N. Morita. Formation of enzyme-resistant starch in bread as affected by high-amylose wheat flour substitutions, 690
- Hwang, K. T., J. E. Kim, and C. L. Weller. Policosanol contents and compositions in wax-like materials extracted from selected cereals of Korean origin, 242
- Inglett, G. E. See S. Lee, 120, 717
- Izquierdo, L., and I. D. Godwin. Molecular characterization of a novel methionine-rich  $\delta$ -kafirin seed storage protein gene in sorghum (*Sorghum bicolor* L.), 706
- Izidorczyk, M. See D. W. Hatcher, 60
- Jackson, D. S. See S. Ozcan, 223  
 —. See R. Yglesias, 695, 702
- Jamjod, S. See M. Leesawatwong, 588
- Johansson, E. See R. Kuktaite, 375
- Johnson, D. V., and V. Singh. Enzymatic milling product yield comparison with reduced levels of bromelain and varying levels of sulfur dioxide, 523
- Johnston, D. B. See B. S. Dien, 616  
 —. See V. Singh, 187  
 —. See P. Wang, 734
- Jones, B. L., and G. L. Lookhart. Comparison of endoproteinases of various grains, 125
- Joseph, S. See F. P. Bejosano, 256
- Juhász, R., S. Gergely, T. Gelencsér, and A. Salgó. Relationship between NIR spectra and RVA parameters during wheat germination, 488
- Julson, J. L. See C. Y. Shukla, 34
- Kaletunç, G. See A. H. Barrett, 152
- Kay, M. G. See H. Belefant-Miller, 721
- Kays, S. E. See M. Sohn, 660
- Kelekci, N. N. See F. P. Bejosano, 256
- Kianian, S. F. See N. Vignaux, 93
- Kieffer, R. See H. Wieser, 594
- Kim, H. I. See S.-Y. Lee, 475
- Kim, J. E. See K. T. Hwang, 242
- Kim, J. H., T. Maeda, and N. Morita. Application of polished-graded wheat grains for sourdough bread, 144
- Kim, S. See S. Lee, 120
- Kinney, M. P. See S. Lee, 717
- Kobayashi, S. See T. Takahashi, 228
- Koseki, T. See M. Okuda, 361
- Kuktaite, R., H. Larsson, S. Marttila, and E. Johansson. Effect of mixing time on gluten recovered by ultracentrifugation studied by microscopy and rheological measurements, 375
- Kuo, J. See M. Leesawatwong, 588
- Kwansa, A. L. See D. E. LaCroix, 277
- Kwon, S., K. M. Chung, S. I. Shin, and T. W. Moon. Contents of indigestible fraction, water solubility, and color of pyrodexins made from waxy sorghum starch, 101
- LaCroix, D. E., W. R. Wolf, and A. L. Kwansa. Rapid trichloroacetic acid extraction and liquid chromatography method for determination of nicotinamide in commercial cereals, 277
- Lagasse, S. See D. W. Hatcher, 60

- Lai, H.-M. *See* Y.-L. Chung, 131
- Landerito, N. A., and Y.-J. Wang. Preparation and properties of starch phosphates using waxy, common, and high-amylose corn starches. I. Oven heating, 264
- , and ———. Preparation and properties of starch phosphates using waxy, common, and high-amylose corn starches. II. Reactive extrusion method, 271
- Larsson, H. *See* R. Kuktaite, 375
- Lawton, J. W. *See* A. Biswas, 1
- Lee, B.-H. *See* J.-A. Han, 88
- Lee, C.-C. *See* S.-D. Lin, 405
- Lee, F. N. *See* H. Belefant-Miller, 721
- Lee, S., S. Kim, and G. E. Inglett. Effect of shortening replacement with oatrim on the physical and rheological properties of cakes, 120
- , M. P. Kinney, and G. E. Inglett. Rheological characterization of a new oat hydrocolloid and its application in cake baking, 717
- Lee, S.-Y., K.-S. Woo, J.-K. Lim, H. I. Kim, and S.-T. Lim. Note: Effect of processing variables on texture of sweet potato starch noodles prepared in a nonfreezing process, 475
- Leesawatwong, M., S. Jamjod, J. Kuo, B. Dell, and B. Rerkasem. Nitrogen fertilizer increases seed protein and milling quality of rice, 588
- Lei, H., R. G. Fulcher, R. Ruan, and B. van Lengerich. Empirical modeling of die pressure, shaft torque, SME, and product temperature of rice flour in a corotating twin-screw extruder, 582
- , ——, ——, and ——. SME-Arrhenius model for WSI of rice flour in a twin-screw extruder, 574
- Lein, V. *See* E. Lemelin, 28
- Lemelin, E., T. Aussenac, F. Violleau, L. Salvo, and V. Lein. Impact of cultivar and environment on size characteristics of wheat proteins using asymmetrical flow field-flow fractionation and multi-angle laser light scattering, 28
- Lenihan, E., L. Pollak, and P. White. Thermal properties of starch from exotic-by-adapted corn (*Zea mays* L.) lines grown in four environments, 683
- Leung, H. *See* A. H. Barrett, 152
- Leyne, E. *See* G. Mann, 626
- Li, Z. *See* G. Mann, 626
- Lim, J.-K. *See* S.-Y. Lee, 475
- Lim, S.-T. *See* J.-A. Han, 88
- . *See* S.-Y. Lee, 475
- Lim, W. J. *See* J.-A. Han, 88
- Lin, S.-D., and C.-C. Lee. Qualities of chiffon cake prepared with indigestible dextrin and sucralose as replacement for sucrose, 405
- Lindeboom, N., P. R. Chang, K. C. Falk, and R. T. Tyler. Characteristics of starch from eight quinoa lines, 216
- , ——, R. T. Tyler, and R. N. Chibbar. Granule-bound starch synthase I (GBSSI) in quinoa (*Chenopodium quinoa* Willd.) and its relationship to amylose content, 246
- Liu, C.-C., J.-T. Shaw, K.-Y. Poong, M.-C. Hong, and M.-L. Shen. Classifying paddy rice by morphological and color features using machine vision, 649
- Liu, J. J. *See* Z. H. He, 345
- Liu, L. L. (Nanjing, China), H. Q. Zhai, and J.-M. Wan. Accumulation of  $\gamma$ -aminobutyric acid in giant-embryo rice grain in relation to glutamate decarboxylase activity and its gene expression during water soaking, 191
- Liu, L. (Beijing, China). *See* Z. H. He, 345
- Liu, S. X., and P. K. Mamidipally. Quality comparison of rice bran oil extracted with *d*-limonene and hexane, 209
- Lookhart, G. L. *See* B. L. Jones, 125
- Lopez, R. M. *See* F. P. Bejosano, 256
- Loponen, J. *See* K. Tuukkanen, 677
- Ługowska, B. *See* B. J. Dobraszczyk, 182
- Lullien-Pellerin, V. *See* V. Greffeuille, 138
- Lysenko, E. D. *See* O. Harada, 314
- Mabille, F. *See* M.-F. Samson, 81
- Maeda, T. *See* J. H. Kim, 144
- . *See* M. Miyazaki, 639
- Magnus, E. M. *See* A. Aamodt, 290
- Malcolmson, L. *See* C. Rhymer, 197
- Mamidipally, P. K. *See* S. X. Liu, 209
- Mann, G., E. Leyne, Z. Li, and M. K. Morell. Effects of a novel barley, Himalaya 292, on rheological and breadmaking properties of wheat and barley doughs, 626
- Manski, J. M., A. L. Matsler, and T. J. Siebenmorgen. Influence of storing rough rice with high moisture content on subsequent drying characteristics and milling quality, 204
- Marando, G. *See* A. H. Barrett, 152
- Marion, D. *See* J. Rouillé, 20
- Marttila, S. *See* R. Kuktaite, 375
- Matsler, A. L., and T. J. Siebenmorgen. Evaluation of operating conditions for surface lipid extraction from rice using a Soxtec system, 282
- . *See* J. M. Manski, 204
- McCarthy, D. F., E. Gallagher, T. R. Gormley, T. J. Schober, and E. K. Arendt. Application of response surface methodology in the development of gluten-free bread, 609
- McClung, A. M. *See* E. T. Champagne, 369
- McLean, R., K. M. O'Brien, L. E. Talbert, P. Bruckner, D. K. Habernicht, M. J. Guttieri, and E. J. Souza. Environmental influences on flour quality for sheeted noodle in Idaho 337s hard white wheat, 559
- McMullen, M. S. *See* N. Vignaux, 93
- Meerdink, G. L. *See* G. S. Murthy, 302
- Messerschmidt, M. *See* T. J. Schober, 394
- Meullenet, J.-F. C. *See* P. A. Counce, 645
- Mezones, Y. *See* M. Schnell, 77
- Mikola, M. *See* K. Tuukkanen, 677
- Miladinov, V. *See* Y. Xu, 336
- Mira, I., A.-C. Eliasson, and K. Persson. Effect of surfactant structure on the pasting properties of wheat flour and starch suspensions, 44
- Miura, M. *See* T. Takahashi, 228
- Miyazaki, M., T. Maeda, and N. Morita. Starch retrogradation and firming of bread containing hydroxypropylated, acetylated, and phosphorylated cross-linked tapioca starches for wheat flour, 639
- Moldenhauer, K. A. K. *See* P. A. Counce, 645
- Moon, T. W. *See* S. Kwon, 101
- Moreau, R. A. *See* R. Srinivasan, 528
- Morel, M. H. *See* G. Blancher, 158
- . *See* M.-F. Samson, 81
- Morell, M. K. *See* G. Mann, 626
- Mori, K. *See* T. Takahashi, 228
- Morita, N. *See* J. H. Kim, 144
- . *See* M. Miyazaki, 639
- . *See* P. V. Hung, 690
- Morris C. F. *See* L. Xia, 38
- Mugford, D. C. *See* Y. Zhang, 633
- Murthy, G. S., D. E. Townsend, G. L. Meerdink, G. L. Bargren, M. E. Tumbleson, and V. Singh. Effect of aflatoxin B1 on dry-grind ethanol process, 302
- Muthukumarappan, K. *See* C. Y. Shukla, 34
- Mutters, R. *See* E. T. Champagne, 369
- Naidu, K. *See* V. Singh, 187
- Nam, S. *See* T. Beta, 390
- Ng, P. K. W. *See* A. H. Schmid, 305
- Nichols, N. N., B. S. Dien, Y. V. Wu, and M. A. Cotta. Ethanol fermentation of starch from field peas, 554
- . *See* Y. V. Wu, 341
- Niu, Y. *See* P. Yang, 420
- . *See* Z. Zhang, 447
- O'Brien, K. M. *See* R. McLean, 559
- Ohisa, N. *See* T. Takahashi, 228
- Ohtsubo, K. *See* H. Okadome, 414
- Okadome, H., H. Toyoshima, N. Shimizu, K. Suzuki, and K. Ohtsubo. Quality prediction of rice flour by multiple regression model with instrumental texture parameters of single cooked milled rice grains, 414
- Okuda, M., I. Aramaki, T. Koseki, H. Satoh, and K. Hashizume. Structural characteristics, properties, and in vitro digestibility of rice, 361
- Owoyomi, O. *See* M. S. Falade, 479
- Ozcan, S., and D. S. Jackson. Functionality behavior of raw and extruded corn starch mixtures, 223
- Pacheco de Delahaye, E. *See* M. Schnell, 77
- Park, S.-H., O. K. Chung, and P. A. Seib. Effects of varying weight ratios of large and small wheat starch granules on experimental straight-dough bread, 166
- . *See* T. J. Schober, 394
- Parkhurst, A. M. *See* R. Yglesias, 695
- Peña, R. J. *See* Z. H. He, 345
- Pepe, O., M. Anastasio, and F. Villani. Note: Improvement of frozen dough stability using a cryoresistant yeast strain and refreshment, 239
- . *See* A. Formato, 356
- Perona, M. J. *See* J. E. Byrd, 53
- Persson, K. *See* I. Mira, 44
- Peterson, K. L. *See* R. J. Bryant, 517
- Phillips, J. *See* R. A. Flores, 727
- Pike, O. A. *See* G. J. Ahlborn, 328
- Pollak, L. *See* E. Lenihan, 683
- Poong, K.-Y. *See* C.-C. Liu, 649
- Preston, K. R., H. Cordeiro, D. Sobering, and D. W. Hatcher. A rapid, high

- throughput micro sugar-snap cookie quality test procedure using asymmetrical centrifugal mixing, 15
- . See O. Harada, 314
- Puppo, M. C., A. Calvelo, and M. C. Añón. Physicochemical and rheological characterization of wheat flour dough, 173
- Quail, K. See Y. Zhang, 633
- Quinde-Axtell, Z., S. E. Ullrich, and B.-K. Baik. Genotypic and environmental effects on color and discoloration potential of barley in food products, 711
- Raboy, V. See R. J. Bryant, 517
- Raskin, L. M. See K. D. Rausch, 431
- Rausch, K. D., L. M. Raskin, R. L. Belyea, R. M. Agbisit, B. J. Daugherty, T. E. Clevenger, and M. E. Tumbleson. Phosphorus concentrations and flow in maize wet-milling streams, 431
- . See V. Singh, 187
- . See R. Srinivasan, 528
- . See P. Wang, 734
- Rerkasem, B. See M. Leesawatwong, 588
- Rhymer, C., N. Ames, L. Malcolmson, D. Brown, and S. Duguid. Effects of genotype and environment on the starch properties and end-product quality of oats, 197
- Richard, T. L. See K. A. Rosentrater, 436
- Rosell, C. M. See A. Bonet, 425
- Rosentrater, K. A., T. L. Richard, C. J. Bern, and R. A. Flores. Small-scale extrusion of corn masa by-products, 436
- Rosnagel, B. See D. W. Hatcher, 60
- Rouillé, J., G. Della Valle, M. F. Devaux, D. Marion, and L. Dubreil. French bread loaf volume variations and digital image analysis of crumb grain changes induced by the minor components of wheat flour, 20
- Ruan, R. See H. Lei, 574, 582
- Rutger, J. N. See R. J. Bryant, 517
- Salgó, A. See R. S. Juhász, 488
- Salmanowicz, B. P. See B. J. Dobraszczyk, 182
- Salovaara, H. See K. Tuukkanen, 677
- Salvo, L. See E. Lemelin, 28
- Samson, M.-F., F. Mabilille, R. Chéret, J. Abécassis, and M.-H. Morel. Mechanical and physicochemical characterization of vitreous and mealy durum wheat endosperm, 81
- Sapirstein, H. D. See T. Beta, 390
- Satoh, H. See M. Okuda, 361
- Schieberle, P. See C. Gellrich, 541
- Schmid, A. H., K. D. Dolan, and P. K. W. Ng. Effect of extruding wheat flour at lower temperatures on physical attributes of extrudates and on thiamin loss when using carbon dioxide gas as a puffing agent, 305
- Schnell, M., E. Pacheco de Delahaye, and Y. Mezones. Metabolic responses to Venezuelan corn meal and rice bran supplemented *arepas* breads, 77
- Schober, T. J., M. Messerschmidt, S. R. Bean, S.-H. Park, and E. K. Arendt. Gluten-free bread from sorghum: Quality differences among hybrids, 394
- . See D. F. McCarthy, 609
- Scholfield, D. J. See K. M. Behall, 654
- Scott, M. P., and S. A. Duvick. Identification of QLT controlling thermal properties of maize starch, 546
- Seguchi, M. See Y. Yoshino, 739
- Seib, P. A. See S.-H. Park, 166
- . See L. F. Zhao, 504
- Seilmeier, W. See H. Wieser, 594
- Sessa, D. J. See A. Biswas, 1
- Severini, C. See T. De Pilli, 494
- Shaw, J.-T. See C.-C. Liu, 649
- Shen, M.-L. See C.-C. Liu, 649
- Shimizu, N. See H. Okadome, 414
- Shin, S. I. See S. Kwon, 101
- Shukla, C. Y., K. Muthukumarappan, and J. L. Julson. Effect of single-screw extruder die temperature, amount of distillers' dried grains with solubles (DDGS), and initial moisture content on extrudates, 34
- Siebenmorgen, T. J. See P. A. Counce, 645
- . See J. M. Manski, 204
- . See A. L. Matsler, 282
- Singh, V., D. B. Johnston, K. Naidu, K. D. Rausch, R. L. Belyea, and M. E. Tumbleson. Comparison of modified dry-grind corn processes for fermentation characteristics and DDGS composition, 187
- . See B. S. Dien, 616
- . See D. B. Johnston, 523
- . See G. S. Murthy, 302
- . See R. Srinivasan, 528
- . See P. Wang, 734
- . See P. Yang, 420
- Sissons, M. J., N. E. Egan, and M. C. Gianibelli. New insights into the role of gluten on durum pasta quality using reconstitution method, 601
- . See M. C. Gianibelli, 321
- Sobering, D. See K. R. Preston, 15
- Sohn, M., D. S. Himmelsbach, S. E. Kays, D. D. Archibald, and F. E. Barton II. NIR-FT/Raman spectroscopy for nutritional classification of cereal foods, 660
- Sontag-Strohm, T. See K. Tuukkanen, 677
- Souza, E. J. See R. McLean, 559
- Srinivasan, R., R. A. Moreau, K. D. Rausch, R. L. Belyea, M. E. Tumbleson, and V. Singh. Separation of fiber from distillers dried grains with solubles (DDGS) using sieving and elutriation, 528
- Sun, A., C. B. Faulds, and C. W. Bamforth. Barley contains two cationic acetyl-xylan esterases and one anionic feruloyl esterase, 621
- Suzuki, K. See H. Okadome, 414
- Takahashi, T., M. Miura, N. Ohisa, K. Mori, and S. Kobayashi. Heat treatments of milled rice and properties of the flours, 228
- Talbert, L. E. See R. McLean, 559
- Taylor, J., J. R. N. Taylor, M. F. Dutton, and S. de Kock. Note: Glacial acetic acid—a novel food-compatible solvent for kafirin extraction, 485
- Taylor, J. R. N. See Y. B. Byaruhanga, 565
- . See L. S. da Silva, 9
- . See J. Taylor, 485
- Thompson, J. See E. T. Champagne, 369
- Townsend, D. E. See G. S. Murthy, 302
- Toyoshima, H. See H. Okadome, 414
- Tumbleson, M. E., and V. Singh. Effect of steeping with sulfite salts and adjunct acids on corn wet-milling yields and starch properties, 420
- . See G. S. Murthy, 302
- . See K. D. Rausch, 431
- . See V. Singh, 187
- . See R. Srinivasan, 528
- . See P. Wang, 734
- . See P. Yang, 420
- Tuukkanen, K., J. Loponen, M. Mikola, T. Sontag-Strohm, and H. Salovaara. Degradation of secalins during rye sourdough fermentation, 677
- Tyler, R. T. See N. Lindeboom, 216, 246
- Ullrich, S. E. See Z. Quinde-Axtell, 711
- Vandeputte, G. E. See V. Derycke, 468
- van Lengerich, B. See H. Lei, 574, 582
- Vázquez, D. See M. Dalla Rizza, 287
- Veraverbeke, W. S. See V. Derycke, 468
- Vignaux, N., D. C. Doehlert, E. M. Elias, M. S. McMullen, L. A. Grant, and S. F. Kianian. Quality of spaghetti made from full and partial waxy durum wheat, 93
- Villani, F. See O. Pepe, 239
- Violleau, F. See E. Lemelin, 28
- Wan, J.-M. See L. L. Liu, 191
- Wang, N. Optimization of a laboratory dehulling process for lentil (*Lens culinaris*), 671
- Wang, P., V. Singh, L. Xu, D. B. Johnston, K. D. Rausch, and M. E. Tumbleson. Comparison of enzymatic (E-mill) and conventional dry-grind corn processes using a granular starch hydrolyzing enzyme, 734
- Wang, Y.-J. See D. K. Cameron, 113
- . See P. A. Counce, 645
- . See N. A. Landerito, 264, 271
- Waniska, R. D. See F. P. Bejosano, 256
- Weller, C. L. See K. T. Hwang, 242
- White, P. See E. Lenihan, 683
- Wieser, H., W. Seilmeier, R. Kieffer, and F. Altpeter. Flour protein composition and functional properties of transgenic rye lines expressing HMW subunit genes of wheat, 594
- . See C. Gellrich, 541
- Willett, J. L. See A. Biswas, 1
- Wilson, J. D. See D. B. Bechtel, 385
- Wolf, W. R. See D. E. LaCroix, 277
- Woo, K.-S. See S.-Y. Lee, 475
- Wu, Y. V., and N. N. Nichols. Fine grinding and air classification of field pea, 341
- . See N. N. Nichols, 554
- Xia, L., F. Chen, Z. He, X. Chen, and C. F. Morris. Occurrence of puroindoline alleles in Chinese winter wheats, 38
- Xia, X. C. See Z. H. He, 345
- Xu, L. See P. Wang, 734

- Xu, Y., V. Miladinov, and M. A. Hanna. Starch-acetate-maleate mixed ester synthesis and characterization, 336
- , J. Zhou, and M. A. Hanna. Melt-intercalated starch acetate nanocomposite foams as affected by type of organoclay, 105
- Yamamori, M. *See* P. V. Hung, 690
- Yang, P., A. E. Haken, Y. Niu, S. R. Chaney, K. B. Hicks, S. R. Eckhoff, M. E. Tumbleson, and V. Singh. Effect of steeping with sulfite salts and adjunct acids on corn wet-milling yields and starch properties, 420
- Yglesias, R., and D. S. Jackson. Evaluation of liquid nitrogen freeze drying and ethanol dehydration as methods to preserve partially cooked starch and masa systems, 702
- , A. M. Parkhurst, and D. S. Jackson. Development of laboratory techniques to mimic industrial-scale nixtamalization, 695
- Yoshino, Y., M. Hayashi, and M. Seguchi. Note: Presence and amounts of starch granule surface proteins in various starches, 739
- Zhai, H. Q. *See* L. L. Liu, 191
- Zhang, G., and B. R. Hamaker. Sorghum (*Sorghum bicolor* L. Moench) flour pasting properties influenced by free fatty acids and protein, 534
- Zhang, Y., K. Quail, D. C. Mugford, and Z. He. Milling quality and white salt noodle color of Chinese winter wheat cultivars, 633
- Zhang, Z., H. Feng, Y. Niu, and S. R. Eckhoff. Note: Starch recovery from degermed corn flour and hominy feed using power ultrasound, 447
- Zhao, L. F., and P. A. Seib. Alkaline-carbonate noodles from hard winter wheat flours varying in protein, swelling power, and polyphenol oxidase activity, 504
- Zhou, J. *See* Y. Xu, 105