

<i>Subscriber Number</i>	<i>Moisture (%)</i>	<i>Protein (%)</i>	<i>Ash (%)</i>	<i>Falling Number</i>	<i>Gassing Power 4th Hour (mm Hg)</i>	<i>Gassing Power 6th Hour (mm Hg)</i>
19	11.72 A1	11.60 B1	0.490 C1	562 D2		
38	12.45 A7					
45	11.20 A3	11.14 B3	0.470 C3	452 D1		
50	11.55 A1	11.87 B7	0.488 C2	688 D2		
54	11.60 A1	11.61 B4	0.474 C2	489 D2		
55	11.53 A3	11.93 B4				
56	11.40 A1	11.78 B1	0.479 C2	534 D1		
58	11.69 A3	11.74 B4	0.480 C2	500 D2		
93	11.77 A1	11.81 B4	0.479 C1	569 D1		
139	11.75 A1	11.75 B4	0.479 C1	605		
164	11.65 AX	11.93	0.486 CX	593 D1		
308	11.80 A1	11.80 B4	0.478 C1	623 D2		
392	11.69 A1	11.55 B3	0.420 C1	559 D2		
537	11.08					
592	11.57 A2	11.70 B3	0.487 C2	572 D2		
593	11.82 A6	11.83 B6	0.430 C5			
623	12.11	12.05	0.458	535		
657	11.73 A3	11.77 B4	0.480 C1	560 D1		
660	11.48 A7	11.68 B4	0.528 C1	606 D2		
687	11.68 A1	11.86 B4	0.455 C1	431 D2		
769	11.52 A1	11.72 B4	0.484 C2	542 D1	393	476
771	11.50	11.85	0.466			
775	11.63 A2	11.71 B3	0.461 C2	660 DX		
902	11.65 A1	11.68 B4	0.490 C1	605 D2		
1052	12.08 A2	* 13.01 B3	0.483 C3	586 D2		
1332	11.61 A1	11.84 B4	0.481 C1	554 D2		
1354	11.00 A1	11.40 B7	0.460 C2	523 D2		
1427	11.50 A2	11.93 B7	0.481 C2	531 D2		
1456	11.71 A1	11.54 B6	0.472 C1	531 D1		
1493	11.49	11.77	0.480	400		
1529	11.38 A3	11.80 B1	0.460 C3	485 D1		
1531	12.09 A3	* 12.65 B6	0.489 C1			
1534	11.63 A6	11.81 B6	* 0.559 C5	573 D2		
1585	11.80 A1	11.60 B4	0.466 C1	397 D1		
1642	11.70 A1	11.62 B3	0.490 C1	520 D2		
1662	11.67 A1	11.40 B4	0.472 C1	557 D2		
1691	11.57 A1	11.73 B4	0.490 C4			
1692	11.58 A6	11.15 B6	0.456 C5	639 D2	332	378
1694	12.06 A1		0.480 C1	540 D1		
1711	12.00 A7	12.30 B6	0.443 CX			
1716	11.10 AX	11.25 B4	0.500 C4	* 866 D2		

<i>Subscriber Number</i>	<i>Moisture (%)</i>	<i>Protein (%)</i>	<i>Ash (%)</i>	<i>Falling Number</i>	<i>Gassing Power 4th Hour (mm Hg)</i>	<i>Gassing Power 6th Hour (mm Hg)</i>
<b>N</b>	<b>41</b>	<b>36</b>	<b>37</b>	<b>32</b>	<b>2</b>	<b>2</b>
<b>Mean</b>	<b>11.65</b>	<b>11.71</b>	<b>0.475</b>	<b>548</b>	<b>363</b>	<b>427</b>
<b>Min</b>	<b>11.00</b>	<b>11.14</b>	<b>0.420</b>	<b>397</b>	<b>332</b>	<b>378</b>
<b>Max</b>	<b>12.45</b>	<b>12.30</b>	<b>0.528</b>	<b>688</b>	<b>393</b>	<b>476</b>
<b>Std</b>	<b>0.28</b>	<b>0.23</b>	<b>0.019</b>	<b>68</b>	<b>43</b>	<b>69</b>

*\* Not included in mean.*

*Confidentiality Notice: The data contained herein are confidential and intended for subscriber use only. Data from other subscribers are included for comparison purposes only.*