

<i>Subscriber Number</i>	<i>Moisture (%)</i>	<i>Protein (%)</i>	<i>Ash (%)</i>	<i>Falling Number</i>	<i>Gassing Power 4th Hour (mm Hg)</i>	<i>Gassing Power 6th Hour (mm Hg)</i>
19	11.72 A1	11.45 B1	0.467 C1	453 D2		
38	11.99 A7					
50	11.34 A1	11.65 B7	0.477 C2	560 D2		
54	11.24 A1	12.13 B4	0.473 C2	407 D2		
55	11.07 A3	11.88 B4	0.481 C2	510 D2		
56	11.67 A1	12.19 B1	0.481 C2	440 D1		
58	11.62 A3	11.64 B4	0.499 C2	459 D2		
93	11.58 A1	11.84 B4	0.475 C1	474 D1		
137	11.99 A1	11.83 B7	0.473 C2	466 D2		
139	11.40 A1	11.85 B2	0.480 C1	490 D2		
164	11.91 AX	11.94 B4	0.484 CX	590 D1		
308	11.30 A1	11.90 B4	0.485 C1	559 D2		
387	10.86 A2	11.95 B3	0.468 C1			
392	11.50 A1	11.90 B3	0.430 C1	550 D2		
537	11.36					
592	11.25 A2	11.75 B3	0.480 C2	488 D2		
593	12.00 A6	11.81 B6	0.520 C5			
623	11.62	11.91	0.448	461		
657	11.50 A3	11.56 B4	0.478 C1	498 D1		
660	11.64 A7	11.68 B4	0.489 C1	544 D2		
687	10.99 A1	11.77 B4	0.474 C1	407 D2		
769	11.27 A1	11.89 B4	0.475 C2	507 D1	388	464
771	11.70	11.87	0.458			
775	11.96 A2	11.94 B3	0.455 C2	* 708 DX		
902	11.39 A1	11.74 B4	0.484 C1	522 D2		
1052	11.50 A2	11.70 B3	0.480 C3	688 D2		
1326	11.05	11.90	0.487	541		
1332	11.58 A1	11.85 B4	0.486 C1	496 D2		
1352	11.53	11.52	0.471	456		
1354	11.20 A1	11.50 B7	0.484 C2	465 D2		
1427	11.80 A2	11.94 B7	0.483 C2	537 D2		
1456	11.23 A1	11.60 B6	0.463 C2	446 D1		
1472	11.16 A1	12.20 B2	0.470 C3	427 D1		
1493	11.59	11.80	0.480	400		
1529	11.22 A3	11.72 B1	0.490 C3	432 D1		
1531	11.45 A3	11.90 B6	0.483 C1			
1534	11.48 A1	11.63 B6	0.512 C5	481 D2		
1585	11.70 A1	11.64 B4	0.479 C1	400 D1		
1642	11.80 A1	11.70 B3	0.458 C1	480 D2		
1662	10.63 A1	12.09 B4	0.477 C1	557 D2		
1691	11.76 A1	11.44 B4	0.450 C1			
1694	11.60 A1		0.440 C1	462 D1		
1711	11.45 A7	11.94 B7	0.483 CX			

<i>Subscriber Number</i>	<i>Moisture (%)</i>	<i>Protein (%)</i>	<i>Ash (%)</i>	<i>Falling Number</i>	<i>Gassing Power 4th Hour (mm Hg)</i>	<i>Gassing Power 6th Hour (mm Hg)</i>
1716	11.30 AX	11.20 B4	0.490 C4	* 753 DX		
<b>N</b>	<b>44</b>	<b>41</b>	<b>42</b>	<b>34</b>		
<b>Mean</b>	<b>11.47</b>	<b>11.79</b>	<b>0.476</b>	<b>490</b>		
<b>Min</b>	<b>10.63</b>	<b>11.20</b>	<b>0.430</b>	<b>400</b>		
<b>Max</b>	<b>12.00</b>	<b>12.20</b>	<b>0.520</b>	<b>688</b>		
<b>Std</b>	<b>0.31</b>	<b>0.21</b>	<b>0.017</b>	<b>62</b>		

\* Not included in mean.

*Confidentiality Notice: The data contained herein are confidential and intended for subscriber use only. Data from other subscribers are included for comparison purposes only.*