

<i>Subscriber Number</i>	<i>Moisture (%)</i>	<i>Protein (%)</i>	<i>Ash (%)</i>	<i>Falling Number</i>	<i>Gassing Power 4th Hour (mm Hg)</i>	<i>Gassing Power 6th Hour (mm Hg)</i>
19	11.40 A1	11.80 B1	0.500 C1	554 D2		
38	* 12.49 A7					
50	* 12.77 A1	11.75 B7	0.473 C2	624 D2		
54	11.30 A1	11.93 B4	0.472 C2	432 D2		
55	11.25 A3	11.85 B4	0.493 C2	520 D2		
56	11.33 A1	12.04 B1	0.488 C2	454 D1		
58	11.38 A3	11.67 B4	0.482 C2	494 D2		
137	11.64 A1	11.81 B7	0.469 C2	521 D2		
164	11.79 AX	12.07 B4	0.484 CX	588 D1		
308	11.60 A1	11.80 B4	0.477 C1	565 D2		
387	11.60 A2	11.60 B3	0.478 C1			
392	11.50 A1	11.90 B3	0.470 C1	596 D2		
537	11.28					
592	11.73 A2	11.80 B3	0.479 C2	507 D2		
593	11.76 A6	11.83 B6	* 0.520 C5			
657	11.52 A3	11.90 B4	0.491 C1	525 D1		
660	11.65 A7	11.75 B4	0.472 C1	555 D2		
687	11.59 A1	12.03 B4	0.485 C2	429 D2		
769	11.51 A1	11.83 B4	0.487 C2	500 D1	390	468
771	12.00	12.02	0.468			
775	11.66 A2	11.42 B3	0.461 C2	432 DX		
902	11.29 A1	11.82 B4	0.462 C1	570 D2		
1052	11.90 A2	11.60 B3	0.500 C3	553 D2		
1332	11.60 A1	11.89 B4	0.483 C1	520 D2		
1352	11.50	11.45	0.475	518		
1354	11.10 A1	11.40 B7	0.465 C2	512 D2		
1427	11.50 A2	11.80 B7	0.494 C2	536 D2		
1456	11.32 A1	11.58 B6	0.476 C1	479 D1		
1529	11.66 A3	11.83 B1	0.480 C3	430 D1		
1531	11.83 A3	12.21 B6	0.484 C1			
1534	11.70 A1	11.86 B6	* 0.572 C5	494 D2		
1585	11.53	11.74	0.462	400		
1642	11.40 A1	11.40 B3	0.471 C3	425 D2		
1662	11.57 A1	11.34 B4	0.483 C1	498 D2		
1691	11.75 A1	11.60 B7	* 0.390 C4			
1692	11.63 A6	11.69 B6	0.495 C5	573 D2	308	365
1694	11.70 A1		0.450 C1	474 D1		
1711	11.71 A7	11.71 B7				
1716	11.10 AX	* 12.50 B4	0.480 C4	650 DX		

<i>Subscriber Number</i>	<i>Moisture (%)</i>	<i>Protein (%)</i>	<i>Ash (%)</i>	<i>Falling Number</i>	<i>Gassing Power 4th Hour (mm Hg)</i>	<i>Gassing Power 6th Hour (mm Hg)</i>
<b>N</b>	<b>37</b>	<b>35</b>	<b>33</b>	<b>31</b>	<b>2</b>	<b>2</b>
<b>Mean</b>	<b>11.55</b>	<b>11.76</b>	<b>0.478</b>	<b>514</b>	<b>349</b>	<b>417</b>
<b>Min</b>	<b>11.10</b>	<b>11.34</b>	<b>0.450</b>	<b>400</b>	<b>308</b>	<b>365</b>
<b>Max</b>	<b>12.00</b>	<b>12.21</b>	<b>0.500</b>	<b>650</b>	<b>390</b>	<b>468</b>
<b>Std</b>	<b>0.21</b>	<b>0.20</b>	<b>0.012</b>	<b>62</b>	<b>58</b>	<b>73</b>

*\* Not included in mean.*

*Confidentiality Notice: The data contained herein are confidential and intended for subscriber use only. Data from other subscribers are included for comparison purposes only.*