

<i>Sub #</i>	<i>Moisture</i>	<i>Maximum Overpressure (P)</i>	<i>Average Abscissa (L)</i>	<i>Curve Ratio (P/L)</i>	<i>Index of Swelling (G)</i>	<i>Dough Strength (W)</i>	<i>Elasticity Index (Ie)</i>	<i>Alveograph Method</i>
23	12.09 A1	33.0	64.0	0.52	17.8	61.0	34.50	
102	11.40 A1	27.0	78.0	0.35	19.6	58.0	38.80	
191	11.92 A1	35.0	99.0	0.35	22.0	75.0	32.90	
497	11.90 A1	34.0	96.0	0.32	21.8	71.0	36.00	
622	12.80 A1	36.0	94.0	0.38	21.6	83.0	36.20	
623	12.40	36.0	79.0	0.45	19.8	75.0	35.80	
660	11.64 A7	30.0	120.0	0.25	24.4	76.0	35.30	
769	12.07 A1	24.2	103.0	0.23	22.6	72.9		
1326	11.75	34.0	83.0	0.42	20.2	69.0	33.30	
1352	12.25	28.0	101.0	0.28	22.4	71.5	38.40	
1354	11.90 A6	31.0	96.0	0.32	21.8	69.0		
1486	12.00 A7	31.0	115.0	0.27	23.9	80.0	36.50	
1493	11.96	35.0	92.0	0.38	21.0	71.0	36.00	
1498	11.96 A2	31.9	92.5	0.34	21.4	62.3		
1531	12.35 A6	33.0	101.0	0.33	22.3	75.0	34.30	
1556	11.32 AX	32.0	100.0	0.32	22.3	80.0	38.90	
1559	12.10 AX	30.0	97.0	0.31	21.9	70.0	37.20	
1591	11.90 AX	30.8	117.0	0.26	24.0	82.0	35.00	
1626	13.10 A6	* 45.1	86.0	0.52	20.6	93.0		
1642	12.00 A1	33.0	118.0	0.28	24.2	90.0	40.20	
1707	12.10 A1	29.0	101.0	0.29	22.4	64.0	32.50	
1720	11.94 A1	34.0	71.0	0.48	18.8	67.0	36.20	
N	22	21	22	22	22	22	18	
Mean	12.04	31.8	95.6	0.35	21.7	73.4	36.00	
Min	11.32	24.2	64.0	0.23	17.8	58.0	32.50	
Max	13.10	36.0	120.0	0.52	24.4	93.0	40.20	
Std	0.39	3.1	14.8	0.08	1.7	8.8	2.13	

* Not Included in Mean

Confidentiality Notice: The data contained herein are confidential and intended for subscriber use only. Data from other subscribers are included for comparison purposes only.