

<i>Subscriber Number</i>	<i>Moisture (%)</i>	<i>Protein (%)</i>	<i>Ash (%)</i>	<i>Falling Number</i>	<i>Diastatic Power (mg/10g)</i>	<i>Gassing Power 4th Hour mmHg</i>	<i>Gassing Power 6th Hour mmHg</i>
62	10.70 A3	10.92 B4	0.570 C2	411 D2			
77	10.37 A1	11.03 B2	0.480 C1	437 D1			
102	10.33 A1	10.98 B4	0.543 C1	449 D1			
246	11.62 A3	10.62 B6	0.546 C2	428 D2			
300	10.90 A1	10.60 B7	0.520 C2	418 D2			
365	10.63 A1	11.00 B4	0.512 C1	449 D1			
484	10.43 A1		0.527 C1	380 D2			
619	10.25 A1	11.02 B3	0.533 C1	454 D2	155	317	368
622	10.68 A1	10.74 B3	0.503 C1	365 D1			
649	10.80 A2	10.93 BX	0.538 C2	372 D2			
677	10.26 A3	11.12 B2	0.510 C2				
727	10.85 A2	10.97 B7	0.518 C2	497 D2			
750	10.70 A1	10.90 B6	0.520 C2				
912	10.24 AX	11.17 B2	0.510 C4				
914	10.40 A1	10.99 B3	0.524 C1	405 D1	152	254	263
977	10.60 A7	11.05 B7	0.548 C1				
978	10.06	10.90	0.550				
1312	11.15 A7	10.80 B6	0.490 C1	314 D1			
1327	10.50 A7	10.94 B3	0.510 C1	444 D2	151		
1419	10.60 A1	10.51 B6	0.511 C1	364 D1			
1484	10.60 A7	11.08 B7	0.500 C2	402 D2			
1496	10.60 A7			370 D2			
1506	10.80 A1	10.90 B4	0.491 C2	365 D2			
1540	10.70 AX		0.520 CX	352 D1			
1547	10.60 A7		0.510 CX	410 D2			
1548	11.10 A7		0.470 CX	433 D2			
1549	10.61 A7		0.520 CX	408 D2			
1559	10.53 AX	11.18 B4	0.510 CX	362 DX	158		
1593	9.70 A7	* 12.50 B2	0.550 CX	358 D2			
1602	9.78 AX	10.97 B4					
1675	10.65 A7		0.517 CX	359 D2			
1684	10.54 A2	10.57 B7	0.560 C2	407 D1			
1693	10.33 A7	10.88 B3	0.512 C1	417 D2	152		
1706	10.70 A3	10.97 B5	0.540 CX	443 D1	* 170		
1707	10.56 A1	10.84 B3	0.537 C3	442 DX	152		
1717	11.24 A7	10.37 B7	0.545 C1	430 D1			

<i>Subscriber Number</i>	<i>Moisture (%)</i>	<i>Protein (%)</i>	<i>Ash (%)</i>	<i>Falling Number</i>	<i>Diastatic Power (mg/10g)</i>	<i>Gassing Power 4th Hour mmHg</i>	<i>Gassing Power 6th Hour mmHg</i>
<b>N</b>	<b>36</b>	<b>28</b>	<b>34</b>	<b>30</b>	<b>6</b>	<b>2</b>	<b>2</b>
<b>Mean</b>	<b>10.59</b>	<b>10.89</b>	<b>0.522</b>	<b>405</b>	<b>153</b>	<b>286</b>	<b>316</b>
<b>Min</b>	<b>9.70</b>	<b>10.37</b>	<b>0.470</b>	<b>314</b>	<b>151</b>	<b>254</b>	<b>263</b>
<b>Max</b>	<b>11.62</b>	<b>11.18</b>	<b>0.570</b>	<b>497</b>	<b>158</b>	<b>317</b>	<b>368</b>
<b>Std</b>	<b>0.37</b>	<b>0.20</b>	<b>0.023</b>	<b>40</b>	<b>3</b>	<b>45</b>	<b>74</b>

*\* Not included in mean.*

*Confidentiality Notice: The data contained herein are confidential and intended for subscriber use only. Data from other subscribers are included for comparison purposes only.*