

<i>Subscriber Number</i>	<i>Moisture (%)</i>	<i>Protein (%)</i>	<i>Ash (%)</i>	<i>Falling Number</i>	<i>Diastatic Power (mg/10g)</i>	<i>Gassing Power 4th Hour mmHg</i>	<i>Gassing Power 6th Hour mmHg</i>
26	12.10 A1	11.90 B3	0.600 C1	325 D1			
77	11.94 A1	12.08 B2	0.610 C1	320 D1			
102	12.08 A1	11.97 B4	0.582 C1	326 D1			
246	12.50 A3	12.15 B6	0.558 C2	301 D2			
300	12.36 A1	11.60 B7	0.590 C2	311 D2			
365	12.17 A1	11.93 B4	0.600 C1	319 D1			
484	11.63 A1	12.20 BX	0.607 C1	293 D2			
497	12.10 A1	12.00 B1	0.660 C1	311 D2			
619	12.10 A1	11.85 B3	0.600 C1	339 DX	295	419	504
622	12.00 A1	11.81 B3	0.500 C1	284 D1			
649	12.17 A2	11.86 BX	0.649 C2	298 D2			
677	12.00	11.85	0.500				
727	12.06 A1	11.57 B7	0.609 C2	320 D2			
750	11.90 A2	11.80 B6	0.600 C2	315 DX			
912	12.27 AX	12.02 B2	0.590 C4				
914	11.70 A1	12.00 B3	0.602 C1	310 D1	269	310	373
977	12.21 A7	11.78 B7	0.619 C1				
978	11.41	* 11.17	0.630				
1312	12.60 A7	11.70 B6	0.560 C1	294 D1			
1327	12.10 A7	11.83 B3	0.590 C1	324 D2	292		
1484	12.31 A7	12.03 B7	0.593 C2	307 D2			
1496	12.00 A7			285 D1			
1506	12.19 A1	11.84 B4	0.577 C2	302 D2			
1540	11.70 AX		0.611 CX	330 D1			
1547	12.00 A7		0.590 CX	320 D2			
1548	12.10 A7		0.600 CX	321 D2			
1549	11.90 AX		0.602 CX	302 D2			
1559	12.20 AX	11.96 B4	0.610 CX	290 D2	267		
1593	12.00 A7	* 10.40 B3	0.670 CX	285 D2			
1602	11.34 AX	11.91 B4					
1675	12.00 A7		0.603	285 D2			
1684	12.02 A2	11.90 B4	0.640 C2	290 D2			
1693	11.90 A7	11.87 B3	0.600 C1	307 D2	257		
1706	12.00 A3	11.91 B5	0.629 CX	286 D1	292		
1707	12.00 A1	11.91 B3	0.620 C1	332 DX	* 199		
1717	12.24 A7	11.65 B7	0.616 C1	307 D1			
1719	11.90 A3	11.50 B1	0.570 C1	295 D2			

<i>Subscriber Number</i>	<i>Moisture (%)</i>	<i>Protein (%)</i>	<i>Ash (%)</i>	<i>Falling Number</i>	<i>Diastatic Power (mg/10g)</i>	<i>Gassing Power 4th Hour mmHg</i>	<i>Gassing Power 6th Hour mmHg</i>
<b>N</b>	<b>37</b>	<b>29</b>	<b>35</b>	<b>32</b>	<b>6</b>	<b>2</b>	<b>2</b>
<b>Mean</b>	<b>12.03</b>	<b>11.88</b>	<b>0.600</b>	<b>307</b>	<b>279</b>	<b>365</b>	<b>439</b>
<b>Min</b>	<b>11.34</b>	<b>11.50</b>	<b>0.500</b>	<b>284</b>	<b>257</b>	<b>310</b>	<b>373</b>
<b>Max</b>	<b>12.60</b>	<b>12.20</b>	<b>0.670</b>	<b>339</b>	<b>295</b>	<b>419</b>	<b>504</b>
<b>Std</b>	<b>0.25</b>	<b>0.16</b>	<b>0.035</b>	<b>16</b>	<b>16</b>	<b>77</b>	<b>93</b>

*\* Not included in mean.*

*Confidentiality Notice: The data contained herein are confidential and intended for subscriber use only. Data from other subscribers are included for comparison purposes only.*