

<i>Subscriber Number</i>	<i>Moisture (%)</i>	<i>Protein (%)</i>	<i>Ash (%)</i>	<i>Falling Number</i>	<i>Gassing Power 4th Hour (mm Hg)</i>	<i>Gassing Power 6th Hour (mm Hg)</i>
19	10.02 A1	11.45 B1	0.538 C1	408 D2		
38	10.50 A7					
45	9.78 A3	11.30 B3	0.511 C3	498 D1		
50	10.01 A1	11.32 B7	0.523 C2	461 D2		
54	9.98 A1	11.19 B4	0.524 C2	575 D2		
55	10.16 A3	11.46 B4	0.536 C2	559 D2		
56	10.09 A1	11.49 B1	0.533 C2	488 D1		
58	10.05 A3	11.38 B4	0.535 C2	525 D2		
93	10.09 A1	11.56 B4	0.535 C1	619 D1		
137	10.19 A1	11.50 B7	0.531 C2	604 D2		
139	10.20 A1	11.56 B3	0.534 C2	625 D2		
164	10.20 AX	11.50 B4	0.543 CX	606 D1		
247	9.85 A1	11.24 B7	0.548 C1	445 D2	375	445
308	9.98 A1	11.50 B4	0.543 C1	628 D1		
392	9.90 A1	11.60 B3	0.510 C1	516 D2		
592	10.03 A2	11.70 B3	0.520 C2	562 D2		
593	9.99 A6	11.64 B6	0.550 C5			
657	9.96 A3	11.44 B4	0.546 C1	591 D1		
660	9.69 A7	11.26 B4	* 0.600 C1	600 D2		
687	10.08 A1	11.48 B4	0.527 C1	493 D2		
769	10.02 A1	11.61 B4	0.532 C2	557 D1	300	336
771	10.00	11.72	0.500			
902	10.14 A1	11.32 B4	0.535 C1	611 D2		
1052	* 12.60 A2	10.90 B3	0.500 C3	706 D2		
1332	9.89 A1	11.44 B4	0.547 C1	585 D2		
1352	10.10	11.64	0.533	484		
1456	9.82 A1	11.18 B6	0.543 C1	465 D1		
1472	10.01 A1	12.00 B2	0.550 C3	524 D1		
1493	9.90	11.68	0.520	400		
1519	10.01 A1	11.34 B4	0.537 C1	631 D1		
1529	9.92 A3	11.52 B1	0.545 C3	388 D1		
1534	9.82 A1	11.40 B6	0.563 C5	518 D2		
1585	10.31 A1	11.25 B4	0.524 C1	400 D1		
1642	10.00 A1	11.30 B3	0.528 C1	512 D2		
1662	10.19 A1	11.24 B4	0.544 C1	563 D2		
1691	10.00 A1	10.97 B4	0.550 C4			
1692	10.00 A6	11.80 B6	0.530 C5	560 D2	330	375
1694	10.11 A1		0.530 C1	584 D1		
1711	10.23 A7	11.62 B7	0.535 CX			
1716	* 9.40 AX	11.60 B4	0.550 C4	425 D2		

---

<i>Subscriber Number</i>	<i>Moisture (%)</i>	<i>Protein (%)</i>	<i>Ash (%)</i>	<i>Falling Number</i>	<i>Gassing Power 4th Hour (mm Hg)</i>	<i>Gassing Power 6th Hour (mm Hg)</i>
<b>N</b>	<b>38</b>	<b>38</b>	<b>38</b>	<b>35</b>	<b>3</b>	<b>3</b>
<b>Mean</b>	<b>10.03</b>	<b>11.45</b>	<b>0.534</b>	<b>535</b>	<b>335</b>	<b>385</b>
<b>Min</b>	<b>9.69</b>	<b>10.90</b>	<b>0.500</b>	<b>388</b>	<b>300</b>	<b>336</b>
<b>Max</b>	<b>10.50</b>	<b>12.00</b>	<b>0.563</b>	<b>706</b>	<b>375</b>	<b>445</b>
<b>Std</b>	<b>0.15</b>	<b>0.22</b>	<b>0.014</b>	<b>78</b>	<b>38</b>	<b>55</b>

---

*\* Not included in mean.*

*Confidentiality Notice: The data contained herein are confidential and intended for subscriber use only. Data from other subscribers are included for comparison purposes only.*