

<i>Subscriber Number</i>	<i>Moisture (%)</i>	<i>Protein (%)</i>	<i>Ash (%)</i>	<i>Falling Number</i>	<i>Gassing Power 4th Hour (mm Hg)</i>	<i>Gassing Power 6th Hour (mm Hg)</i>
19	13.02 A1	11.50 B1	0.507 C1	255 D2		
38	14.15 A7					
50	13.48 A1	11.79 B7	0.496 C2	275 D2		
54	13.24 A1	11.91 B4	0.488 C2	248 D2		
55	13.13 A1	11.42	0.507 C1	296		
56	13.40 A1	11.69 B1	0.495 C2	240 D1		
58	13.10 A3	11.72 B4	0.507 C2	259 D2		
93	13.41 A1	11.69 B4	0.492 C1	243 D1		
137	13.20	11.63	0.494	246		
139	13.30 A2	11.45 B3	0.498 C2	244 D2		
164	13.50 AX	11.80 B4	0.497 CX	253 D1		
247	13.60 A1	11.74 B7	0.487 C1	244 D2	440	545
308	13.20 A1	11.60 B4	0.467 C1	243 D1		
392	13.50 A1	11.50 B3	0.470 C1	252 D2		
520	13.10 AX					
537	13.33					
592	13.09 A2	11.90 B3	0.491 C2	235 D2		
593	13.26 A6	11.66 B6	0.530 C5			
623	13.67	12.39	0.505	238		
657	12.71 A3	11.79 B4	0.508 C1	229 D1		
660	12.65 A7	11.64 B4	0.508 C1	279 D2		
687	13.61 A1	11.65 B4	0.496 C1	260 D2		
771	13.60	11.79	0.476			
775	13.49 A2	11.73 B3	0.497 C2	* 625 DX		
902	12.93 A1	11.64 B4	0.494 C1	253 D2		
1052	12.48 A2	11.00 B3	0.510 C3			
1326	13.50	11.66	0.493	262		
1332	13.34 A1	11.71 B4	0.491 C1	263 D2		
1352	13.50 A5	11.90 B3	0.503 C3	243 D2		
1354	13.00 A1	11.20 B7	0.474 C2	228 D2		
1427	13.30 A2	11.81 B7	0.515 C2	236 D2		
1456	13.19 A1	11.67 B6	0.497 C1	259 D1		
1493	13.46	11.74	0.500	264		
1519	12.91 A1	11.53 B4	0.503 C1	281 D1		
1529	13.21 A3	11.74 B1	0.480 C3	213 D1		
1531	13.07 A6	12.12 B6	0.499 C1			
1534	13.28 A1	12.22 B6	0.546 C5	258 D2		
1585	13.44 A1	11.52 B4	0.480 C1	264 D1		
1617	12.30 A1	12.40 B4	0.500 C4	297 D2		
1642	13.17 A1	11.28 B3	0.480 C1	248 D2		
1662	13.66 A1	11.61 B4	0.483 C1	255 D2		
1691	13.12 A1	11.40 B4	0.490 C4			
1692	13.04 A6	11.56 B6	0.536 C5	241 D2	405	495

<i>Subscriber Number</i>	<i>Moisture (%)</i>	<i>Protein (%)</i>	<i>Ash (%)</i>	<i>Falling Number</i>	<i>Gassing Power 4th Hour (mm Hg)</i>	<i>Gassing Power 6th Hour (mm Hg)</i>
1694	12.95 A1					
1711	12.93 A7	11.92 B7	0.479 CX			
<b>N</b>	<b>45</b>	<b>41</b>	<b>41</b>	<b>34</b>	<b>2</b>	<b>2</b>
<b>Mean</b>	<b>13.23</b>	<b>11.70</b>	<b>0.497</b>	<b>253</b>	<b>423</b>	<b>520</b>
<b>Min</b>	<b>12.30</b>	<b>11.00</b>	<b>0.467</b>	<b>213</b>	<b>405</b>	<b>495</b>
<b>Max</b>	<b>14.15</b>	<b>12.40</b>	<b>0.546</b>	<b>297</b>	<b>440</b>	<b>545</b>
<b>Std</b>	<b>0.33</b>	<b>0.27</b>	<b>0.016</b>	<b>18</b>	<b>25</b>	<b>35</b>

*\* Not included in mean.*

*Confidentiality Notice: The data contained herein are confidential and intended for subscriber use only. Data from other subscribers are included for comparison purposes only.*