

<i>Subscriber Number</i>	<i>Moisture (%)</i>	<i>Protein (%)</i>	<i>Ash (%)</i>	<i>Falling Number</i>	<i>Gassing Power 4th Hour (mm Hg)</i>	<i>Gassing Power 6th Hour (mm Hg)</i>
19	13.58 A6	11.20 B6	0.470 C5	525 D2		
38	13.71 A7					
50	13.41 A1	10.95 B7	0.510 C2	618 D2		
54	13.36 A1	11.66 B4	0.483 C2	512 D2		
56	13.53 A1	11.05 B1	0.479 C2	572 D1		
58	13.44 A3	11.06 B4	0.477 C2	480 D2		
93	13.54 A1	11.06 B4	0.466 C1	543 D1		
137	13.47 A1	10.89 B4	0.472 C2	* 285 D2		
139	13.10 A2	11.05 B3	0.480 C2	500 D2		
164	13.58 AX	11.12 B4	0.450 CX	577 D1		
308	13.63 A1	11.00 B4	0.436 C1	542 D1		
387	13.50 A2	11.00 B3	0.480 C1			
392	13.66 A1	11.20 B3	0.450 C1	466 D2		
520	13.25 AX					
537	13.03 A3					
592	13.65 A2	11.00 B6	0.462 C1	500 D2		
593	13.77 A6	10.89 B6				
623	13.81	10.96	0.446	399		
657	13.60 A3	10.97 B4	0.502 C1	489 D1		
660	13.30 A7	11.08 B4	0.471 C1	513 D2		
687	13.38 A1	11.02 B4	0.471 C1	474 D2		
771	13.70	11.00	0.445			
775	13.48 A2	11.12 B3	0.459 C2	450 DX		
902	13.43 A1	11.04 B4	0.469 C1	586 D2		
1052	13.50 A2	10.30 B3	0.470 C3	559 D2		
1326	13.70	10.93	0.483	487		
1332	13.30 A1	11.00 B4	0.470 C1	535 D2		
1354	12.90 A1	10.90 B7	0.481 C2	452 D2		
1427	13.60 A2	10.98 B7	0.496 C2	520 D2		
1456	13.45 A1	10.82 B6	0.462 C1	480 D1		
1493	13.66	11.51	0.480	400		
1519	13.49 A1	11.03 B4	0.471 C1	624 D1		
1531	13.39 A3	11.39 B6	0.466 C1			
1585	13.47 A1	11.20 B4	0.485 C1	400 D1		
1662	13.59 A1	11.11 B4	0.478 C1	508 D2		
1691	* 12.17 A1	10.72 B6	0.463 C5			
1692	13.67 A6	11.93 B6	0.443 C5	538 D2	270	323
1694	13.61 A1		0.430 C1			
1716	13.60 A1	10.50 B1	0.450 C1	407 D2		
1729	* 14.50 A7	10.99 B7	* 0.610 CX	419 D2		
1730	13.43 A3	12.00 B6	0.430 C3	455 D2		
1731	13.45 A1	11.38 B3	0.450 C3	503 D2		
1738	13.26 A1		0.472 C2	464 D1		

<i>Subscriber Number</i>	<i>Moisture (%)</i>	<i>Protein (%)</i>	<i>Ash (%)</i>	<i>Falling Number</i>	<i>Gassing Power 4th Hour (mm Hg)</i>	<i>Gassing Power 6th Hour (mm Hg)</i>
1740	13.25 A1	11.00 B7		510 D1		
1745	13.67 A5					
<b>N</b>	<b>43</b>	<b>39</b>	<b>38</b>	<b>34</b>		
<b>Mean</b>	<b>13.49</b>	<b>11.08</b>	<b>0.467</b>	<b>500</b>		
<b>Min</b>	<b>12.90</b>	<b>10.30</b>	<b>0.430</b>	<b>399</b>		
<b>Max</b>	<b>13.81</b>	<b>12.00</b>	<b>0.510</b>	<b>624</b>		
<b>Std</b>	<b>0.19</b>	<b>0.31</b>	<b>0.018</b>	<b>59</b>		

*\* Not included in mean.*

*Confidentiality Notice: The data contained herein are confidential and intended for subscriber use only. Data from other subscribers are included for comparison purposes only.*