

<i>Subscriber Number</i>	<i>Moisture (%)</i>	<i>Protein (%)</i>	<i>Ash (%)</i>	<i>Falling Number</i>	<i>Gassing Power 4th Hour (mm Hg)</i>	<i>Gassing Power 6th Hour (mm Hg)</i>
19	11.89 A6	11.60 B6	0.570 C5	468 D2		
38	11.39 AX					
50	11.90 A1	11.75 B7	0.528 C2	566 D2		
54	11.50 A1	11.82 B4	0.553 C2	400 D2		
55	11.94 A3	12.21 B4	0.554 C2	394 D2		
58	11.60 A3	11.88 B4	0.546 C2	428 D2		
93	12.05 A1	11.88 B4	0.553 C1	468 D1		
137	11.70 A1	11.82 B2	0.550 C2	480 D2		
139	11.60 A2	11.88 B3	0.566 C2	500 D2		
164	11.93 AX	11.95 B4	0.551 CX	475 D1		
247	11.74	12.24		443	390	443
308	11.81 A1	11.70 B4	0.581 C1	402 D1		
387	11.77 A2	12.00 B3	0.556 C1			
392	12.20 A1	11.90 B3	0.510 C1	406 D2		
520	11.20 AX					
537	11.69 A3					
592	11.75 A2	12.10 B3	0.552 C2	423 D2		
593	11.99 A6	11.58 B6	* 0.460 C5			
623	11.65	12.67	0.585	419		
657	11.66 A3	11.65 B4	0.566 C1	483 D1		
660	12.14 A7	11.73 B4	0.527 C1	456 D2		
687	11.53 A1	11.92 B4	0.566 C1	440 D2		
771	12.00	11.95	0.526			
902	11.82 A1	11.78 B4	0.552 C1	528 D2		
1052	11.80 A6	* 2.50 B6	0.590	455		
1326	11.60	11.89	0.560	446		
1332	11.68 A1	11.83 B4	0.559 C1	435 D2		
1352	11.90 A7	12.31 B3	0.539 C2	469 D2		
1354	11.50 A1	11.40 B7	0.567 C2	457 D2		
1427	11.80 A2	12.02 B7	0.553 C2	405 D2		
1456	11.93 A1	11.44 B6	0.543 C1	387 D1		
1519	11.71 A1		0.556 C1	457 D1		
1585	11.69 A1	11.83 B4	0.560 C1	396 D1		
1662	11.42 A1	11.85 B4	0.576 C1	449 D2		
1691	11.90 A1	11.34 B6	0.554 C5			
1692	12.46 A6	12.45 B6	0.563 C5	428 D2	330	398
1694	11.75 A1		0.540 C1			
1716	11.50 A1	11.60 B1	0.570 C1	387 D2		
1729	11.80 A7	11.66 B7	* 0.650 CX	355 D2		
1731	11.40 A1	12.15 B3	0.602 C3	453		
1732	11.20 A7	* 10.80 B7	0.525 CX	388 D2		
1738	11.74 A1	11.96 B2	0.584 C2	453 D1		

<i>Subscriber Number</i>	<i>Moisture (%)</i>	<i>Protein (%)</i>	<i>Ash (%)</i>	<i>Falling Number</i>	<i>Gassing Power 4th Hour (mm Hg)</i>	<i>Gassing Power 6th Hour (mm Hg)</i>
<b>N</b>	<b>42</b>	<b>35</b>	<b>36</b>	<b>34</b>	<b>2</b>	<b>2</b>
<b>Mean</b>	<b>11.74</b>	<b>11.88</b>	<b>0.556</b>	<b>441</b>	<b>360</b>	<b>421</b>
<b>Min</b>	<b>11.20</b>	<b>11.34</b>	<b>0.510</b>	<b>355</b>	<b>330</b>	<b>398</b>
<b>Max</b>	<b>12.46</b>	<b>12.67</b>	<b>0.602</b>	<b>566</b>	<b>390</b>	<b>443</b>
<b>Std</b>	<b>0.25</b>	<b>0.28</b>	<b>0.020</b>	<b>43</b>	<b>42</b>	<b>32</b>

*\* Not included in mean.*

*Confidentiality Notice: The data contained herein are confidential and intended for subscriber use only. Data from other subscribers are included for comparison purposes only.*