

<i>Subscriber Number</i>	<i>Moisture (%)</i>	<i>Protein (%)</i>	<i>Ash (%)</i>	<i>Falling Number</i>	<i>Diastatic Power (mg/10g)</i>	<i>Gassing Power 4th Hour mmHg</i>	<i>Gassing Power 6th Hour mmHg</i>
77	12.02 A1	11.88 B2	0.560 C1	433 D1			
102	12.05 A1	11.96 B4	0.551 C1	468 D1			
109	12.07 A7	11.70 B7	0.570 C1	424 D2			
115	12.11 A5	11.90 B7	0.550 CX	418 D1			
246	12.80 A3	11.51 B6	0.549 C2	383 D2			
249	12.30 A1	* 10.90 B2	0.580 C2				
300	12.44	11.70	0.512	407			
365	12.10 A1	11.69 B4	0.540 C1	420 D1			
619	12.20 A1	11.74 B3	0.557 C1	421 D2	204		
641	12.50 AX	12.11 B4	0.583 C2	369 D2			
649	12.43 A2	11.94 B7	0.581 C2	435 D2			
677	11.62 A3	11.70 B4	0.570 C2				
727	12.50 A1	11.95 B7	0.550 C1	413 D2			
914	12.00 A1	11.74 B4	0.552 C1	368 D1	222	380	430
977	12.20 A7	11.76 B7	0.590 C1				
1312	12.20 A7	11.30 B6	0.520 C1	340 D1			
1327	12.00 A7	11.78 B3	0.550 C1	419 D2	230		
1484	12.21 A7	11.43 B7	0.563 C2	461 D2			
1506	12.17 A1	11.76 B4	0.559 C2	362 D2			
1547	11.70 A7		0.530 CX	475 DX			
1548	12.90 A7		0.500 CX	403 D2			
1549	11.70 AX		0.540 CX	418 D2			
1559	12.15 AX	11.97 B4	0.593 CX	370 DX	199		
1593	11.90 A1	* 13.60 B3	0.610 C2	360 D1			
1602	11.61 AX	11.85 B4					
1684	12.23 A2	11.47 B3	0.538 C2	445 D2			
1693	12.08 A7	11.90 B3	0.560 C1	410 D2	206		
1706	12.16 A3	11.83 B5	0.574 CX	455 D1	226		
1717	11.89 A7	11.43 B7	0.564 C1	402 D1			
1719	11.80 A3	12.00 B1	0.488 C1	402 D2			
1741	11.95 A1	11.82 B3	0.555 C1	352 D2	* 142		

<i>Subscriber Number</i>	<i>Moisture (%)</i>	<i>Protein (%)</i>	<i>Ash (%)</i>	<i>Falling Number</i>	<i>Diastatic Power (mg/10g)</i>	<i>Gassing Power 4th Hour mmHg</i>	<i>Gassing Power 6th Hour mmHg</i>
N	31	26	30	27	6		
Mean	12.13	11.76	0.555	409	215		
Min	11.61	11.30	0.488	340	199		
Max	12.90	12.11	0.610	475	230		
Std	0.30	0.20	0.027	36	13		

** Not included in mean.*

Confidentiality Notice: The data contained herein are confidential and intended for subscriber use only. Data from other subscribers are included for comparison purposes only.