

| <i>Subscriber Number</i> | <i>Moisture (%)</i> | <i>Protein (%)</i> | <i>Ash (%)</i> | <i>Falling Number</i> | <i>Diastatic Power (mg/10g)</i> | <i>Gassing Power 4th Hour mmHg</i> | <i>Gassing Power 6th Hour mmHg</i> |
|--------------------------|---------------------|--------------------|----------------|-----------------------|---------------------------------|------------------------------------|------------------------------------|
| 77 | 12.31 A1 | 10.85 B2 | 0.540 C1 | 373 D1 | | | |
| 102 | 12.73 A1 | 10.67 B4 | 0.487 C1 | 375 D1 | | | |
| 109 | 12.82 A7 | 10.51 B7 | 0.490 C1 | 361 D2 | | | |
| 115 | 12.47 A5 | 10.69 B7 | 0.470 C4 | 348 D1 | | | |
| 246 | 13.50 A3 | 11.10 B6 | 0.539 C2 | 319 D2 | | | |
| 249 | 12.50 A1 | 10.50 B2 | 0.500 C2 | | | | |
| 300 | 13.35 A1 | 10.80 B7 | 0.483 C2 | 377 D2 | | | |
| 365 | 12.91 A1 | 10.64 B4 | 0.460 C1 | 344 D1 | | | |
| 619 | 12.90 A1 | 10.49 B3 | 0.472 C1 | 355 D2 | 235 | | |
| 641 | 12.70 AX | * 10.00 B4 | 0.483 C2 | 352 D2 | | | |
| 649 | 12.99 A2 | 10.69 B7 | 0.524 C2 | 334 D2 | | | |
| 677 | 12.60 A3 | 10.74 B4 | 0.561 C2 | | | | |
| 727 | 12.70 A1 | 10.50 B7 | 0.500 C1 | 355 D2 | | | |
| 750 | 12.80 A2 | 10.70 B6 | 0.492 C2 | | | | |
| 914 | 12.70 A1 | 10.47 B4 | 0.489 C1 | 380 D1 | 246 | 320 | 425 |
| 1312 | 13.10 A7 | 10.50 B6 | 0.420 C1 | 304 D1 | | | |
| 1327 | 12.90 A7 | 10.79 B3 | 0.490 C1 | 350 D2 | 225 | | |
| 1484 | 12.93 A7 | 10.35 B7 | 0.449 C2 | 361 D2 | | | |
| 1506 | 12.90 A1 | 10.60 B4 | 0.432 C2 | 324 D2 | | | |
| 1547 | 12.80 A7 | | 0.490 CX | 408 | | | |
| 1548 | 12.60 A7 | | 0.480 CX | 356 D2 | | | |
| 1549 | 12.40 AX | | 0.460 CX | 353 D2 | | | |
| 1559 | 12.80 AX | 10.79 B4 | 0.500 CX | 331 DX | 212 | | |
| 1602 | 12.14 AX | 10.58 B4 | | | | | |
| 1684 | 12.94 | 10.62 | 0.502 | 355 | | | |
| 1693 | 12.90 A7 | 10.82 B3 | 0.480 C1 | 343 D2 | 216 | | |
| 1706 | 12.83 A3 | 10.68 B5 | 0.511 CX | 344 D1 | 229 | | |
| 1741 | 12.75 A7 | 10.55 B3 | 0.480 C1 | 351 D2 | | | |

| <i>Subscriber Number</i> | <i>Moisture (%)</i> | <i>Protein (%)</i> | <i>Ash (%)</i> | <i>Falling Number</i> | <i>Diastatic Power (mg/10g)</i> | <i>Gassing Power 4th Hour mmHg</i> | <i>Gassing Power 6th Hour mmHg</i> |
|------------------------------|-------------------------|------------------------|--------------------|---------------------------|-------------------------------------|--|--|
| N | 28 | 24 | 27 | 24 | 6 | | |
| Mean | 12.78 | 10.65 | 0.488 | 352 | 227 | | |
| Min | 12.14 | 10.35 | 0.420 | 304 | 212 | | |
| Max | 13.50 | 11.10 | 0.561 | 408 | 246 | | |
| Std | 0.28 | 0.16 | 0.031 | 22 | 12 | | |

** Not included in mean.*

Confidentiality Notice: The data contained herein are confidential and intended for subscriber use only. Data from other subscribers are included for comparison purposes only.