

<i>Subscriber Number</i>	<i>Moisture (%)</i>	<i>Protein (%)</i>	<i>Ash (%)</i>	<i>Falling Number</i>	<i>Diastatic Power (mg/10g)</i>	<i>Gassing Power 4th Hour mmHg</i>	<i>Gassing Power 6th Hour mmHg</i>
77	12.60 A1	10.90 B2	0.490 C1	459 D1			
102	13.22 A1	11.08 B4	0.462 C1	510 D1			
109	13.06 A7	11.12 B7	0.470 C1	476 D2			
246	13.32 A3	11.30 B6	0.500 C2	430 D2			
249	12.97 A1	10.78 B2	0.480 C2				
300	13.30 A1	11.10 B7	0.481 C2	491 D2			
365	12.99 A1	11.07 B4	0.460 C1	474 D1			
497	13.50 A1			510 D2			
641	13.20 A7	* 10.20 BX	0.443 C2	514 D2			
649	13.07 A2	11.27 B7	0.509 C2	445 D2			
677	12.50 A3	11.20 B4	* 0.590 C2				
727	12.90 A1	* 11.95 B7	0.495 C1	498 D2			
750	12.80 A2	10.92 B6	0.480 C2				
914	12.90 A1	11.07 B4	0.472 C1	518 D1	151	280	320
977	12.70 A7	11.11 B7	0.475 C1				
1312	13.40 A7	10.80 B6	0.460 C1	440 D1			
1327	13.10 A7	11.00 B3	0.470 C1	493 D2	185		
1484	13.01 A7	10.87 B7	0.478 C2	550 D2			
1506	13.33 A1	11.01 BX	0.476 C2	397 D1			
1547	13.30 A7		0.460 CX	536 D2			
1549	12.50 AX		0.470 CX	511 DX			
1559	12.93 AX	11.21 B4	* 0.574 CX	421 DX	179		
1593	13.40 A1		0.510 C4	397 D1			
1602	12.62 AX	11.11 B4					
1684	12.83 A2	10.78 B3	0.487 C2	450 D2			
1693	13.00 A7	11.12 B3	0.450 C1	442 D2	174		
1706	12.76 A3	11.17 B5	0.492 CX	529 D1	187		
1719	12.50 AX	10.95 B1	0.451 C1	500 D2			
1741	13.12 A7	11.05 B3	0.490 C1	537 D2			

<i>Subscriber Number</i>	<i>Moisture (%)</i>	<i>Protein (%)</i>	<i>Ash (%)</i>	<i>Falling Number</i>	<i>Diastatic Power (mg/10g)</i>	<i>Gassing Power 4th Hour mmHg</i>	<i>Gassing Power 6th Hour mmHg</i>
N	29	23	25	24	5		
Mean	12.99	11.04	0.476	480	175		
Min	12.50	10.78	0.443	397	151		
Max	13.50	11.30	0.510	550	187		
Std	0.29	0.15	0.018	44	14		

** Not included in mean.*

Confidentiality Notice: The data contained herein are confidential and intended for subscriber use only. Data from other subscribers are included for comparison purposes only.