

<i>Subscriber Number</i>	<i>Moisture (%)</i>	<i>Protein (%)</i>	<i>Ash (%)</i>	<i>Falling Number</i>	<i>Gassing Power 4th Hour (mm Hg)</i>	<i>Gassing Power 6th Hour (mm Hg)</i>
19	14.00 A6	11.65 B6	0.530 C5	519 D2		
38	13.81 A7					
50	13.99 A1	11.60 B7	0.578 C2	608 D2		
54	13.90 A1	11.95 B4	0.561 C2	512 D2		
55	13.73 A3	11.85 B4	0.560 C2	442 D2		
56	14.10 A1	11.78 B4	0.541 C2	* 256 D2		
58	13.83 A3	11.60 B4	0.570 C2	508 D2		
93	14.06 A1	11.81 B4	0.552 C1	540 D1		
137	13.91 A1	11.87 B4	0.564 C2	561 D2		
139	13.90 A2	11.83 B3	0.572 C2	500 D2		
164	13.93 AX	11.96 B4	0.557 CX	588 D1		
247	14.14	11.63	0.553	514	300	338
308	14.09 A1	11.80 B4	0.516 C1	524 D1		
314	14.15 A1	11.50 B6	0.550 C2	400 D2		
392	14.03 A1	11.75 B3	0.500 C1	450 D2		
537	14.09 A3					
592	13.90 A2	11.80 B3	0.552 C1	414 D2		
593	14.10 A6	11.70 B6	0.600 C5			
623	14.44	11.79	0.532	454		
657	14.15 A3	12.24 B4	0.560 C1	513 D1		
660	13.90 A7	11.73 B4	0.545 C1	497 D2		
687	13.79 A1	11.65 B4	0.562 C1	445 D2		
771	14.30	11.80	0.542			
775	14.02 A2	11.69 B3	0.549 C2	412 DX		
902	14.04 A1	11.74 B4	0.535 C1	518 D2		
1052	14.10 A2	11.40 B3	0.580 C3	576 D2		
1326	14.00	11.88	0.550	456		
1332	14.03 A1	11.98 B4	0.568 C1	491 D2		
1354	* 13.40 A1	* 10.02 B7	* 0.666 C1	433 D2		
1427	14.00 A2	12.00 B7	0.573 C2	512 D2		
1456	13.83 A1	11.44 B6	0.570 C1	519 D1		
1493	14.05	12.20	0.560	400		
1519	13.87 A1	11.95 B4	0.559 C1	519 D1		
1529	13.59 A1	* 14.07 B7	0.530 C3	443 D2		
1585	14.00 A1	11.70 B4	0.560 C1	400 D1		
1662	14.10 A1	11.78 B4	0.560 C1	475 D2		
1691	14.00 A1	11.34 B6	0.506 C5			
1692	13.82 A6	11.54 B6	0.525 C5	496 D2		
1694	14.08 A1	11.70 B1	0.540 C1			
1730	13.60 A3	11.63 B6	* 0.470 C3			
1731	14.02 A1	* 12.96 B3	0.570 C3	459 D2		
1732	* 13.30 A7	11.45 B7	0.520 CX	408 D2		
1745	14.11 A5					

---

<i>Subscriber Number</i>	<i>Moisture (%)</i>	<i>Protein (%)</i>	<i>Ash (%)</i>	<i>Falling Number</i>	<i>Gassing Power 4th Hour (mm Hg)</i>	<i>Gassing Power 6th Hour (mm Hg)</i>
<b>N</b>	<b>41</b>	<b>37</b>	<b>38</b>	<b>34</b>		
<b>Mean</b>	<b>13.99</b>	<b>11.75</b>	<b>0.551</b>	<b>485</b>		
<b>Min</b>	<b>13.59</b>	<b>11.34</b>	<b>0.500</b>	<b>400</b>		
<b>Max</b>	<b>14.44</b>	<b>12.24</b>	<b>0.600</b>	<b>608</b>		
<b>Std</b>	<b>0.16</b>	<b>0.20</b>	<b>0.021</b>	<b>56</b>		

---

*\* Not included in mean.*

*Confidentiality Notice: The data contained herein are confidential and intended for subscriber use only. Data from other subscribers are included for comparison purposes only.*