

<i>Subscriber Number</i>	<i>Moisture (%)</i>	<i>Protein (%)</i>	<i>Ash (%)</i>	<i>Falling Number</i>	<i>Diastatic Power (mg/10g)</i>	<i>Gassing Power 4th Hour mmHg</i>	<i>Gassing Power 6th Hour mmHg</i>
77	13.15 A1	10.96 B2	0.640 C1	436 D1			
102	13.46 A1	11.47 B4	0.580 C1	458 D1			
109	13.65 A7	11.12 B7	0.583 C1	405 D2			
246	13.70 A3	11.40 B6	0.533 C2	392 D2			
249	13.36 A1	11.00 B2	0.580 C2				
300	13.50 A1	11.60 B7	0.573 C2	437 D2			
365	13.46 A1	11.37 B4	0.530 C1	433 D1			
497	13.45 A1			456 D2			
619	13.40 A1	11.08 B3	0.552 C1	446 D2	192		
649	13.79 A2	11.46 B6	0.614 C2	475 D2			
677	13.21 A3	11.38 B4	0.580 C2				
727	13.90 A1	11.45 B7	0.568 C1	433 D2			
750	13.50 A2	11.00 B6	0.558 C2				
914	13.60 A1	11.27 B4	0.560 C1	424 D1	186	295	347
977	13.48 A7	11.33 B7	0.601 C1				
1327	13.50 A7	11.26 B3	0.560 C1	429 D2	210		
1506	13.58 A1	11.41 B4	0.534 C2	375 D2			
1540	13.50 AX		0.530 CX	436 DX			
1547	13.90 A7		0.550 CX	468 D2			
1549	13.50 AX		0.550 CX	424 DX			
1559	13.74 AX	11.44 B4	0.570 CX	381 DX	186		
1593	13.40 A1	* 10.30 B3	0.560 C2	364 D1			
1602	13.70 AX	11.29 B4					
1684	13.42 A2	10.98 B3	0.520 C2	421 D2			
1693	13.40 A7	11.32 B3	0.560 C1	380 D2	190		
1706	13.67 A3	11.39 B5	0.577 CX	427 D1	204		
1741	13.54 A7	11.38 B3	0.568 C1	439 D2			
1750	13.20 A3	* 10.20 B3	0.573 C1	440 D2			

<i>Subscriber Number</i>	<i>Moisture (%)</i>	<i>Protein (%)</i>	<i>Ash (%)</i>	<i>Falling Number</i>	<i>Diastatic Power (mg/10g)</i>	<i>Gassing Power 4th Hour mmHg</i>	<i>Gassing Power 6th Hour mmHg</i>
N	28	22	26	23	6		
Mean	13.52	11.29	0.566	425	195		
Min	13.15	10.96	0.520	364	186		
Max	13.90	11.60	0.640	475	210		
Std	0.19	0.18	0.027	30	10		

** Not included in mean.*

Confidentiality Notice: The data contained herein are confidential and intended for subscriber use only. Data from other subscribers are included for comparison purposes only.