

<i>Subscriber Number</i>	<i>Moisture (%)</i>	<i>Protein (%)</i>	<i>Ash (%)</i>	<i>Falling Number</i>	<i>Diastatic Power (mg/10g)</i>	<i>Gassing Power 4th Hour mmHg</i>	<i>Gassing Power 6th Hour mmHg</i>
77	13.92 A1	11.66 B2	0.640 C1	455 D1			
102	13.69 A1	11.97 B4	0.556 C1	497 D1			
109	14.12 A7	11.73 B7	0.575 C1	407 D2			
246	14.30 A3	11.80 B6	0.580 C2	411 D2			
249	13.84 A1	11.70 B2	0.570 C2				
300	14.46	11.85	0.590	478			
365	14.12 A1	11.94 B4	0.540 C1	486 D1			
497	14.10 A1			504 D2			
619	13.61 A1	11.58 B6	0.549 C1	493 D2	166		
641	13.20 A6	11.96 B7	0.523 C2	507 D2			
649	14.17 A2	12.05 B7	0.579 C2	466 DX			
677	* 11.73 A2	12.00 B4	0.580 C2				
727	14.10 A1	11.80 B7	0.563 C1	475 D2			
750	13.90 A2	11.74 B6	0.602 C2				
914	13.90 A1	11.86 B4	0.555 C1	450 D1	203	270	300
1312	14.20 A7	11.60 B6	0.500 C1	442 D1			
1327	14.10 A7	11.71 B3	0.560 C1	439 D2	182		
1484	14.07 A7	* 11.21 B7	0.540 C2	519 D2			
1506	14.00 A1	11.78 B4	0.483 C2				
1540	14.00 AX		0.550 CX	425 DX			
1547	* 12.40 A7		0.560 CX	561 D2			
1549	14.00 AX		0.555 CX	501 DX			
1559	13.87 AX	11.93 B4	0.578 CX	390 DX	173		
1602	13.66 AX	11.79 B4					
1684	13.74	11.68	0.540	470			
1693	14.00 A7	11.83 B3	0.550 C1	435 D2	165		
1706	14.00 A3	11.81 B5	0.580 CX	457 D1	175		
1741	14.08 A7	11.91 B3	0.552 C1	498 D2			
1750	13.90 A3	11.60 B3	0.573 C1	426 D2	161		

<i>Subscriber Number</i>	<i>Moisture (%)</i>	<i>Protein (%)</i>	<i>Ash (%)</i>	<i>Falling Number</i>	<i>Diastatic Power (mg/10g)</i>	<i>Gassing Power 4th Hour mmHg</i>	<i>Gassing Power 6th Hour mmHg</i>
N	27	24	27	24	7		
Mean	13.96	11.80	0.560	466	175		
Min	13.20	11.58	0.483	390	161		
Max	14.46	12.05	0.640	561	203		
Std	0.24	0.13	0.030	41	14		

** Not included in mean.*

Confidentiality Notice: The data contained herein are confidential and intended for subscriber use only. Data from other subscribers are included for comparison purposes only.