

<i>Subscriber Number</i>	<i>Moisture (%)</i>	<i>Protein (%)</i>	<i>Ash (%)</i>	<i>Falling Number</i>	<i>Diastatic Power (mg/10g)</i>	<i>Gassing Power 4th Hour mmHg</i>	<i>Gassing Power 6th Hour mmHg</i>
62	13.20 A6	11.40 B6	0.530 C5				
77	12.64 A1	11.42 B2	0.520 C1	483 D1			
102	12.78 A1	11.74 B4	0.538 C1	544 D1			
109	12.72 A7	11.79 B7	0.535 C1	524 D2			
246	13.03 A3	11.48 B6	0.560 C2	436 D2			
249	12.60 A1		0.520 C1				
300	13.14	11.82	0.524	558			
365	12.68 A1	11.75 B4	0.510 C1	555 D1			
497	12.69 A1			549 D2			
619	12.21 A1	11.46 B3	0.533 C1	489 D2	154		
649	12.92 A2	11.88 B7	0.530 C2	519 D2			
677	12.60 A2	11.95 B4	0.550 C2				
727	12.80 A1	11.35 B7	0.535 C1	540 D2			
750	12.70 A2	11.60 B6	0.538 C2				
914	12.50 A1	11.79 B4	0.527 C1	501 D1	160	250	285
1327	12.70 A7	11.80 B3	0.520 C1	491 D2	179		
1484	13.07 A7	11.59 B7	0.513 C2	592 D2			
1506	12.82 A1	11.78 B4	0.515 C2	399 D2			
1540	12.80 AX		0.520 CX	396 DX			
1547	12.50 A7		0.520 CX	535 D2			
1559	12.80 AX	11.83 B4	0.545 CX	420 DX	155		
1593	12.80 A1	B3	0.520 C2	423 D1			
1602	12.20 AX	11.73 B4					
1684	12.79 A2	11.84 B3	0.518 C2	438 D2			
1693	12.50 A7	11.78 B3	0.510 C1	424 D2	164		
1706	12.49 A3	11.72 B5	0.527 CX	506 D1	171		
1719	12.80 A3	11.27 B1	0.507 C1	532 D2			
1741	12.80 A7	11.81 B3	0.504 C1	555 D2			
1750	12.10 A3	11.90 B3	0.570 C1	447 D2	164		

<i>Subscriber Number</i>	<i>Moisture (%)</i>	<i>Protein (%)</i>	<i>Ash (%)</i>	<i>Falling Number</i>	<i>Diastatic Power (mg/10g)</i>	<i>Gassing Power 4th Hour mmHg</i>	<i>Gassing Power 6th Hour mmHg</i>
N	29	24	27	24	7		
Mean	12.70	11.69	0.527	494	164		
Min	12.10	11.27	0.504	396	154		
Max	13.20	11.95	0.570	592	179		
Std	0.26	0.19	0.016	58	9		

** Not included in mean.*

Confidentiality Notice: The data contained herein are confidential and intended for subscriber use only. Data from other subscribers are included for comparison purposes only.