

<i>Subscriber Number</i>	<i>Moisture (%)</i>	<i>Protein (%)</i>	<i>Ash (%)</i>	<i>Falling Number</i>	<i>Diastatic Power (mg/10g)</i>	<i>Gassing Power 4th Hour mmHg</i>	<i>Gassing Power 6th Hour mmHg</i>
61	12.50 A6	11.40 B6	0.530 C5				
77	11.96 A1	11.45 B2	0.600 C1	456 D1			
102	12.26 A1	11.93 B4	0.526 C1	536 D1			
109	11.77 A7	11.93 B7	0.530 C1	501 D2			
246	12.70 A3	11.82 B6	0.529 C2	465 D2			
249	12.22 A1	11.30 B2	0.550 C2				
300	12.13	11.80	0.519	505			
365	12.25 A1	11.88 B4	0.527 C1	503 D2			
497	12.10 A1			534 D2			
619	12.49 A6	11.57 B3	0.495 C1	547 D2	159		
649	12.25 A2	11.77 B7	0.543 C2	506 D2			
677	12.14 A2	11.95 B4	0.549 C2				
727	12.00 A1	11.80 B7	0.525 C1	489 D2			
750	11.97 A1	11.61 B6	0.522 C2	551 D1			
914	11.80 A1	11.71 B4	0.529 C1	453 D1	* 229	280	300
1312	12.90 A7	11.70 B6	0.600 C1	433 D1			
1327	12.70 A7	11.73 B3	0.510 C1	516 D2	173		
1484	12.48 A7	11.70 B7	0.512 C2	497 D2			
1506	11.69 A1	11.84 B4	0.500 C2	400 D2			
1540	12.30 AX		0.520 CX	406 DX			
1547	12.40 A7		0.520 CX	450 D2			
1549	12.10		0.580	518			
1559	11.90 AX	11.93 B4	0.538 CX	413 DX	161		
1593	12.50 A1	11.60 B3	0.520 C2	400 D1			
1602	11.82 AX	11.71 B4					
1684	12.34	11.56	0.497	* 306			
1693	12.50 A7	11.72 B3	0.500 C1	443 D2			
1706	12.03 A3	11.78 B5	0.539 CX	510 D1	176		
1719	12.35 A3	11.85 B1	0.500 C1	501 D2			
1741	12.01 AX	11.81 B3	0.534 C1	503 D2			

<i>Subscriber Number</i>	<i>Moisture (%)</i>	<i>Protein (%)</i>	<i>Ash (%)</i>	<i>Falling Number</i>	<i>Diastatic Power (mg/10g)</i>	<i>Gassing Power 4th Hour mmHg</i>	<i>Gassing Power 6th Hour mmHg</i>
N	30	26	28	25	4		
Mean	12.22	11.73	0.530	481	167		
Min	11.69	11.30	0.495	400	159		
Max	12.90	11.95	0.600	551	176		
Std	0.30	0.17	0.027	46	9		

** Not included in mean.*

Confidentiality Notice: The data contained herein are confidential and intended for subscriber use only. Data from other subscribers are included for comparison purposes only.