

<i>Subscriber Number</i>	<i>Moisture (%)</i>	<i>Protein (%)</i>	<i>Ash (%)</i>	<i>Falling Number</i>	<i>Diastatic Power (mg/10g)</i>	<i>Gassing Power 4th Hour mmHg</i>	<i>Gassing Power 6th Hour mmHg</i>
61	13.80 A6	12.30 B6	0.560 C5				
77	14.01 A1	12.02 B2	0.560 C1	406 D1			
102	13.88 A1	12.43 B4	0.537 C1	398 D1			
109	14.05 A7	11.95 B7	0.540 C1	371 D2			
246	14.20 A3	12.51 B6	0.516 C2	380 D2			
249	13.81 A1	12.00 B2	0.550 C2				
300	14.26 A1	12.30 B7	0.538 C2	414 D2			
365	13.92 A1	12.14 B4	0.551 C1	390 D2			
497	14.08 A1			378 D2			
619	13.76 A6	11.85 B3	0.515 C1	420 D2			
641	14.50 A7	12.08 B6	0.554 C2	428 D2			
649	14.16 A2	12.32 B7	0.557 C2	383			
677	13.55 A2	12.69 B4	0.545 C2				
727	13.90 A1	12.38 B7	0.534 C1	410 D2			
750	13.85 A1	12.14 B6	0.523 C2	419 D1			
914	13.80 A1	12.33 B4	0.525 C1	369 D1	200	320	390
1312	14.20 A7	11.90 B6	* 0.475 C1	373 D1			
1327	13.90 A7	12.32 B3	0.530 C1	414 D2	227		
1484	13.65 A7	11.95 B7	0.532 C2	447 D2			
1506	13.92 A1	12.30 B4	0.529 C2	354 D2			
1547	* 12.70 A7		0.520 CX	443 D2			
1549	13.70		0.520	418			
1559	13.92 AX	12.47 B4	0.543 CX	360 DX	181		
1602	13.90 AX	12.30 B4					
1693	13.85 A7	12.27 B3	0.530 C1	379 D2	198		
1706	14.00 A3	12.40 B5	0.560 CX	381 D1	223		
1719	13.99 A3	12.80 B1	0.510 C1	395 D2			
1741	13.88 A7	12.34 B3	0.544 C1	400 D2			
1750	13.70 A3	12.10 B3	0.530 C1	361 D2	244		

<i>Subscriber Number</i>	<i>Moisture (%)</i>	<i>Protein (%)</i>	<i>Ash (%)</i>	<i>Falling Number</i>	<i>Diastatic Power (mg/10g)</i>	<i>Gassing Power 4th Hour mmHg</i>	<i>Gassing Power 6th Hour mmHg</i>
N	28	26	26	25	6		
Mean	13.93	12.25	0.537	396	212		
Min	13.55	11.85	0.510	354	181		
Max	14.50	12.80	0.560	447	244		
Std	0.20	0.23	0.015	26	23		

** Not included in mean.*

Confidentiality Notice: The data contained herein are confidential and intended for subscriber use only. Data from other subscribers are included for comparison purposes only.