

<i>Subscriber Number</i>	<i>Moisture (%)</i>	<i>Protein (%)</i>	<i>Ash (%)</i>	<i>Falling Number</i>	<i>Diastatic Power (mg/10g)</i>	<i>Gassing Power 4th Hour mmHg</i>	<i>Gassing Power 6th Hour mmHg</i>
61	13.50 A6	12.10 B7	0.560 C5				
77	12.98 A1	12.14 B2	0.600 C1	442 D1			
102	12.90 A1	12.51 B4	0.579 C1	501 D1			
109	13.05 A7	12.29 B7	0.578 C1	401 D2			
246	13.74 A3	12.47 B6	0.547 C2	398 D2			
249	13.21 A1		0.590 C3				
300	13.29	12.30	0.592	451			
365	13.32 A1	12.28 B4	0.590 C1	425 D1			
619	13.09 A1	11.93 B3	0.560 C1	503 D2			
641	13.50 A7	12.26 BX	0.562 C2	472 D2			
649	13.43 A2	12.40 B7	0.599 C2	447 D2			
677	13.21 A2	12.47 B4	0.580 C2				
727	13.20 A1	11.85 B7	0.594 C1	450 D2			
750	12.90 A1	12.32 B6	0.577 C2	458 D1			
914	13.20 A1	12.15 B4	0.575 C1	378 D1	203	270	345
1312	13.50 A7	12.30 B6	* 0.400 C1	437 D1			
1327	13.30 A7	12.42 B3	0.570 C1	430 D2	212		
1484	13.03 A7	11.85 B1	0.550 C1	447 D2			
1506	13.10 A1	12.10 B4	0.549 C2	393 D2			
1547	12.50 A7		0.650 CX	475 D2			
1549	13.30		0.645	468			
1559	13.30 AX	12.30 B4	0.590 CX	367 DX	196		
1602	12.74 AX	12.18 B4					
1684	12.82 AX	12.28 B3	0.560 C2	439 D2			
1693	13.30 A7	12.30 B3	0.560 C1	436 D2	193		
1706	13.11 A3	12.32 B5	0.598 CX	422 D1	207		
1719	13.00	12.00 B1	0.577 C1	440 D2			
1741	13.20 A7	12.22 BX	0.580 C1	464 D2			
1750	13.40 A3	12.20 B3	0.598 C1	433 D2	192		

<i>Subscriber Number</i>	<i>Moisture (%)</i>	<i>Protein (%)</i>	<i>Ash (%)</i>	<i>Falling Number</i>	<i>Diastatic Power (mg/10g)</i>	<i>Gassing Power 4th Hour mmHg</i>	<i>Gassing Power 6th Hour mmHg</i>
N	29	26	27	25	6		
Mean	13.18	12.23	0.582	439	201		
Min	12.50	11.85	0.547	367	192		
Max	13.74	12.51	0.650	503	212		
Std	0.26	0.18	0.025	34	8		

** Not included in mean.*

Confidentiality Notice: The data contained herein are confidential and intended for subscriber use only. Data from other subscribers are included for comparison purposes only.